PB81-191173

Three Mile Island Nuclear Reactor Accident of March 1979. Environmental Radiation Data Update 2, Volume II

(U.S.) Environmental Monitoring Systems Lab.
Las Vegas, NV

Mar 81

U.S. Department of Commerce
National Technical Information Service
NTIS

PB81-191173

EPA-600/4-81-014B
March 1981

THREE MILE ISLAND NUCLEAR REACTOR ACCIDENT OF MARCH 1979

ENVIRONMENTAL RADIATION DATA: UPDATE 2, VOLUME II

by

Betty A. Hilton and R. Frank Grossman
Nuclear Radiation Assessment Division
Environmental Monitoring Systems Laboratory
U.S. Environmental Protection Agency
Las Vegas, Nevada 89114

ENVIRONMENTAL MONITORING SYSTEMS LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
LAS VEGAS, NEVADA 89114

PRODUCT OF:
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO.
EPA-600/4-81-014B		PB81 191173

4. TITLE AND SUBTITLE	5. REPORT DATE
THREE MILE ISLAND NUCLEAR REACTOR ACCIDENT OF MARCH 1979. ENVIRONMENTAL RADIATION DATA: UPDATE 2, VOLUME II	March 1981
	6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S)	8. PERFORMING ORGANIZATION REPORT NO.
Betty A. Hilton, and R. Frank Grossman	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT NO.
Environmental Monitoring Systems Laboratory Office of Research and Development U.S. Environmental Protection Agency Las Vegas, Nevada 89114	AABN1D
	11. CONTRACT/GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS	13. TYPE OF REPORT AND PERIOD COVERED
U.S. Environmental Protection Agency--Las Vegas, NV Office of Research and Development Environmental Monitoring Systems Laboratory Las Vegas, Nevada 89114	14. SPONSORING AGENCY CODE EPA/600/07

15. SUPPLEMENTARY NOTES

(This is Volume II of a III Volume Report)

16. ABSTRACT

The original report contains a listing of environmental radiation monitoring data collected in the vicinity of Three Mile Island (TMI) following the March 28, 1979 accident. These data were collected by the EPA, NRC, DOE, HHS, the Commonwealth of Pennsylvania, or the Bethelhem Steel Corporation. The original report was printed in September 1979 and the update was released in December 1979.

This final update consists of additional data for 1979 by the same participating organizations, which has not been previously reported. Results of intercomparison studies carried out by the EPA to measure the reliability of the surveillance data entered into the data base, are also included in this final update.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group

18. DISTRIBUTION STATEMENT	19. SECURITY CLASS *(This Report)*	21. NO. OF PAGES
RELEASE TO PUBLIC	UNCLASSIFIED	489
	20. SECURITY CLASS *(This page)*	22. PRICE
	UNCLASSIFIED	

EPA Form 2220-1 (Rev. 4-77) PREVIOUS EDITION IS OBSOLETE

CONTENTS

		Page
VOLUME I		
Introduction		1
Table 1	Update of Measurements Made by Principal Participants through 1979.	2
Table 2	Cross-check Program for Radionuclides in Milk.	3
Table 3	Cross-check Program for Radionuclides in Water	4
Table 5-A	EPA (EMSL-LV) Air Results.	5
Table 5-B	EPA (EMSL-LV) Water Results.	248
Table 5-C	EPA (EMSL-LV) Milk Results	289
Table 5-E	EPA (EMSL-LV) Noble Gas Results	291
Table 5-H	EPA (EMSL-LV) TLD Results.	294
Table 7-A	HHS Water Results.	350
Table 7-B	HHS Milk Results	373
Table 7-C	HHS Food Results	420
Table 9-A	NRC Air Results	440
Table 9-B	NRC Water Results.	493
Table 9-C	NRC Milk Results	497
VOLUME II		
Table 9-F	NRC Survey Meter Results	514
Table 9-G	NRC TLD Results.	767
Table 11-A	DOE Air Results.	794
Table 11-B	DOE TLD and Survey Meter (Ground and Helicopter) Results	797
Table 11-F	DOE Milk Results	799
Table 13-A	Commonwealth of Pennsylvania Air Results	801
Table 13-B	Commonwealth of Pennsylvania Milk Results.	821
Table 13-C	Commonwealth of Pennsylvania TLD Results	865

Preceding page blank

CONTENTS (Continued)

		Page
Table 13-D	Commonwealth of Pennsylvania Water Results	867
Table 17-A	Met Ed Air Results	933

VOLUME III

Table 17-B	Met Ed Water Results	999
Table 17-D	Met Ed Soil Sediment Results	1479
Table 17-E	Met Ed Vegetation Results	1481
Table 17-F	Met Ed TLD Results	1483
Table 17-G	Met Ed Food Results	1529
Table 18-A	Bethlehem Steel Corp-Survey Meter Results	1531

ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL MONITORING AND SYSTEMS LABORATORY

LAS VEGAS, NEVADA

80/10/16

TABLE 9-F, NRC SURVEY METER RESULTS

NOTE: "NA" INDICATES NO ANALYSIS. "ND" INDICATES NOT DETECTED. WHEN RESULTS ARE GIVEN IN EXPONENTIAL NOTATION THE NUMBER FOLLOWING THE "E" IS THE EXPONENT OF TEN BY WHICH THE PRECEDING NUMBER SHOULD BE MULTIPLIED. A VALUE IN PARENTHESES IS THE ESTIMATED TWO-SIGMA COUNTING ERROR ASSOCIATED WITH THE PRECEDING RESULT. ALL LABELED TWO-SIGMA ERROR TERMS ARE ESTIMATED TWO-SIGMA COUNTING ERRORS. ALL MINIMUM DETECTABLE VALUES INDICATED BY THE SYMBOL "<" FOR SAMPLES COLLECTED PRIOR TO JANUARY 1, 1978, ARE BASED ON A TYPE I ERROR EQUAL TO FIVE PERCENT. ALL MINIMUM DETECTABLE VALUES FOR SAMPLES COLLECTED ON OR AFTER JANUARY 1, 1978 ARE ALSO INDICATED BY "<", BUT ARE BASED ON A TYPE I ERROR EQUAL TO A TYPE II ERROR EQUAL TO FIVE PERCENT (SEE HASL-300 PROCEDURES MANUAL).

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD AND RT 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
409782 3MILE DATE- 79 04 07	EX-D-0442	<0.03E+00		MR/HR
SIZE-	EX-C-0442	<0.03E+00		MR/HR
	EX-D-0554	0.02E+00		MR/HR
	STA. NO.	E13		
	EX-C-0554	0.02E+00		MR/HR
COLLINS RD AND RT 441	DISTANCE	2.5		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
409783 3MILE DATE- 79 04 07	EX-D-0443	<0.03E+00		MR/HR
SIZE-	EX-C-0555	0.02E+00		MR/HR
	EX-D-0555	0.02E+00		MR/HR
	STA. NO.	E14		
	EX-C-0443	<0.03E+00		MR/HR
RIVERSIDE BOAT SALES AND RT 441	EX-D-0433	<0.03E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
409773 3MILE DATE- 79 04 07	EX-D-0537	0.02E+00		MR/HR
SIZE-	AZIMUTH	7		DEG-T
	EX-C-0537	0.02E+00		MR/HR
	EX-C-0433	<0.03E+00		MR/HR
	STA. NO.	E4		
NORTH GATE AND RT 441	EX-D-0434	<0.03E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	0.70		MILES
409774 3MILE DATE- 79 04 07	EX-C-0434	<0.03E+00		MR/HR
SIZE-	AZIMUTH	25		DEG-T
	EX-D-0539	0.02E+00		MR/HR
	STA. NO.	E16		
	EX-C-0539	0.02E+00		MR/HR
LAUREL RD AND RT 441	EX-D-0435	<0.03E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
409775 3MILE DATE- 79 04 07	EX-C-0541	0.02E+00		MR/HR
SIZE-	AZIMUTH	58.5		DEG-T
	EX-D-0541	0.02E+00		MR/HR
	STA. NO.	E6		
	EX-C-0435	<0.03E+00		MR/HR
MEADOW LANE AND RT 441	EX-D-0436	<0.03E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	0.39		MILES
409776 3MILE DATE- 79 04 07	STA. NO.	E7		
SIZE-	AZIMUTH	88.0		DEG-T
	EX-C-0436	<0.03E+00		MR/HR
	EX-D-0542	0.02E+00		MR/HR
	EX-C-0542	0.02E+00		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER AND RT 441	EX-0-0548	0.05E+00		MR/HR
83 1590 043 42 03 82	EX-0-0437	<0.03E+00		MR/HR
409777 3MILE DATE- 79 04 07	EX-C-0548	0.02E+00		MR/HR
SIZE-	AZIMUTH	110		DEG-T
	EX-C-0437	<0.03E+00		MR/HR
	DISTANCE	0.40		MILES
	STA. NO.	E8		
ACCESS RD SUBSTATION PARKING	EX-0-0438	0.01E+00		MR/HR
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
409778 3MILE DATE- 79 04 07	DISTANCE	0.45		MILES
SIZE-	EX-C-0438	0.05E+00		MR/HR
	EX-0-0549	0.05E+00		MR/HR
	STA. NO.	E9		
	EX-C-0549	0.05E+00		MR/HR
RED HILL PLAZA AND RT 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
409779 3MILE DATE- 79 04 07	EX-0-0439	0.04E+00		MR/HR
SIZE-	EX-C-0551	0.02E+00		MR/HR
	EX-0-0551	0.02E+00		MR/HR
	STA. NO.	E10		
	EX-C-0439	<0.03E+00		MR/HR
ENGLE RD AND RT 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
409780 3MILE DATE- 79 04 07	EX-0-0440	<0.03E+00		MR/HR
SIZE-	STA. NO.	E11		
	EX-C-0440	<0.03E+00		MR/HR
	EX-0-0552	0.02E+00		MR/HR
	EX-C-0552	0.02E+00		MR/HR
SOUTH GATE AND RT 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
409781 3MILE DATE- 79 04 07	EX-0-0441	<0.03E+00		MR/HR
SIZE-	EX-0-0553	0.02E+00		MR/HR
	EX-C-0553	0.02E+00		MR/HR
	EX-C-0441	<0.03E+00		MR/HR
	STA. NO.	E12		
SOUTH UNION AND RT 441	EX-DPN	<0.03E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
409770 3MILE DATE- 79 04 07 0430	STA. NO.	E1		
SIZE-	AZIMUTH	352		DEG-T
	EX-CLD	<0.03E+00		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
BURD ST AND RT 441		EX-DPH	<0.03E+00		MR/HR
83 1590 043 42 03 82		DISTANCE	2.35		MILES
409771 3MILE	DATE- 79 04 07 0431	EX-CLD	<0.03E+00		MR/HR
SIZE-		AZIMUTH	354		DEG-T
		STA. NO.	E2		
RAILROAD CROSSING AND RT 441		EX-DPH	<0.03E+00		MR/HR
83 1590 043 42 03 82		DISTANCE	1.90		MILES
409772 3MILE	DATE- 79 04 07 0432	STA. NO.	E3		
SIZE-		AZIMUTH	360		DEG-T
		EX-CLD	<0.03E+00		MR/HR
KEENER RD AND RT 441		AZIMUTH	152		DEG-T
83 1590 043 42 03 82		DISTANCE	2.85		MILES
412998 3MILE	DATE- 79 04 07 0644	EX-D-1407	0.03E+00		MR/HR
SIZE-		EX-C-1407	0.02E+00		MR/HR
		EX-D-0644	<0.03E+00		MR/HR
		EX-C-0644	<0.03E+00		MR/HR
		STA. NO.	E15		
RT 262 AND RT 177		AZIMUTH	285		DEG-T
83 1590 043 42 03 82		DISTANCE	5.7		MILES
412668 3MILE	DATE- 79 04 07 1750	STA. NO.	W9		
SIZE-		EXP DPH	<0.01E+00		MR/HR
		EXP CLD	<0.01E+00		MR/HR
SOUTH UNION AND RT 441		EX-D-0858	0.02E+00		MR/HR
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
409325 3MILE	DATE- 79 04 08	EX-C-0858	0.01E+00		MR/HR
SIZE-		DISTANCE	2.5		MILES
		EX-D-1007	0.03E+00		MR/HR
		STA. NO.	E1		
		EX-C-1007	0.02E+00		MR/HR
BURD STREET AND RT 441		EX-D-0856	0.03E+00		MR/HR
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
409326 3MILE	DATE- 79 04 08	EX-C-0856	0.02E+00		MR/HR
SIZE-		DISTANCE	2.35		MILES
		EX-D-1008	0.03E+00		MR/HR
		STA. NO.	E2		
		EX-C-1008	0.02E+00		MR/HR
RAILROAD CROSSING AND RT 441		EX-D-0854	0.03E+00		MR/HR
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
409327 3MILE	DATE- 79 04 08	STA. NO.	E3		
SIZE-		DISTANCE	1.9		MILES
		EX-C-0854	0.03E+00		MR/HR
		EX-D-1010	0.02E+00		MR/HR
		EX-C-1010	0.02E+00		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT ± 2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT 441		EX-O-0852	0.03E+00	MR/HR
83 1590 043 42 03 82		AZIMUTH	7.0	DEG-T
409332 3MILE	DATE- 79 04 08	EX-O-1012	0.03E+00	MR/HR
SIZE-		DISTANCE	1.15	MILES
		EX-C-1012	0.02E+00	MR/HR
		EX-C-0852	0.02E+00	MR/HR
		STA. NO.	E4	
LAUREL RD AND RT 441		EX-O-0949	0.03E+00	MR/HR
83 1590 043 42 03 82		AZIMUTH	58.5	DEG-T
409335 3MILE	DATE- 79 04 08	EX-C-0949	0.02E+00	MR/HR
SIZE-		DISTANCE	0.45	MILES
		EX-O-1015	0.04E+00	MR/HR
		STA. NO.	E6	
		EX-C-1015	0.03E+00	MR/HR
SOUTH UNION AND RT 441		EX-O-0916	0.03E+00	MR/HR
83 1590 043 42 03 82		AZIMUTH	352	DEG-T
409353 3MILE	DATE- 79 04 08	EX-C-1642	<0.02E+00	MR/HR
SIZE-		DISTANCE	2.5	MILES
		EX-O-1642	0.02E+00	MR/HR
		STA. NO.	E1	
		EX-C-0916	0.03E+00	MR/HR
BURD STREET AND RT 441		EX-O-0918	0.03E+00	MR/HR
83 1590 043 42 03 82		AZIMUTH	354	DEG-T
409354 3MILE	DATE- 79 04 08	STA. NO.	E2	
SIZE-		DISTANCE	2.35	MILES
		EX-C-0918	0.02E+00	MR/HR
		EX-O-1647	<0.02E+00	MR/HR
		EX-C-1647	<0.02E+00	MR/HR
RAILROAD CROSSING AND RT 441		EX-O-0920	0.03E+00	MR/HR
83 1590 043 42 03 82		AZIMUTH	360	DEG-T
409355 3MILE	DATE- 79 04 08	EX-O-1650	<0.02E+00	MR/HR
SIZE-		DISTANCE	1.90	MILES
		EX-C-1650	<0.02E+00	MR/HR
		EX-C-0920	0.02E+00	MR/HR
		STA. NO.	E3	
RIVERSIDE BOAT SALES AND RT 441		EX-O-0923	0.03E+00	MR/HR
83 1590 043 42 03 82		AZIMUTH	7	DEG-T
409356 3MILE	DATE- 79 04 08	EX-C-0923	0.02E+00	MR/HR
SIZE-		DISTANCE	1.15	MILES
		EX-O-1651	<0.02E+00	MR/HR
		STA. NO.	E4	
		EX-C-1651	<0.02E+00	MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT 441	EX-0-0925	0.03E+00		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
409357 3MILE DATE- 79 04 08	EX-C-1652	<0.02E+00		MR/HR
SIZE-	DISTANCE	0.7		MILES
	EX-0-1652	<0.02E+00		MR/HR
	STA. NO.	E16		
	EX-C-0925	0.02E+00		MR/HR
LAUREL RD AND RT 441	EX-0-0926	0.03E+00		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
409358 3MILE DATE- 79 04 08	STA. NO.	E6		
SIZE-	DISTANCE	0.45		MILES
	EX-C-0926	0.02E+00		MR/HR
	EX-0-1654	<0.02E+00		MR/HR
	EX-C-1654	<0.02E+00		MR/HR
MEADOW LANE AND RT 441	EX-0-0927	0.03E+00		MR/HR
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
409359 3MILE DATE- 79 04 08	EX-0-1655	<0.02E+00		MR/HR
SIZE-	DISTANCE	0.39		MILES
	EX-C-1655	<0.02E+00		MR/HR
	EX-C-0927	0.02E+00		MR/HR
	STA. NO.	E7		
TMI OBSERVATION CENTER AND RT 441	EX-0-0928	0.03E+00		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
409360 3MILE DATE- 79 04 08	EX-C-0928	0.02E+00		MR/HR
SIZE-	DISTANCE	0.40		MILES
	EX-0-1656	<0.02E+00		MR/HR
	STA. NO.	E8		
	EX-C-1656	<0.02E+00		MR/HR
ACCESS RD SUBSTATION PARKING LOT	EX-0-0930	0.06E+00		MR/HR
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
409361 3MILE DATE- 79 04 08	EX-C-1657	<0.02E+00		MR/HR
SIZE-	DISTANCE	0.45		MILES
	EX-0-1657	<0.02E+00		MR/HR
	STA. NO.	E9		
	EX-C-0930	0.03E+00		MR/HR
RED HILL PLAZA AND RT 441	EX-0-0932	0.03E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	0.85		MILES
409362 3MILE DATE- 79 04 08	STA. NO.	E10		
SIZE-	AZIMUTH	127		DEG-T
	EX-C-0932	0.02E+00		MR/HR
	EX-0-1658	<0.02E+00		MR/HR
	EX-C-1658	<0.02E+00		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT 441	EX-0-0933	0.03E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
409363 3MILE DATE- 79 04 08	EX-0-1659	<0.02E+00		MR/HR
SIZE-	AZIMUTH	153		DEG-T
	EX-C-1659	<0.02E+00		MR/HR
	EX-C-0933	0.02E+00		MR/HR
	STA. NO.	E11		
SOUTH GATE AND RT 441	EX-0-0934	0.02E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	1.60		MILES
409364 3MILE DATE- 79 04 08	EX-C-0934	0.02E+00		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	EX-0-1700	<0.02E+00		MR/HR
	STA. NO.	E12		
	EX-C-1700	<0.02E+00		MR/HR
MEADOW LANE AND RT 441	EX-0-0847	0.02E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	0.39		MILES
409395 3MILE DATE- 79 04 08	EX-C-1016	0.04E+00		MR/HR
SIZE-	AZIMUTH	88.0		DEG-T
	EX-0-1016	0.08E+00		MR/HR
	STA. NO.	E7		
	EX-C-0847	0.02E+00		MR/HR
TMI OBSERVATION CENTER ON RT 441	EX-0-0825	0.03E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	0.40		MILES
409396 3MILE DATE- 79 04 08	STA. NO.	E8		
SIZE-	AZIMUTH	110		DEG-T
	EX-C-0825	0.02E+00		MR/HR
	EX-0-1017	0.06E+00		MR/HR
	EX-C-1017	0.03E+00		MR/HR
ACCESS RD AND SUBSTATION PARKING LOT	EX-0-0826	0.03E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
409397 3MILE DATE- 79 04 08	EX-0-1019	0.03E+00		MR/HR
SIZE-	AZIMUTH	130		DEG-T
	EX-C-1019	0.03E+00		MR/HR
	EX-C-0826	0.02E+00		MR/HR
	STA. NO.	E9		
RED HILL PLAZA AND RT 441	EX-0-0827	0.04E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	0.85		MILES
409398 3MILE DATE- 79 04 08	EX-0-1021	0.03E+00		MR/HR
SIZE-	AZIMUTH	127		DEG-T
	EX-C-1021	0.02E+00		MR/HR
	EX-C-0827	0.03E+00		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT 441	EX-0-0836	0.03E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	2.85		MILES
409604 3MILE DATE- 79 04 08	EX-0-1029	0.03E+00		MR/HR
SIZE-	AZIMUTH	152		DEG-T
	EX-C-1029	0.02E+00		MR/HR
	EX-C-0836	0.02E+00		MR/HR
	STA. NO.	E15		
SOUTH GATE AND RT 441	EX-0-0843	0.06E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	1.6		MILES
409605 3MILE DATE- 79 04 08	EX-C-0843	0.03E+00		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	EX-0-0841	0.05E+00		MR/HR
	STA. NO.	E12		
	EX-C-0841	0.03E+00		MR/HR
FALMOUTH RD AND RT 441	EX-0-0935	0.02E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	2.30		MILES
409509 3MILE DATE- 79 04 08	EX-C-0935	0.02E+00		MR/HR
SIZE-	AZIMUTH	162.5		DEG-T
	EX-0-1702	<0.02E+00		MR/HR
	STA. NO.	E13		
	EX-C-1702	<0.02E+00		MR/HR
COLLINS RD AND RT 441	EX-0-0937	0.02E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	2.5		MILES
409510 3MILE DATE- 79 04 08	EX-C-1703	<0.02E+00		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	EX-0-1703	<0.02E+00		MR/HR
	STA. NO.	E14		
	EX-C-0937	0.02E+00		MR/HR
KEENER RD AND RT 441	EX-0-0939	0.02E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	2.85		MILES
409511 3MILE DATE- 79 04 08	STA. NO.	E15		
SIZE-	AZIMUTH	152		DEG-T
	EX-C-0939	0.02E+00		MR/HR
	EX-0-1704	<0.02E+00		MR/HR
	EX-C-1704	<0.02E+00		MR/HR
ENGLE RD AND RT 441	EX-0-0829	0.04E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
409600 3MILE DATE- 79 04 08	EX-0-1022	0.03E+00		MR/HR
SIZE-	AZIMUTH	153		DEG-T
	EX-C-1022	0.02E+00		MR/HR
	EX-C-0829	0.02E+00		MR/HR
	STA. NO.	E11		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT 441		EX-0-0831	0.04E+00		MR/HR
83 1590 043 42 03 82		DISTANCE	1.6		MILES
409601 3MILE	DATE- 79 04 08	EX-C-0831	0.03E+00		MR/HR
SIZE-		AZIMUTH	160		DEG-T
		EX-0-1024	0.03E+00		MR/HR
		STA. NO.	E12		
		EX-C-1024	0.02E+00		MR/HR
FALMOUTH RD AND RT 441		EX-0-0832	0.03E+00		MR/HR
83 1590 043 42 03 82		DISTANCE	2.3		MILES
409602 3MILE	DATE- 79 04 08	EX-C-1025	0.02E+00		MR/HR
SIZE-		AZIMUTH	162.5		DEG-T
		EX-0-1025	0.03E+00		MR/HR
		STA. NO.	E13		
		EX-C-0832	0.02E+00		MR/HR
COLLINS RD AND RT 441		EX-0-0834	0.03E+00		MR/HR
83 1590 043 42 03 82		DISTANCE	2.5		MILES
409603 3MILE	DATE- 79 04 08	STA. NO.	E14		
SIZE-		AZIMUTH	160		DEG-T
		EX-C-0834	0.02E+00		MR/HR
		EX-0-1037	0.03E+00		MR/HR
		EX-C-1037	0.02E+00		MR/HR
KISTER-262		AZIMUTH	257		DEG-T
83 1590 043 42 03 82		DISTANCE	1.4		MILES
410064 3MILE	DATE- 79 04 09 0940	EX-0-0904	0.4E+00		MR/HR
SIZE-		EX-C-0904	0.05+00		MR/HR
		STA. NO.	W23		
CENTER GOLD&BORO		EX-OPN	0.04E+00		MR/HR
83 1590 043 42 03 82		DISTANCE	1.35		MILES
409763 3MILE	DATE- 79 04 09 1225	EX-CLD	0.03E+00		MR/HR
SIZE-		AZIMUTH	264		DEG-T
		STA. NO.	W12		
FRAZER ST AND RT 262		EX-OPN	0.04E+00		MR/HR
83 1590 043 42 03 82		DISTANCE	1.35		MILES
409764 3MILE	DATE- 79 04 09 1227	STA. NO.	W14		
SIZE-		AZIMUTH	256		DEG-T
		EX-CLD	0.03E+00		MR/HR
WISLER RD AND RT 262		EX-OPN	0.04E+00		MR/HR
83 1590 043 42 03 82		DISTANCE	1.4		MILES
409765 3MILE	DATE- 79 04 09 1228	EX-CLD	0.03E+00		MR/HR
SIZE-		AZIMUTH	248		DEG-T
		STA. NO.	W15		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
MIDWAY RD AND RT 441	EX-OPN	0.05E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	1.6		MILES
409766 3MILE DATE- 79 04 09 1230	STA. NO.	W16		
SIZE-	AZIMUTH	235		DEG-T
	EX-CLD	0.03E+00		MR/HR
RIVER RD AND RT 262	EX-OPN	0.01E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	1.85		MILES
409767 3MILE DATE- 79 04 09 1233	EX-CLD	0.04E+00		MR/HR
SIZE-	AZIMUTH	226		DEG-T
	STA. NO.	W17		
RT 295 AND REESER	EX-OPN	0.07E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	2.20		MILES
409768 3MILE DATE- 79 04 09 1237	STA. NO.	W18		
SIZE-	AZIMUTH	197.5		DEG-T
	EX-CLD	0.04E+00		MR/HR
RIVER RD AND RT 262	EX-OPN	0.25E+00		MR/HR
83 1590 043 42 03 82	DISTANCE	1.85		MILES
409769 3MILE DATE- 79 04 09 1245	EX-CLD	0.06E+00		MR/HR
SIZE-	AZIMUTH	226		DEG-T
	STA. NO.	W17		
SOUTH UNION AND RT 441	DISTANCE	2.5		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
409812 3MILE DATE- 79 04 11	EX-D-0826	0.03E+00		MR/HR
SIZE-	EX-C-1040	0.02E+00		MR/HR
	EX-D-1040	0.02E+00		MR/HR
	EX-C-1513	0.02E+00		MR/HR
	EX-D-1513	0.02E+00		MR/HR
	EX-C-1408	0.02E+00		MR/HR
	EX-D-1408	0.02E+00		MR/HR
	STA. NO.	E1		
	EX-C-0826	0.02E+00		MR/HR
RAILROAD CROSSING AND RT 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
409814 3MILE DATE- 79 04 11	EX-D-0829	0.02E+00		MR/HR
SIZE-	EX-C-1515	0.02E+00		MR/HR
	EX-D-1515	0.02E+00		MR/HR
	STA. NO.	E3		
	EX-D-1044	0.02E+00		MR/HR
	EX-C-1044	0.02E+00		MR/HR
	EX-D-1410	0.02E+00		MR/HR
	EX-C-0829	0.02E+00		MR/HR
	EX-C-1410	0.02E+00		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
409815 3MILE DATE- 79 04 11	EX-D-0831	0.03E+00		MR/HR
SIZE-	STA. NO.	E4		
	EX-C-0831	0.02E+00		MR/HR
	EX-D-1412	0.02E+00		MR/HR
	EX-C-1412	0.02E+00		MR/HR
	EX-D-1045	0.02E+00		MR/HR
	EX-C-1045	0.02E+00		MR/HR
	EX-D-1517	0.02E+00		MR/HR
	EX-C-1517	0.02E+00		MR/HR
NORTH GATE AND RT 441	DISTANCE	0.7		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
409816 3MILE DATE- 79 04 11	EX-D-0833	0.03E+00		MR/HR
SIZE-	EX-D-1047	0.03E+00		MR/HR
	EX-C-1047	0.02E+00		MR/HR
	EX-D-1518	0.02E+00		MR/HR
	EX-C-1518	0.02E+00		MR/HR
	EX-D-1413	0.02E+00		MR/HR
	EX-C-1413	0.02E+00		MR/HR
	EX-C-0833	0.02E+00		MR/HR
	STA. NO.	E16		
LAUREL RD AND RT 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
409817 3MILE DATE- 79 04 11	EX-D-0834	0.03E00		MR/HR
SIZE-	EX-D-1415	0.02E00		MR/HR
	EX-D-1049	0.02E00		MR/HR
	EX-C-1415	0.02E00		MR/HR
	EX-C-0834	0.02E00		MR/HR
	STA. NO.	E4		
	EX-D-1520	0.02E00		MR/HR
	EX-C-1520	0.02E00		MR/HR
	EX-C-1049	0.02E00		MR/HR
MEADOW LANE AND RT 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	98.0		DEG-T
409818 3MILE DATE- 79 04 11	EX-D-0836	0.04E+00		MR/HR
SIZE-	EX-D-1521	0.02E+00		MR/HR
	EX-D-1050	0.02E+00		MR/HR
	EX-C-1521	0.02E+00		MR/HR
	EX-D-1416	0.02E+00		MR/HR
	EX-C-1050	0.02E+00		MR/HR
	STA. NO.	E7		
	EX-C-0836	0.02E+00		MR/HR
	EX-C-1416	0.02E+00		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER ON RT 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
409819 3MILE DATE- 79 04 11	EX-0-0838	0.03E+00		MR/HR
SIZE-	EX-C-0838	0.02E+00		MR/HR
	EX-0-1417	0.02E+00		MR/HR
	STA. NO.	E8		
	EX-0-1051	0.02E+00		MR/HR
	EX-C-1417	0.02E+00		MR/HR
	EX-0-1522	0.02E+00		MR/HR
	EX-C-1051	0.02E+00		MR/HR
	EX-C-1522	0.02E+00		MR/HR
ACCESS RD SUBSTATION PARKING ON RT 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
409820 3MILE DATE- 79 04 11	EX-0-0838	0.03E+00		MR/HR
SIZE-	EX-C-1052	0.02E+00		MR/HR
	EX-0-1052	0.02E+00		MR/HR
	EX-C-1523	0.02E+00		MR/HR
	EX-0-1523	0.02E+00		MR/HR
	EX-C-1418	0.02E+00		MR/HR
	EX-0-1418	0.02E+00		MR/HR
	STA. NO.	E9		
	EX-C-0838	0.02E+00		MR/HR
RED HILL PLAZA AND RT 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
409821 3MILE DATE- 79 04 11	EX-0-0839	0.03E+00		MR/HR
SIZE-	EX-C-1420	0.02E+00		MR/HR
	EX-0-1420	0.02E+00		MR/HR
	STA. NO.	E10		
	EX-0-1054	0.02E+00		MR/HR
	EX-C-1524	0.02E+00		MR/HR
	EX-C-0839	0.02E+00		MR/HR
	EX-0-1524	0.02E+00		MR/HR
	EX-C-1054	0.02E+00		MR/HR
ENGLE RD AND RT 441	EX-0-0840	0.02E+00		MR/HR
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
409822 3MILE DATE- 79 04 11	EX-C-1525	0.02E+00		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA. NO.	E11		
	EX-0-1525	0.02E+00		MR/HR
	EX-0-1055	0.02E-00		MR/HR
	EX-C-1055	0.02E+00		MR/HR
	EX-0-1421	0.02E+00		MR/HR
	EX-C-0840	0.02E+00		MR/HR
	EX-C-1421	0.02E+00		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT 441	DISTANCE	1.6		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
409823 3MILE DATE- 79 04 11	EX-0-0842	0.02E+00		MR/HR
SIZE-	STA. NO.	E12		
	EX-C-0842	0.02E+00		MR/HR
	EX-0-1422	0.02E+00		MR/HR
	EX-C-1422	0.02E+00		MR/HR
	EX-0-1056	0.02E+00		MR/HR
	EX-C-1056	0.02E+00		MR/HR
	EX-0-1526	0.02E+00		MR/HR
	EX-C-1526	0.02E+00		MR/HR
FALMOUTH RD AND RT 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
409824 3MILE DATE- 79 04 11	EX-0-0843	0.02E+		MR/HR
SIZE-	EX-0-1058	0.02E+		MR/HR
	EX-C-1058	0.02E+		MR/HR
	EX-0-1528	0.02E+		MR/HR
	EX-C-1528	0.02E+		MR/HR
	EX-0-1424	0.02E+		MR/HR
	EX-C-1424	0.02E+		MR/HR
	EX-C-0843	0.02E+		MR/HR
	STA. NO.	E13		
COLLINS RD AND RT 441	DISTANCE	2.5		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
409825 3MILE DATE- 79 04 11	EX-0-0844	0.02E+00		MR/HR
SIZE-	EX-0-1425	0.02E+00		MR/HR
	EX-0-1059	0.02E+00		MR/HR
	EX-C-1425	0.02E+00		MR/HR
	EX-C-0844	0.02E+00		MR/HR
	STA. NO.	E14		
	EX-0-1529	0.02E+00		MR/HR
	EX-C-1529	0.02E+00		MR/HR
	EX-C-1059	0.02E+00		MR/HR
KEENER RD AND RT 441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
409826 3MILE DATE- 79 04 11	EX-0-0846	0.02E+00		MR/HR
SIZE-	EX-0-1530	0.02E+00		MR/HR
	EX-0-1101	0.02E+00		MR/HR
	EX-C-1530	0.02E+00		MR/HR
	EX-0-1426	0.02E+00		MR/HR
	EX-C-1101	0.02E+00		MR/HR
	STA. NO.	E15		
	EX-C-0846	0.02E+00		MR/HR
	EX-C-1426	0.02E+00		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
409813 3MILE DATE- 79 04 11	EX-D-0827	0.03E+00		MR/HR
SIZE-	EX-C-1409	0.02E+00		MR/HR
	EX-D-1409	0.02E+00		MR/HR
	STA. NO.	E2		
	EX-D-1042	0.02E+00		MR/HR
	EX-C-1514	0.02E+00		MR/HR
	EX-C-0827	0.02E+00		MR/HR
	EX-D-1514	0.02E+00		MR/HR
	EX-C-1042	0.02E+00		MR/HR
FALMOUTH RD AND RT 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
410670 3MILE DATE- 79 04 23 2330	EX-OPN	<0.02E+00		MR/HR
SIZE-	STA. NO.	E13		
	EX-CLO	<0.02E+00		MR/HR
YORK HAVEN NEWBURG SCHOOL	EXPOSURE	0.62E+00	0.24E+00	MR
83 1590 42 82	AZIMUTH	UNAV		DEG-T
415177 3MILE ON- 79 05 21 1606	SITE TYPE	TELEPHONE POLE		
SIZE- OFF- 79 05 24 1221	DISTANCE	3.3		MILES
	HEIGHT	6.5		FT
	ID.NO.	78.79		
	STA. NO	S1A		
SOUTH UNION RT.441	DISTANCE	2.5		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
417455 3MILE DATE- 79 06 04 1427	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	E1		
	EXP-CLO	.02		MR/HR
BURD ST AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
417456 3MILE DATE- 79 06 04 1428	DISTANCE	2.35		MILES
SIZE-	STA.NO.	E2		
	EXP-CLO	.02		MR/HR
RAILROAD CROSSING AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
417457 3MILE DATE- 79 06 04 1428	STA.NO.	E3		
SIZE-	DISTANCE	1.90		MILES
	EXP-CLO	.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT.441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
417458 3MILE DATE- 79 06 04 1429	EXP-CLD	.02		MR/HR
SIZE-	EXP-OPN	.02		MR/HR
	STA.NO.	E4		
NORTH GATE AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
417459 3MILE DATE- 79 06 04 1430	STA.NO.	E16		
SIZE-	DISTANCE	0.7		MILES
	EXP-OPN	.02		MR/HR
LAURAL RD. AND RT.441	EXP-CLD	.02		MP/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
417460 3MILE DATE- 79 06 04 1431	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	0.45		MILES
	STA.NO.	E6		
MEADOW LANE AND RT.441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
417461 3MILE DATE- 79 06 04 1431	EXP-CLD	.02		MR/HR
SIZE-	EXP-OPN	.02		MR/HR
	STA.NO.	E7		
TMI OBSERVATION CENTER ON RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
417462 3MILE DATE- 79 06 04 1432	DISTANCE	0.40		MILES
SIZE-	EXP-OPN	.02		MR/HR
	STA.NO.	E8		
ACCESS RD. SUBSTATION PARKING ON RT.441	STA.NO.	E9		
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
417463 3MILE DATE- 79 06 04 1432	EXP-CLD	.02		MR/HR
SIZE-	EXP-OPN	.02		MR/HR
	DISTANCE	0.45		MILES
RED HILL PLAZA AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
417464 3MILE DATE- 79 06 04 1432	STA.NO.	E10		
SIZE-	EXP-OPN	.02		MR/HR
	DISTANCE	0.85		MILES
ENGLE RD AND RT.441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
417465 3MILE DATE- 79 06 04 1433	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	E11		
	EXP-CLD	.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTHGATE AND RT.441	STA.NO.	E12		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417466 3MILE DATE- 79 06 04 1433	EXP-DPN	.02		MR/HR
SIZE-	EXP-CLD	.02		MR/HR
	DISTANCE	1.60		MILES
FALMOUTH RD.ANDRT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
417467 3MILE DATE- 79 06 04 1434	STA.NO.	E13		
SIZE-	EXP-DPN	.02		MR/HR
	DISTANCE	2.30		MILES
COLLINS RD. AND RT.441	STA.NO.	E14		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417468 3MILE DATE- 79 06 04 1435	DISTANCE	2.5		MILES
SIZE-	EXP-CLD	.02		MR/HR
	EXP-DPN	.02		MR/HR
KEENER RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
417469 3MILE DATE- 79 06 04 1435	STA.NO.	E15		
SIZE-	EXP-DPN	.02		MR/HR
	DISTANCE	0.7		MILES
KEENER RD.AND RT.441	STA.NO.	E15		
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
417484 3MILE DATE- 79 06 05 0920	EXP-DPN	.02		MR/HR
SIZE-	DISTANCE	2.85		MILES
	EXP-CLD	.02		MR/HR
FALMOUTH RD.AND RT.441	EXP-DPN	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.30		MILES
417482 3MILE DATE- 79 06 05 0921	EXP-CLD	.02		MR/HR
SIZE-	AZIMUTH	162.5		DEG-T
	STA.NO.	E13		
COLLINS RD.AND RT.441	STA.NO.	E14		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417483 3MILE DATE- 79 06 05 0921	EXP-DPN	.02		MR/HR
SIZE-	DISTANCE	2.5		MILES
	EXP-CLD	.02		MR/HR
SOUTH GATE AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417481 3MILE DATE- 79 06 05 0922	STA.NO.	E12		
SIZE-	DISTANCE	1.60		MILES
	EXP-DPN	.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
417480 3MILE DATE- 79 06 05 0923	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA.NO.	E11		
TMI OBSERVATION CENTER ON RT.441	STA.NO.	E8		
83 1590 043 42 03 82	DISTANCE	0.40		MILES
417477 3MILE DATE- 79 06 05 0924	EXP-CLD	.02		MR/HR
SIZE-	AZIMUTH	110		DEG-T
	EXP-OPN	.02		MR/HR
ACCESS RD.SUBSTATION PARKING ON RT.441	STA.NO.	E9		
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
417478 3MILE DATE- 79 06 05 0924	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	0.45		MILES
	EXP-CLD	.02		MR/HR
RED HILL PLAZA AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
417479 3MILE DATE- 79 06 05 0924	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	0.85		MILES
	STA.NO.	E10		
NORTH GATE AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
417474 3MILE DATE- 79 06 05 0925	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	0.7		MILES
	STA.NO.	E16		
LAURAL RD.AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
417475 3MILE DATE- 79 06 05 0925	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	0.45		MILES
	STA.NO.	E6		
MEADOW LANE AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
417476 3MILE DATE- 79 06 05 0925	STA.NO.	E7		
SIZE-	DISTANCE	0.39		MILES
	EXP-OPN	.02		MR/HR
RIVERSIDE BOAT SALES AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
417473 3MILE DATE- 79 06 05 0926	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA.NO.	E4		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RAILROAD CROSSING AND RT.441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
417472 3MILE DATE- 79 06 05 0927	EXP-CLD	.02		MR/HR
SIZE-	EXP-OPN	.02		MR/HR
	STA.NO.	E3		
BURD STREET AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
417471 3MILE DATE- 79 06 05 0928	STA.NO.	E2		
SIZE-	EXP-CLD	.02		MR/HR
	DISTANCE	2.35		MILES
SOUTH UNION AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
417470 3MILE DATE- 79 06 05 0929	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	2.5		MILES
	STA.NO.	E1		
KEENER RD. AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
417521 3MILE DATE- 79 06 05 1420	STA.NO.	E15		
SIZE-	DISTANCE	2.85		MILES
	EXP-CLD	.02		MR/HR
COLLINS RD. AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417520 3MILE DATE- 79 06 05 1421	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	2.50		MILES
	STA.NO.	E14		
SOUTH GATE AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417518 3MILE DATE- 79 06 05 1423	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	1.60		MILES
	STA.NO.	E12		
FALMOUTH RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
417519 3MILE DATE- 79 06 05 1423	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	2.30		MILES
	STA.NO.	E13		
ENGLE RD.AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417517 3MILE DATE- 79 06 05 1424	EXP-CLD	.02		MR/HR
SIZE-	AZIMUTH	153		DEG-T
	STA.NO.	E11		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16			
	ANALYSIS	RESULT	2SIGMA UNITS
RED HILL PLAZA AND RT.441	EXP-CLD	.02	MR/HR
83 1590 043 42 03 82	AZIMUTH	127	DEG-T
417516 3MILE DATE- 79 06 05 1425	EXP-OPN	.02	MR/HR
SIZE-	DISTANCE	0.85	MILES
	STA.NO.	E10	
ACCESS RD. SUBSTATION PARKING ON RT.441	EXP-OPN	.02	MR/HR
83 1590 043 42 03 82	AZIMUTH	130	DEG-T
417515 3MILE DATE- 79 06 05 1426	EXP-CLD	.02	MR/HR
SIZE-	DISTANCE	0.45	MILES
	STA.NO.	E9	
MEADOW LANE AND RT.441	EXP-CLD	.02	MR/HR
83 1590 043 42 03 82	DISTANCE	0.39	MILES
417513 3MILE DATE- 79 06 05 1427	EXP-OPN	.02	MR/HR
SIZE-	AZIMUTH	80	DEG-T
	STA.NO.	E7	
TMI OBSERVATION CENTER ON RT.441	EXP-OPN	.02	MR/HR
83 1590 043 42 03 82	AZIMUTH	110	DEG-T
417514 3MILE DATE- 79 06 05 1427	EXP-CLD	.02	MR/HR
SIZE-	DISTANCE	0.40	MILES
	STA.NO.	E8	
NORTHGATE AND RT.441	EXP-CLD	.02	MR/HR
83 1590 043 42 03 82	AZIMUTH	25	DEG-T
417511 3MILE DATE- 79 06 05 1428	STA.NO.	E16	
SIZE-	DISTANCE	0.70	MILES
	EXP-OPN	.02	MR/HR
LAURAL RD. AND RT441	EXP-OPN	.02	MR/HR
83 1590 043 42 03 82	DISTANCE	0.45	MILES
417512 3MILE DATE- 79 06 05 1428	STA.NO.	E6	
SIZE-	AZIMUTH	58.5	DEG-T
	EXP-CLD	.02	MR/HR
RIVERSIDE BOAT SALES AND RT.441	EXP-CLD	.02	MR/HR
83 1590 043 42 03 82	AZIMUTH	7	DEG-T
417510 3MILE DATE- 79 06 05 1430	STA.NO.	E4	
SIZE-	DISTANCE	1.15	MILES
	EXP-OPN	.02	MR/HR
RAILROAD CROSSING AND RT.441	EXP-CLD	.02	MR/HR
83 1590 043 42 03 82	AZIMUTH	360	DEG-T
417509 3MILE DATE- 79 06 05 1431	STA.NO.	E3	
SIZE-	DISTANCE	1.90	MILES
	EXP-OPN	.02	MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
BURD ST.AND RT.441	STA.NO.	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
417508 3MILE DATE- 79 06 05 1432	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	2.35		MILES
	EXP-OPN	.02		MR/HR
SOUTH UNION AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
417507 3MILE DATE- 79 06 05 1434	STA.NO.	E1		
SIZE-	AZIMUTH	352		DEG-T
	EXP-CLD	.02		MR/HR
RT.382 AND RT.181-YORK HAVEN	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	171		DEG-T
417504 3MILE DATE- 79 06 06	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	3.15		MILES
	STA.NO.	W20		
NORTH END BRUNNERS ISL.	STA.NO.	W21		
83 1590 043 42 03 82	AZIMUTH	167		DEG-T
417505 3MILE DATE- 79 06 06	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	3.25		MILES
	EXP-CLD	.02		MR/HR
SOUTH END BRUNNERS ISL.	STA.NO.	W22		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417506 3MILE DATE- 79 06 06	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	5.0		MILES
	EXP-CLD	.02		MR/HR
RT.382 AND RT.181-YORK HAVEN	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	171		DEG-T
417556 3MILE DATE- 79 06 06	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	3.15		MILES
	STA.NO.	W20		
SOUTH END BRUNNER ISL.	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	3.26		MILES
417557 3MILE DATE- 79 06 06	EXP-CLD	.02		MR/HR
SIZE-	STA.NO.	W21		
	AZIMUTH	167		DEG-T
SOUTH END BRUNNER ISL.	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	W22		
417558 3MILE DATE- 79 06 06	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	5.0		MILES
	AZIMUTH	160		DEG-T

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RT.262 AND RT.76 BRIDGE		EXP-CLD	.02		MR/HR
83 1590 043 42 03 82		DISTANCE	7.6		MILES
417497 3MILE	DATE- 79 06 06 0950	STA.NO.	W13		
SIZE-		AZIMUTH	295		DEG-T
		EXP-OPN	.02		MR/HR
RT.262 AND HARK RD.		EXP-CLD	.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	296		DEG-T
417496 3MILE	DATE- 79 06 06 0952	EXP-OPN	.02		MR/HR
SIZE-		DISTANCE	7.5		MILES
		STA.NO.	W12		
RT.262 AND SPRING RD.		EXP-CLD	.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	292		DEG-T
417495 3MILE	DATE- 79 06 06 0954	EXP-OPN	.02		MR/HR
SIZE-		DISTANCE	6.8		MILES
		STA.NO.	W11		
RT.262 AND RT.177		STA.NO.	W9		
83 1590 043 42 03 82		AZIMUTH	285		DEG-T
417493 3MILE	DATE- 79 06 06 0957	EXP-OPN	.02		MR/HR
SIZE-		DISTANCE	5.7		MILES
		EXP-CLD	.02		MR/HR
RT.262 AND RT.83		EXP-OPN	.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	288		DEG-T
417494 3MILE	DATE- 79 06 06 0957	STA.NO.	W10		
SIZE-		DISTANCE	6.0		MILES
		EXP-CLD	.02		MR/HR
RT.262 AND HUSK LANE		EXP-OPN	.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	289		DEG-T
417491 3MILE	DATE- 79 06 06 0959	STA.NO.	W7		
SIZE-		DISTANCE	4.4		MILES
		EXP-CLD	.02		MR/HR
RT.262 AND BEINHOWER		EXP-CLD	.02		MR/HR
83 1590 043 42 03 82		DISTANCE	5.0		MILES
417492 3MILE	DATE- 79 06 06 0959	STA.NO.	W8		
SIZE-		AZIMUTH	283		DEG-T
		EXP-OPN	.02		MR/HR
RT.262-CORN HILL RD.		EXP-CLD	.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	295		DEG-T
417490 3MILE	DATE- 79 06 06 1000	EXP-OPN	.02		MR/HR
SIZE-		DISTANCE	3.4		MILES
		STA.NO.	W6		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RT.262 AT CURVE	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	304		DEG-T
417489 3MILE DATE- 79 06 06 1003	STA.NO.	W5		
SIZE-	DISTANCE	2.55		MILES
	EXP-CLD	.02		MR/HR
RT.262 AND RT.392	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.4		MILES
417488 3MILE DATE- 79 06 06 1005	EXP-OPN	.02		MR/HR
SIZE-	AZIMUTH	300		DEG-T
	STA.NO.	W4		
RT.262 AT BRIDGE	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.65		MILES
417487 3MILE DATE- 79 06 06 1007	EXP-CLD	.02		MR/HR
SIZE-	AZIMUTH	268		DEG-T
	STA.NO.	W3		
RIVER AND WINEBAGO-GOLDSBORO	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
417485 3MILE DATE- 79 06 06 1008	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	1.35		MILES
	STA.NO.	W1		
CENTER OF GOLDSBORO	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	264		DEG-T
417486 3MILE DATE- 79 06 06 1009	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	1.38		MILES
	STA.NO.	W2		
FRAZER ST.AND RT.262	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	256		DEG-T
417498 3MILE DATE- 79 06 06 1010	STA.NO.	W14		
SIZE-	DISTANCE	1.35		MILES
	EXP-OPN	.02		MR/HR
WISLER RD.AND RT.262	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	248		DEG-T
417499 3MILE DATE- 79 06 06 1137	STA.NO.	W15		
SIZE-	DISTANCE	1.4		MILES
	EXP-OPN	.02		MR/HR
MIDWAY RD.AND RT.262	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	235		DEG-T
417500 3MILE DATE- 79 06 06 1138	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	1.6		MILES
	STA.NO.	W16		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
RIVER RD.AND RT.262		EXP-OPN	.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	226		DEG-T
417501 3MILE	DATE- 79 06 06 1139	STA.NO.	W17		
SIZE-		DISTANCE	1.85		MILES
		EXP-CLD	.02		MR/HR
RT.295 AND REESER RD.-MILL RD.		EXP-CLD	.02		MR/HR
83 1590 043 42 03 82		DISTANCE	2.2		MILES
417502 3MILE	DATE- 79 06 06 1140	STA.NO.	W18		
SIZE-		AZIMUTH	197.5		DEG-T
		EXP-OPN	.02		MR/HR
RT.382 AND RT.262-BEER RD.		STA.NO.	W19		
83 1590 043 42 03 82		AZIMUTH	192		DEG-T
417503 3MILE	DATE- 79 06 06 1141	EXP-CLD	.02		MR/HR
SIZE-		DISTANCE	2.8		MILES
		EXP-OPN	.02		MR/HR
KEENER RD.AND RT.441		EXP-OPN	.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E15		
417536 3MILE	DATE- 79 06 06 1417	EXP-CLD	.02		MR/HR
SIZE-		DISTANCE	2.85		MILES
		AZIMUTH	152		DEG-T
FALMOUTH RD AND RT.441		EXP-CLD	.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E13		
417534 3MILE	DATE- 79 06 06 1418	EXP-OPN	.02		MR/HR
SIZE-		DISTANCE	2.30		MILES
		AZIMUTH	162.5		DEG-T
COLLINS RD.AND RT.441		EXP-OPN	.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
417535 3MILE	DATE- 79 06 06 1418	EXP-CLD	.02		MR/HR
SIZE-		STA.NO.	E14		
		DISTANCE	2.50		MILES
SOUTH GATE AND RT.441		EXP-CLD	.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
417533 3MILE	DATE- 79 06 06 1419	EXP-OPN	.02		MR/HR
SIZE-		DISTANCE	1.60		MILES
		STA.NO.	E12		
ENGLE RD. AND RT.441		EXP-OPN	.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
417532 3MILE	DATE- 79 06 06 1420	EXP-CLD	.02		MR/HR
SIZE-		STA.NO.	E11		
		DISTANCE	1.15		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
MEADOW LANE AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E7		
417528 3MILE DATE- 79 06 06 1421	EXP-CLO	.02		MR/HR
SIZE-	DISTANCE	0.39		MILES
	AZIMUTH	98		DEG-T
TMI OBSERVATION CENTER DK RT.441	EXP-CLO	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
417529 3MILE DATE- 79 06 06 1421	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	0.40		MILES
	STA.NO.	E8		
ACCESS RD, SUBSTATION PARKING DK RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E9		
417530 3MILE DATE- 79 06 06 1421	EXP-CLO	.02		MR/HR
SIZE-	DISTANCE	0.45		MILES
	AZIMUTH	130		DEG-T
RED HILL PLAZA AND RT.441	EXP-CLO	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
417531 3MILE DATE- 79 06 06 1421	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	0.85		MILES
	STA.NO.	E10		
LAURAL RD.AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
417527 3MILE DATE- 79 06 06 1422	EXP-CLO	.02		MR/HR
SIZE-	STA.NO.	E6		
	AZIMUTH	58.5		DEG-T
RIVERSIDE BOAT SALES AND RT.441	EXP-CLO	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
417525 3MILE DATE- 79 06 06 1423	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA.NO.	E4		
NORTH GATE AND RT.441	EXP-CLO	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
417526 3MILE DATE- 79 06 06 1423	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	0.70		MILES
	STA.NO.	E16		
BURD ST.AND RT.441	STA.NO.	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
417523 3MILE DATE- 79 06 06 1424	EXP-CLO	.02		MR/HR
SIZE-	DISTANCE	2.35		MILES
	EXP-OPN	.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RAILROAD CROSSING AND RT.441	STA.NO.	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
417524 3MILE DATE- 79 06 06 1424	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	1.90		MILES
	EXP-OPN	.02		MR/HR
SOUTH UNION AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
417522 3MILE DATE- 79 06 06 1425	EXP-CLD	.02		MR/HR
SIZE-	AZIMUTH	352		DEG-T
	STA.NO.	E1		
RT.262 AND RT.76-BRIDGE	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	295		DEG-T
417549 3MILE DATE- 79 06 06 1509	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	7.6		MILES
	STA.NO.	W13		
RT.262 AND MARK RD.	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	W12		
417548 3MILE DATE- 79 06 06 1512	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	7.5		MILES
	AZIMUTH	296		DEG-T
RT.262 AND SPRING RD.	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	6.8		MILES
417547 3MILE DATE- 79 06 06 1513	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	W11		
	AZIMUTH	292		DEG-T
RT.262 AND RT.83	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	W10		
417546 3MILE DATE- 79 06 06 1514	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	6.0		MILES
	AZIMUTH	288		DEG-T
RT.262 AND RT.177	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	285		DEG-T
417545 3MILE DATE- 79 06 06 1515	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	5.7		MILES
	STA.NO.	W9		
RT.262 AND BEINHOWER	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	283		DEG-T
417544 3MILE DATE- 79 06 06 1516	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	5.0		MILES
	STA.NO.	W8		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16				
	ANALYSIS	RESULT	2SIGMA	UNITS
RT.262 AND HUSK LANE	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	4.4		MILES
417543 3MILE DATE- 79 06 06 1517	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	W7		
	AZIMUTH	289		DEG-T
RT.262 AND CORN HILL RD.	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	3.4		MILES
417542 3MILE DATE- 79 06 06 1518	EXP-CLD	.02		MR/HR
SIZE-	STA.NO.	W6		
	AZIMUTH	295		DEG-T
RT.262 AT CURVE	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	304		DEG-T
417541 3MILE DATE- 79 06 06 1519	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	2.55		MILES
	STA.NO.	W5		
RT.262 AND RT.392	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	W4		
417540 3MILE DATE- 79 06 06 1520	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	2.4		MILES
	AZIMUTH	300		DEG-T
RT.262 AND BRIDGE	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
417539 3MILE DATE- 79 06 06 1524	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	1.65		MILES
	STA.NO.	W3		
RIVER AND WINEBAGO-GOLDSBORO	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.35		MILES
417537 3MILE DATE- 79 06 06 1525	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	W1		
	AZIMUTH	268		DEG-T
CENTER OF GOLDSBORO	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.35		MILES
417538 3MILE DATE- 79 06 06 1527	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	W2		
	AZIMUTH	264		DEG-T
FRAZER ST.AND RT.262	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	256		DEG-T
417550 3MILE DATE- 79 06 06 1530	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	1.35		MILES
	STA.NO.	W14		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	SIGNA	UNITS
WISLER RD.AND RT.262	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	248		DEG-T
417551 3MILE DATE- 79 06 06 1640	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	1.4		MILES
	STA.NO.	W15		
MIDWAY RD.AND RT.262	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.6		MILES
417552 3MILE DATE- 79 06 06 1640	EXP-CLD	.02		MR/HR
SIZE-	AZIMUTH	235		DEG-T
	STA.NO.	W16		
RIVER RD.AND RT.262	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	226		DEG-T
417553 3MILE DATE- 79 06 06 1641	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	W17		
	DISTANCE	1.83		MILES
RT.295 AND REESER-HILLRD	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	197.5		DEG-T
417554 3MILE DATE- 79 06 06 1643	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	2.2		MILES
	STA.NO.	W18		
RT.382 AND RT.262-BEER RD.	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	192		DEG-T
417555 3MILE DATE- 79 06 06 1644	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	W19		
	DISTANCE	2.8		MILES
SOUTH UNION AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
417559 3MILE DATE- 79 06 07 0700	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	2.50		MILES
	STA.NO.	E1		
BURD ST.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E2		
417560 3MILE DATE- 79 06 07 0701	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	2.35		MILES
	AZIMUTH	354		DEG-T
RAILROAD CROSSING AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
417561 3MILE DATE- 79 06 07 0703	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	1.90		MILES
	STA.NO.	E3		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417562 3MILE DATE- 79 06 07 0703	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	E4		
	AZIMUTH	7		DEG-T
NORTH GATE AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.70		MILES
417563 3MILE DATE- 79 06 07 0703	EXP-CLD	.02		MR/HR
SIZE-	STA.NO.	E16		
	AZIMUTH	25		DEG-T
LAURAL RD.AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
417564 3MILE DATE- 79 06 07 0703	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	0.45		MILES
	STA.NO.	E6		
MEADOW LANE AND RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
417565 3MILE DATE- 79 06 07 0704	EXP-CLD	.02		MR/HR
SIZE-	STA.NO.	E7		
	DISTANCE	0.39		MILES
TMI OBSERVATION CENTER ON RT.441	EXP-OPN	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
417566 3MILE DATE- 79 06 07 0704	EXP-CLD	.02		MR/HR
SIZE-	DISTANCE	0.40		MILES
	STA.NO.	E8		
ACCESS RD.SUBSTATION PARKING ON RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
417567 3MILE DATE- 79 06 07 0704	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	E9		
	AZIMUTH	130		DEG-T
RED HILL PLAZA AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
417568 3MILE DATE- 79 06 07 0705	EXP-OPN	.02		MR/HR
SIZE-	DISTANCE	0.85		MILES
	STA.NO.	E10		
ENGLE RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
417569 3MILE DATE- 79 06 07 0706	DISTANCE	1.15		MILES
SIZE-	EXP-OPN	.02		MR/HR
	STA.NO.	E11		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E12		
417570 3MILE DATE- 79 06 07 0706	DISTANCE	1.60		MILES
SIZE-	AZIMUTH	160		DEG-T
	EXP-DPH	.02		MR/HR
FALMOUTH RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	EXP-DPH	.02		MR/HR
417571 3MILE DATE- 79 06 07 0707	DISTANCE	2.30		MILES
SIZE-	AZIMUTH	162.5		DEG-T
	STA.NO.	E13		
COLLINS RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
417572 3MILE DATE- 79 06 07 0707	EXP-DPH	.02		MR/HR
SIZE-	STA.NO.	E14		
	AZIMUTH	160		DEG-T
KEENER RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
417573 3MILE DATE- 79 06 07 0708	DISTANCE	2.85		MILES
SIZE-	EXP-DPH	.02		MR/HR
	STA.NO.	E15		
SOUTH UNION AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
417574 3MILE DATE- 79 06 07 1357	DISTANCE	2.50		MILES
SIZE-	STA.NO.	E1		
	EXP-DPH	.02		MR/HR
BURD STREET AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
417575 3MILE DATE- 79 06 07 1357	EXP-DPH	.02		MR/HR
SIZE-	DISTANCE	2.35		MILES
	STA.NO.	E2		
RAILROAD CROSSING AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E3		
417576 3MILE DATE- 79 06 07 1358	DISTANCE	1.90		MILES
SIZE-	EXP-DPH	.02		MR/HR
	AZIMUTH	360		DEG-T
RIVERSIDE BOAT SALES AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417577 3MILE DATE- 79 06 07 1359	STA.NO.	E4		
SIZE-	AZIMUTH	7		DEG-T
	EXP-DPH	.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	.02		MR/HR
417578 3MILE DATE- 79 06 07 1408	STA.NO.	E16		
SIZE-	AZIMUTH	25		DEG-T
	DISTANCE	0.70		MILES
LAURAL RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
417579 3MILE DATE- 79 06 07 1410	DISTANCE	0.45		MILES
SIZE-	EXP-OPN	.02		MR/HR
	STA.NO.	E6		
MEADOW LANE AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
417580 3MILE DATE- 79 06 07 1410	STA.NO.	E7		
SIZE-	EXP-OPN	.02		MR/HR
	DISTANCE	0.39		MILES
TMI OBSERVATION CENTER ON RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
417581 3MILE DATE- 79 06 07 1411	DISTANCE	0.40		MILES
SIZE-	STA.NO.	E8		
	EXP-OPN	.02		MR/HR
ACCESS RD.SUBSTATION PARKING ON RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E9		
417582 3MILE DATE- 79 06 07 1411	EXP-OPN	.02		MR/HR
SIZE-	AZIMUTH	130		DEG-T
	DISTANCE	0.45		MILES
RED HILL PLAZA AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
417583 3MILE DATE- 79 06 07 1412	DISTANCE	0.85		MILES
SIZE-	EXP-OPN	.02		MR/HR
	STA.NO.	E10		
ENGLE RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E11		
417584 3MILE DATE- 79 06 07 1413	DISTANCE	1.15		MILES
SIZE-	AZIMUTH	153		DEG-T
	EXP-OPN	.02		MR/HR
SOUTH GATE AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	.02		MR/HR
417585 3MILE DATE- 79 06 07 1414	STA.NO.	E12		
SIZE-	AZIMUTH	160		DEG-T
	DISTANCE	1.60		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
417586 3MILE DATE- 79 06 07 1532	EXP-OPN	.02		MR/HR
SIZE-	STA.NO.	E13		
	DISTANCE	2.30		MILES
COLLINS RD AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
417587 3MILE DATE- 79 06 07 1532	STA.NO.	E14		
SIZE-	EXP-OPN	.02		MR/HR
	AZIMUTH	160		DEG-T
KEENER RD.AND RT.441	EXP-CLD	.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.85		MILES
417588 3MILE DATE- 79 06 07 1533	EXP-OPN	.02		MR/HR
SIZE-	AZIMUTH	182		DEG-T
	STA.NO.	E15		
SOUTH UNION AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E1		
417600 3MILE DATE- 79 06 08 1221	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	352		DEG-T
	DISTANCE	2.50		MILES
BURD STREET AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417601 3MILE DATE- 79 06 08 1222	STA.NO.	E2		
SIZE-	DISTANCE	2.35		MILES
	AZIMUTH	354		DEG-T
RAILROAD CROSSING AND RT441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.90		MILES
417602 3MILE DATE- 79 06 08 1224	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	360		DEG-T
	STA.NO.	E3		
RIVERSIDE BOAT SALES AND RT.441	AZIMUTH	7		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417603 3MILE DATE- 79 06 08 1225	EXP-OPN	<0.02		MR/HR
SIZE-	EXP-CLD	<0.02		MR/HR
	STA.NO.	E4		
KEENER RD.AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417599 3MILE DATE- 79 06 08 1515	DISTANCE	2.85		MILES
SIZE-	AZIMUTH	182		DEG-T
	STA.NO.	E15		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16		ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD.AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
417598 3MILE	DATE- 79 06 08 1516	DISTANCE	2.50		MILES
SIZE-		STA.NO.	E14		
		EXP-OPN	<0.02		MR/HR
FALMOUTH RD.AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	2.3		MILES
417597 3MILE	DATE- 79 06 08 1517	STA.NO.	E13		
SIZE-		EXP-OPN	<0.02		MR/HR
		AZIMUTH	162.5		DEG-T
SOUTH GATE AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E12		
417596 3MILE	DATE- 79 06 08 1518	EXP-OPN	<0.02		MR/HR
SIZE-		AZIMUTH	160		DEG-T
		DISTANCE	1.60		MILES
EAGLE RD.AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417595 3MILE	DATE- 79 06 08 1519	DISTANCE	1.15		MILES
SIZE-		AZIMUTH	153		DEG-T
		STA.NO.	E11		
RED HILL PLAZA AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E10		
417594 3MILE	DATE- 79 06 08 1520	DISTANCE	0.85		MILES
SIZE-		EXP-OPN	<0.02		MR/HR
		AZIMUTH	127		DEG-T
ACCESS RD. SUBSTATION PARKING ON RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
417593 3MILE	DATE- 79 06 08 1521	DISTANCE	0.45		MILES
SIZE-		STA.NO.	E9		
		EXP-OPN	<0.02		MR/HR
TMI OBSERVATION CENTER ON RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417592 3MILE	DATE- 79 06 08 1522	STA.NO.	E8		
SIZE-		AZIMUTH	110		DEG-T
		DISTANCE	0.40		MILES
MEADOW LANE AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	88		DEG-T
417591 3MILE	DATE- 79 06 08 1532	STA.NO.	E7		
SIZE-		EXP-OPN	<0.02		MR/HR
		DISTANCE	0.39		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
LAURAL RD. AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E6		
417590 3MILE	DATE- 79 06 08 1533	DISTANCE	0.45		MILES
SIZE-		EXP-OPN	<0.02		MR/HR
		AZIMUTH	50.5		DEG-T
NORTH GATE AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
417589 3MILE	DATE- 79 06 08 1534	EXP-OPN	<0.02		MR/HR
SIZE-		DISTANCE	0.70		MILES
		STA.NO.	E16		
CENTER OF GOLDSBORO		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	1.35		MILES
417604 3MILE	DATE- 79 06 09 1138	STA.NO.	W2		
SIZE-		EXP-CLD	<0.02		MR/HR
		AZIMUTH	264		DEG-T
FRAZER ST.AND RT.262		DISTANCE	1.35		MILES
83 1590 043 42 03 82		EXP-CLD	<0.02		MR/HR
417613 3MILE	DATE- 79 06 09 1141	EXP-OPN	<0.02		MR/HR
SIZE-		STA.NO.	W14		
		AZIMUTH	256		DEG-T
WISLER RD.AND RT.262		AZIMUTH	248		DEG-T
83 1590 043 42 03 82		STA.NO.	W15		
417614 3MILE	DATE- 79 06 09 1142	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		DISTANCE	1.4		MILES
MIDWAY RD.AND RT.262		STA.NO.	W16		
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417615 3MILE	DATE- 79 06 09 1143	EXP-CLD	<0.02		MR/HR
SIZE-		DISTANCE	1.6		MILES
		AZIMUTH	235		DEG-T
RIVER RD.AND RT.262		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	226		DEG-T
417616 3MILE	DATE- 79 06 09 1144	DISTANCE	1.85		MILES
SIZE-		STA.NO.	W17		
		EXP-OPN	<0.02		MR/HR
RT.295 AND REESER RD.-HILL RD.		DISTANCE	2.2		MILES
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417617 3MILE	DATE- 79 06 09 1145	STA.NO.	W18		
SIZE-		AZIMUTH	197.5		DEG-T
		EXP-CLD	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RT.382 AND RT.262-BEER RD.	STA.NO.	N19		
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417618 3MILE DATE- 79 06 09 1147	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	2.8		MILES
	AZIMUTH	192		DEG-T
RT.382 AND RT.181-YORK HAVEN	DISTANCE	3.15		MILES
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417619 3MILE DATE- 79 06 09 1148	AZIMUTH	171		DEG-T
SIZE-	STA.NO.	N20		
	EXP-OPN	<0.02		MR/HR
NORTH END BRUNNERS ISL.	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	167		DEG-T
417620 3MILE DATE- 79 06 09 1149	STA.NO.	N21		
SIZE-	EXP-CLD	<0.02		MR/HR
	DISTANCE	3.25		MILES
RT.262 AT BRIDGE	AZIMUTH	268		DEG-T
83 1590 043 42 03 82	DISTANCE	1.65		MILES
417605 3MILE DATE- 79 06 09 1200	STA.NO.	N3		
SIZE-	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
RT.262 AND RT.392	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417606 3MILE DATE- 79 06 09 1201	AZIMUTH	300		DEG-T
SIZE-	DISTANCE	2.4		MILES
	STA.NO.	N4		
RT.262 AT CURVE	DISTANCE	2.55		MILES
83 1590 043 42 03 82	AZIMUTH	304		DEG-T
417607 3MILE DATE- 79 06 09 1202	STA.NO.	N5		
SIZE-	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
RT.262 AND CORN HILL RD.	STA.NO.	N6		
83 1590 043 42 03 82	DISTANCE	3.4		MILES
417608 3MILE DATE- 79 06 09 1203	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	295		DEG-T
	EXP-OPN	<0.02		MR/HR
RT.262 AND HUSK LANE	STA.NO.	N7		
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417609 3MILE DATE- 79 06 09 1205	AZIMUTH	289		DEG-T
SIZE-	EXP-CLD	<0.02		MR/HR
	DISTANCE	4.4		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RT.262 AND BEINHOWER		AZIMUTH	283		DEG-T
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417610 3MILE	DATE- 79 06 09 1206	EXP-CLD	<0.02		MR/HR
SIZE-		DISTANCE	5.0		MILES
		STA.NO.	W8		
RT.262 AND RT.177		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	285		DEG-T
417611 3MILE	DATE- 79 06 09 1207	DISTANCE	5.7		MILES
SIZE-		EXP-CLD	<0.02		MR/HR
		STA.NO.	W9		
RT.262 AND RT.83		DISTANCE	6.0		MILES
83 1590 043 42 03 82		AZIMUTH	288		DEG-T
417612 3MILE	DATE- 79 06 09 1208	STA.NO.	W10		
SIZE-		EXP-OPN	<0.02		MR/HR
		EXP-CLD	<0.02		MR/HR
SOUTH UNION AND RT.441		STA.NO.	E1		
83 1590 043 42 03 82		EXP-CLD	<0.02		MR/HR
417633 3MILE	DATE- 79 06 09 1603	DISTANCE	2.50		MILES
SIZE-		EXP-OPN	<0.02		MR/HR
		AZIMUTH	352		DEG-T
BURD STREET AND RT.441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	2.35		MILES
417634 3MILE	DATE- 79 06 09 1604	AZIMUTH	354		DEG-T
SIZE-		STA.NO.	E2		
		EXP-CLD	<0.02		MR/HR
RAILROAD CROSSING AND RT.441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		STA.NO.	E3		
417635 3MILE	DATE- 79 06 09 1605	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		DISTANCE	1.90		MILES
RIVERSIDE BOAT SALES AND RT441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	1.15		MILES
417636 3MILE	DATE- 79 06 09 1606	STA.NO.	E4		
SIZE-		EXP-CLD	<0.02		MR/HR
		AZIMUTH	7		DEG-T
NORTH GATE AND RT.441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
417637 3MILE	DATE- 79 06 09 1607	STA.NO.	E16		
SIZE-		EXP-CLD	<0.02		MR/HR
		EXP-OPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD.AND RT.441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417638 3MILE DATE- 79 06 09 1608	AZIMUTH	58.5		DEG-T
SIZE-	STA.NO.	E6		
	EXP-CLD	<0.02		MR/HR
MEADOW LANE AND RT.441	EXP-OPN	88.0		MR/HR
83 1590 043 42 03 82	STA.NO.	E7		
417639 3MILE DATE- 79 06 09 1608	EXP-CLD	0.39		MR/HR
SIZE-	AZIMUTH	88		DEG-T
	DISTANCE	0.39		MILES
TMI OBSERVATION CENTER AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417640 3MILE DATE- 79 06 09 1609	STA.NO.	E8		
SIZE-	AZIMUTH	110		DEG-T
	DISTANCE	0.40		MILES
ACCESS RD.SUBSTATION PARKING ON RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
417641 3MILE DATE- 79 06 09 1609	STA.NO.	E9		
SIZE-	EXP-CLD	<0.02		MR/HR
	DISTANCE	0.45		MILES
RED HILL PLAZA AND RT.441	STA.NO.	E10		
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417642 3MILE DATE- 79 06 09 1609	AZIMUTH	127		DEG-T
SIZE-	EXP-CLD	<0.02		MR/HR
	DISTANCE	0.85		MILES
ENGLE RD AND RT.441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417643 3MILE DATE- 79 06 09 1610	STA.NO.	E11		
SIZE-	DISTANCE	1.15		MILES
	EXP-CLD	<0.02		MR/HR
SOUTH GATE AND RT.441	STA.NO.	E12		
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417644 3MILE DATE- 79 06 09 1610	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	DISTANCE	1.60		MILES
FALMOUTH RD.AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.30		MILES
417645 3MILE DATE- 79 06 09 1611	AZIMUTH	162.5		DEG-T
SIZE-	EXP-CLD	<0.02		MR/HR
	STA.NO.	E13		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD.AND RT.441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	2.50		MILES
417646 3MILE	DATE- 79 06 09 1612	AZIMUTH	160		DEG-T
SIZE-		EXP-CLD	<0.02		MR/HR
		STA.NO.	E14		
KEENER RD.AND RT.441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
417647 3MILE	DATE- 79 06 09 1612	EXP-OPN	<0.02		MR/HR
SIZE-		EXP-CLD	<0.02		MR/HR
		STA.NO.	E15		
CENTER OF GOLDSBORO		STA.NO.	W2		
83 1590 043 42 03 82		EXP-CLD	<0.02		MR/HR
417621 3MILE	DATE- 79 06 10 1044	EXP-OPN	<0.02		MR/HR
SIZE-		DISTANCE	1.35		MILES
		AZIMUTH	264		DEG-T
RT.262 AT BRIDGE		DISTANCE	1.65		MILES
83 1590 043 42 03 82		STA.NO.	W3		
417622 3MILE	DATE- 79 06 10 1045	EXP-OPN	<0.02		MR/HR
SIZE-		EXP-CLD	<0.02		MR/HR
		AZIMUTH	268		DEG-T
RT.262 AND RT.392		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	2.4		MILES
417623 3MILE	DATE- 79 06 10 1047	STA.NO.	W4		
SIZE-		EXP-CLD	<0.02		MR/HR
		AZIMUTH	300		DEG-T
RT.262 AT CURVE		STA.NO.	W5		
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417624 3MILE	DATE- 79 06 10 1048	EXP-CLD	<0.02		MR/HR
SIZE-		AZIMUTH	304		DEG-T
		DISTANCE	2.55		MILES
RT.262-CORN HILL RD.		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	W6		
417625 3MILE	DATE- 79 06 10 1051	DISTANCE	3.4		MILES
SIZE-		AZIMUTH	295		DEG-T
		EXP-CLD	<0.02		MR/HR
RT.262 AND HUSK LANE		STA.NO.	W7		
83 1590 043 42 03 82		DISTANCE	4.4		MILES
417626 3MILE	DATE- 79 06 10 1052	AZIMUTH	289		DEG-T
SIZE-		EXP-OPN	<0.02		MR/HR
		EXP-CLD	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RT.262 AND BEINHOWER	DISTANCE	5.0		MILES
83 1590 043 42 03 82	AZIMUTH	283		DEG-T
417627 3MILE DATE- 79 06 10 1053	EXP-OPN	<0.02		MR/HR
SIZE-	EXP-CLD	<0.02		MR/HR
	STA.NO.	W8		
RT.262 AND RT.177	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	5.7		MILES
417628 3MILE DATE- 79 06 10 1054	STA.NO.	W9		
SIZE-	AZIMUTH	285		DEG-T
	EXP-OPN	<0.02		MR/HR
RT.262 AND RT.83	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	6.0		MILES
417629 3MILE DATE- 79 06 10 1055	STA.NO.	W10		
SIZE-	EXP-CLD	<0.02		MR/HR
	AZIMUTH	288		DEG-T
RT.262 AND SPRING RD.	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417630 3MILE DATE- 79 06 10 1057	AZIMUTH	292		DEG-T
SIZE-	DISTANCE	6.8		MILES
	STA.NO.	W11		
RT.262 AND MARK RD.	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	7.5		MILES
417631 3MILE DATE- 79 06 10 1058	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	296		DEG-T
	STA.NO.	W12		
RT.262 AND RT.76-BRIDGE	DISTANCE	7.6		MILES
83 1590 043 42 03 82	STA.NO.	W13		
417632 3MILE DATE- 79 06 10 1059	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	295		DEG-T
	EXP-OPN	<0.02		MR/HR
SOUTH UNION AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
417648 3MILE DATE- 79 06 10 1435	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	352		DEG-T
	STA.NO.	E1		
BURD STREET AND RT.441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417649 3MILE DATE- 79 06 10 1435	AZIMUTH	354		DEG-T
SIZE-	STA.NO.	E2		
	EXP-OPN	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RAILROAD CROSSING AND RT.441	STA.NO.	E3		
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417650 3MILE DATE- 79 06 10 1435	AZIMUTH	360		DEG-T
SIZE-	DISTANCE	1.90		MILES
	EXP-DPN	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT.441	AZIMUTH	7		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417651 3MILE DATE- 79 06 10 1435	STA.NO.	E4		
SIZE-	EXP-DPN	<0.02		MR/HR
	EXP-CLD	<0.02		MR/HR
NORTH GATE AND RT.441	DISTANCE	0.70		MILES
83 1590 043 42 03 82	EXP-DPN	<0.02		MR/HR
417652 3MILE DATE- 79 06 10 1435	STA.NO.	E16		
SIZE-	EXP-CLD	<0.02		MR/HR
	AZIMUTH	25		DEG-T
LAUREL RD.AND RT.441	EXP-DPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
417653 3MILE DATE- 79 06 10 1435	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	0.45		MILES
	STA.NO.	E6		
TMI OBSERVATION CENTER ON RT.441	STA.NO.	E8		
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417654 3MILE DATE- 79 06 10 1435	AZIMUTH	110		DEG-T
SIZE-	EXP-DPN	<0.02		MR/HR
	DISTANCE	0.40		MILES
ACCESS RD.SUBSTATION PARKING ON RT.441	EXP-DPN	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E9		
417655 3MILE DATE- 79 06 10 1435	DISTANCE	0.45		MILES
SIZE-	EXP-CLD	<0.02		MR/HR
	AZIMUTH	130		DEG-T
RED HILL PLAZA AND RT.441	STA.NO.	E10		
83 1590 043 42 03 82	EXP-DPN	<0.02		MR/HR
417656 3MILE DATE- 79 06 10 1435	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	0.85		MILES
	AZIMUTH	127		DEG-T
ENGLE RD.AND RT.441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	STA.NO.	E11		
417657 3MILE DATE- 79 06 10 1435	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	153		DEG-T
	EXP-DPN	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT.441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	1.60		MILES
417658 3MILE	DATE- 79 06 10 1435	STA.NO.	E12		
SIZE-		EXP-GPH	<0.02		MR/HR
		EXP-CLD	<0.02		MR/HR
FALMOUTH RD.AND RT.441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		STA.NO.	E13		
417659 3MILE	DATE- 79 06 10 1435	EXP-CLD	<0.02		MR/HR
SIZE-		AZIMUTH	162.5		DEG-T
		EXP-GPH	<0.02		MR/HR
COLLINS RD.AND RT.441		STA.NO.	E14		
83 1590 043 42 03 82		DISTANCE	2.50		MILES
417660 3MILE	DATE- 79 06 10 1435	EXP-GPH	<0.02		MR/HR
SIZE-		AZIMUTH	160		DEG-T
		EXP-CLD	<0.02		MR/HR
MEADOW LANE AND RT.441		STA.NO.	E7		
83 1590 043 42 03 82		EXP-CLD	<0.02		MR/HR
417662 3MILE	DATE- 79 06 10 1435	AZIMUTH	88.0		DEG-T
SIZE-		DISTANCE	0.39		MILES
		EXP-GPH	<0.02		MR/HR
KEENER RD. AND RT.441		STA.NO.	E15		
83 1590 043 42 03 82		EXP-GPH	<0.02		MR/HR
417661 3MILE	DATE- 79 06 10 1445	AZIMUTH	152		DEG-T
SIZE-		EXP-CLD	<0.02		MR/HR
		DISTANCE	2.85		MILES
SOUTH UNION AND RT.441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		STA.NO.	E1		
417663 3MILE	DATE- 79 06 11 1205	EXP-GPH	<0.02		MR/HR
SIZE-		DISTANCE	2.50		MILES
		EXP-CLD	<0.02		MR/HR
BURD STREET AND RT.441		AZIMUTH	354		DEG-T
83 1590 043 42 03 82		EXP-CLD	<0.02		MR/HR
417664 3MILE	DATE- 79 06 11 1205	EXP-GPH	<0.02		MR/HR
SIZE-		DISTANCE	2.35		MILES
		STA.NO.	E2		
RAILROAD CROSSING AND RT.441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		EXP-GPH	<0.02		MR/HR
417665 3MILE	DATE- 79 06 11 1205	EXP-CLD	<0.02		MR/HR
SIZE-		DISTANCE	1.90		MILES
		STA.NO.	E3		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT.441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	7		DEG-T
417666 3MILE	DATE- 79 06 11 1205	DISTANCE	1.15		MILES
SIZE-		STA.NO.	E4		
		EXP-CLD	<0.02		MR/HR
NORTH GATE AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417667 3MILE	DATE- 79 06 11 1205	DISTANCE	0.7		MILES
SIZE-		AZIMUTH	25		DEG-T
		STA.NO.	E16		
LAUREL RD AND RT.441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		EXP-CLD	<0.02		MR/HR
417668 3MILE	DATE- 79 06 11 1205	DISTANCE	0.48		MILES
SIZE-		AZIMUTH	58.5		DEG-T
		STA.NO.	E6		
MEADOW LANE AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417669 3MILE	DATE- 79 06 11 1205	AZIMUTH	88.0		DEG-T
SIZE-		STA.NO.	E7		
		DISTANCE	0.39		MILES
TMI OBSERVATION CENTER ON RT.441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		STA.NO.	E8		
417670 3MILE	DATE- 79 06 11 1205	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		AZIMUTH	110		DEG-T
ACCESS RD SUBSTATION PARKING ON RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E9		
417671 3MILE	DATE- 79 06 11 1205	AZIMUTH	130		DEG-T
SIZE-		DISTANCE	0.45		MILES
		EXP-OPN	<0.02		MR/HR
RED HILL PLAZA AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E10		
417672 3MILE	DATE- 79 06 11 1205	AZIMUTH	127		DEG-T
SIZE-		DISTANCE	0.85		MILES
		EXP-OPN	<0.02		MR/HR
ENGLE RD AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	1.15		MILES
417673 3MILE	DATE- 79 06 11 1205	EXP-OPN	<0.02		MR/HR
SIZE-		STA.NO.	E11		
		AZIMUTH	153		DEG-T

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT,441	STA,NO,	E12		
83 1590 043 42 03 82	EXP-CLD	<0,02		MR/HR
417674 3MILE DATE- 79 06 11 1205	AZIMUTH	160		DEG-T
SIZE-	DISTANCE	1,60		MILES
	EXP-OPN	<0,02		MR/HR
FALMOUTH RD AND RT,441	EXP-CLD	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	162,5		DEG-T
417675 3MILE DATE- 79 06 11 1205	STA,NO,	E13		
SIZE-	DISTANCE	2,30		MILES
	EXP-OPN	<0,02		MR/HR
COLLINS RD AND RT,441	DISTANCE	2,5		MILES
83 1590 043 42 03 82	EXP-OPN	<0,02		MR/HR
417676 3MILE DATE- 79 06 11 1205	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E14		
	AZIMUTH	160		DEG-T
KEENER RD AND RT,441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	EXP-OPN	<0,02		MR/HR
417677 3MILE DATE- 79 06 11 1213	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E15		
	DISTANCE	2,85		MILES
ACCESS RD SUBSTATION PARKING ON RT,441	STA,NO,	E9		
83 1590 043 42 03 82	EXP-OPN	<0,02		MR/HR
417682 3MILE DATE- 79 06 11 1402	DISTANCE	0,45		MILES
SIZE-	EXP-CLD	<0,02		MR/HR
	AZIMUTH	130		DEG-T
RED HILL PLAZA AND RT,441	STA,NO,	E10		
83 1590 043 42 03 82	DISTANCE	0,85		MILES
417683 3MILE DATE- 79 06 11 1403	AZIMUTH	127		DEG-T
SIZE-	EXP-OPN	<0,02		MR/HR
	EXP-CLD	<0,02		MR/HR
ENGLE RD AND RT,441	STA,NO,	E11		
83 1590 043 42 03 82	EXP-CLD	<0,02		MR/HR
417684 3MILE DATE- 79 06 11 1404	DISTANCE	1,15		MILES
SIZE-	EXP-OPN	<0,02		MR/HR
	AZIMUTH	153		DEG-T
SOUTH GATE AND RT,441	EXP-CLD	<0,02		MR/HR
83 1590 043 42 03 82	DISTANCE	1,60		MILES
417685 3MILE DATE- 79 06 11 1405	AZIMUTH	160		DEG-T
SIZE-	STA,NO,	E12		
	EXP-OPN	<0,02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD AND RT,441	STA.NO.	E13		
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417686 3MILE DATE- 79 06 11 1405	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	162.5		DEG-T
	DISTANCE	2.30		MILES
COLLINS RD AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.5		MILES
417687 3MILE DATE- 79 06 11 1406	AZIMUTH	160		DEG-T
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E14		
KEENER RD AND RT,441	STA.NO.	E15		
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417688 3MILE DATE- 79 06 11 1407	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	152		DEG-T
	DISTANCE	2.85		MILES
MEADOW LANE AND RT,441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.39		MILES
417680 3MILE DATE- 79 06 11 1510	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	88.0		DEG-T
	STA.NO.	E7		
TMI OBSERVATION CENTER ON RT,441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
417681 3MILE DATE- 79 06 11 1510	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	0.40		MILES
	STA.NO.	E8		
LAUREL RD AND RT,441	AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417679 3MILE DATE- 79 06 11 1511	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	0.48		MILES
	STA.NO.	E6		
NORTH GATE AND RT,441	STA.NO.	E16		
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417678 3MILE DATE- 79 06 11 1512	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	25		DEG-T
	DISTANCE	0.7		MILES
KEENER RD AND RT,441	STA.NO.	E15		
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417696 3MILE DATE- 79 06 11 1524	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	2.85		MILES
	AZIMUTH	152		DEG-T

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD AND RT.441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		STA.NO.	E13		
417694 3MILE	DATE- 79 06 11 1529	EXP-CLD	<0.02		MR/HR
SIZE-		AZIMUTH	162.5		DEG-T
		EXP-OPN	<0.02		MR/HR
COLLINS RD AND RT.441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	2.5		MILES
417695 3MILE	DATE- 79 06 11 1529	AZIMUTH	160		DEG-T
SIZE-		STA.NO.	E14		
		EXP-CLD	<0.02		MR/HR
TMI OBSERVATION CENTER ON RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E8		
417689 3MILE	DATE- 79 06 12 1529	AZIMUTH	110		DEG-T
SIZE-		DISTANCE	0.40		MILES
		EXP-OPN	<0.02		MR/HR
ACCESS RD SUBSTATION PARKING ON RT.441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	0.45		MILES
417690 3MILE	DATE- 79 06 12 1529	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E9		
		AZIMUTH	130		DEG-T
RED HILL PLAZA AND RT.441		DISTANCE	0.85		MILES
83 1590 043 42 03 82		EXP-CLD	<0.02		MR/HR
417691 3MILE	DATE- 79 06 12 1529	STA.NO.	E10		
SIZE-		AZIMUTH	127		DEG-T
		EXP-OPN	<0.02		MR/HR
ENGLE RD AND RT.441		STA.NO.	E11		
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
417692 3MILE	DATE- 79 06 12 1529	EXP-CLD	<0.02		MR/HR
SIZE-		DISTANCE	1.15		MILES
		EXP-OPN	<0.02		MR/HR
SOUTH GATE AND RT.441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
417693 3MILE	DATE- 79 06 12 1529	EXP-CLD	<0.02		MR/HR
SIZE-		DISTANCE	1.60		MILES
		STA.NO.	E12		
RT. 262 AND RT. 83		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	288		DEG-T
417721 3MILE	DATE- 79 06 13 0910	STA.NO.	W10		
SIZE-		EXP-OPN	<0.02		MR/HR
		DISTANCE	6.0		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RT. 262 AND RT. 177	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	EXP-CLO	<0.02		MR/HR
417720 3MILE DATE- 79 06 13 0911	AZIMUTH	285		DEG-T
SIZE-	DISTANCE	5.7		MILES
	STA.NO.	W9		
RT. 262 AND HUSK LANE	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	EXP-CLO	<0.02		MR/HR
417718 3MILE DATE- 79 06 13 0912	AZIMUTH	289		DEG-T
SIZE-	DISTANCE	4.4		MILES
	STA.NO.	W7		
RT 262 AND BEINHOWER	AZIMUTH	283		DEG-T
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417719 3MILE DATE- 79 06 13 0912	EXP-CLO	<0.02		MR/HR
SIZE-	DISTANCE	5.0		MILES
	STA.NO.	W8		
RT. 262-CORN HILL RD	EXP-CLO	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	295		DEG-T
417717 3MILE DATE- 79 06 13 0913	DISTANCE	3.40		MILES
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	W6		
RT. 262/CURVE	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	304		DEG-T
417716 3MILE DATE- 79 06 13 0915	DISTANCE	2.55		MILES
SIZE-	EXP-CLO	<0.02		MR/HR
	STA.NO.	W5		
RT. 262/BRIDGE	STA.NO.	W3		
83 1590 043 42 03 82	EXP-CLO	<0.02		MR/HR
417714 3MILE DATE- 79 06 13 0920	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	1.65		MILES
	AZIMUTH	268		DEG-T
RT. 262/RT. 392	EXP-CLO	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417715 3MILE DATE- 79 06 13 0920	DISTANCE	2.4		MILES
SIZE-	STA.NO.	W4		
	AZIMUTH	300		DEG-T
RIVER AND WINEBAGO	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
417712 3MILE DATE- 79 06 13 1021	EXP-CLO	<0.02		MR/HR
SIZE-	STA.NO.	W1		
	DISTANCE	1.35		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
CENTER OF GOLDSBORO	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	W2		
417713 3MILE DATE- 79 06 13 1021	EXP-CLO	<0.02		MR/HR
SIZE-	DISTANCE	1.35		MILES
	AZIMUTH	264		DEG-T
FRAZER ST. AND RT. 262	STA.NO.	W14		
83 1590 043 42 03 82	DISTANCE	1.35		MILES
417722 3MILE DATE- 79 06 13 1023	EXP-CLO	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	AZIMUTH	256		DEG-T
WISLER RD AND RT 262	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	248		DEG-T
417723 3MILE DATE- 79 06 13 1023	DISTANCE	1.40		MILES
SIZE-	STA.NO.	W15		
	EXP-CLO	<0.02		MR/HR
MIDWAY RD. AND RT. 262	STA.NO.	W16		
83 1590 043 42 03 82	DISTANCE	1.60		MILES
417724 3MILE DATE- 79 06 13 1024	EXP-CLO	<0.02		MR/HR
SIZE-	AZIMUTH	235		DEG-T
	EXP-OPN	<0.02		MR/HR
RIVER RD. AND RT. 262	AZIMUTH	226		DEG-T
83 1590 043 42 03 82	EXP-CLO	<0.02		MR/HR
417725 3MILE DATE- 79 06 13 1025	DISTANCE	1.85		MILES
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	W17		
RT. 295/WEBER	STA.NO.	W18		
83 1590 043 42 03 82	EXP-CLO	<0.02		MR/HR
417726 3MILE DATE- 79 06 13 1026	DISTANCE	2.20		MILES
SIZE-	AZIMUTH	197.5		DEG-T
	EXP-OPN	<0.02		MR/HR
RT. 382/262	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	W19		
417727 3MILE DATE- 79 06 13 1027	EXP-CLO	<0.02		MR/HR
SIZE-	AZIMUTH	192		DEG-T
	DISTANCE	2.80		MILES
RT. 382 AND RT. 181	STA.NO.	W20		
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417728 3MILE DATE- 79 06 13 1029	AZIMUTH	171		DEG-T
SIZE-	DISTANCE	3.15		MILES
	EXP-CLO	<0.02		MR/HR

TABLE 9-F, NPC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16		ANALYSIS	RESULT	SIGMA	UNITS
NORTH END BRUNNERS ISL.		EXP-DPN	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	3.25		MILES
417729 3MILE	DATE- 79 06 13 1030	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	W21		
		AZIMUTH	167		DEG-T
SOUTH END BRUNNERS ISL.		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	W22		
417730 3MILE	DATE- 79 06 13 1035	AZIMUTH	160		DEG-T
SIZE-		EXP-DPN	<0.02		MR/HR
		DISTANCE	5.0		MILES
SOUTH UNION AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	2.5		MILES
417697 3MILE	DATE- 79 06 13 1149	EXP-DPN	<0.02		MR/HR
SIZE-		STA.NO.	E1		
		AZIMUTH	352		DEG-T
BURD STREET AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E2		
417698 3MILE	DATE- 79 06 13 1150	EXP-DPN	<0.02		MR/HR
SIZE-		AZIMUTH	354		DEG-T
		DISTANCE	2.35		MILES
RAILROAD CROSSING AND RT.441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		EXP-DPN	<0.02		MR/HR
417699 3MILE	DATE- 79 06 13 1150	DISTANCE	1.90		MILES
SIZE-		STA.NO.	E3		
		EXP-CLD	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT.441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		STA.NO.	E4		
417700 3MILE	DATE- 79 06 13 1151	EXP-DPN	<0.02		MR/HR
SIZE-		AZIMUTH	7		DEG-T
		EXP-CLD	<0.02		MR/HR
NORTH GATE AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
417701 3MILE	DATE- 79 06 13 1152	STA.NO.	E16		
SIZE-		DISTANCE	0.7		MILES
		EXP-DPN	<0.02		MR/HR
LAUREL RD AND RT.441		STA.NO.	E6		
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
417702 3MILE	DATE- 79 06 13 1153	EXP-DPN	<0.02		MR/HR
SIZE-		EXP-CLD	<0.02		MR/HR
		DISTANCE	0.48		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
MEADOW LANE AND RT.441	STA.NO.	E7		
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417703 3MILE DATE- 79 06 13 1153	AZIMUTH	88.0		DEG-T
SIZE-	DISTANCE	0.39		MILES
	EXP-OPN	<0.02		MR/HR
TMI OBSERVATION CENTER ON RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417704 3MILE DATE- 79 06 13 1153	AZIMUTH	110		DEG-T
SIZE-	DISTANCE	0.40		MILES
	STA.NO.	E8		
ACCESS RD SUBSTATION PARKING ON RT.441	STA.NO.	E9		
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417705 3MILE DATE- 79 06 13 1154	AZIMUTH	130		DEG-T
SIZE-	DISTANCE	0.45		MILES
	EXP-CLD	<0.02		MR/HR
RED HILL PLAZA AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417706 3MILE DATE- 79 06 13 1154	AZIMUTH	127		DEG-T
SIZE-	STA.NO.	E10		
	DISTANCE	0.85		MILES
KEENER RD AND RT.441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
417711 3MILE DATE- 79 06 13 1304	EXP-OPN	<0.02		MR/HR
SIZE-	STA.NO.	E15		
	EXP-CLD	<0.02		MR/HR
COLLINS RD AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417710 3MILE DATE- 79 06 13 1305	DISTANCE	2.5		MILES
SIZE-	STA.NO.	E14		
	EXP-CLD	<0.02		MR/HR
SOUTH GATE AND RT.441	STA.NO.	E12		
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417708 3MILE DATE- 79 06 13 1306	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	1.60		MILES
	AZIMUTH	160		DEG-T
FALMOUTH RD AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417709 3MILE DATE- 79 06 13 1306	STA.NO.	E13		
SIZE-	DISTANCE	2.30		MILES
	AZIMUTH	162.5		DEG-T

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT.441	STA.NO.	E11		
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417707 3MILE DATE- 79 06 13 1307	EXP-OPN	<0.02		MR/HR
SIZE-	EXP-CLD	<0.02		MR/HR
	AZIMUTH	153		DEG-T
SOUTH UNION AND ROUTE 441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
417731 3MILE DATE- 79 06 14 1532	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E1		
	DISTANCE	2.50		MILES
BURD ST. AND RT. 441	STA.NO.	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
417732 3MILE DATE- 79 06 14 1535	EXP-OPN	<0.02		MR/HR
SIZE-	EXP-CLD	<0.02		MR/HR
	DISTANCE	2.35		MILES
RAILROAD CROSSING AND RT.441	STA.NO.	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
417733 3MILE DATE- 79 06 14 1537	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	1.90		MILES
	EXP-CLD	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT.441	STA.NO.	E4		
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
417734 3MILE DATE- 79 06 14 1537	EXP-OPN	<0.02		MR/HR
SIZE-	EXP-CLD	<0.02		MR/HR
	DISTANCE	1.15		MILES
NORTH GATE AND RT.441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
417735 3MILE DATE- 79 06 14 1538	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	DISTANCE	0.70		MILES
LAUREL RD. AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
417736 3MILE DATE- 79 06 14 1539	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	0.45		MILES
	EXP-OPN	<0.02		MR/HR
MEADOW LANE AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
417737 3MILE DATE- 79 06 14 1539	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E7		
	DISTANCE	0.39		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER ON RT,441	STA,NO,	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
417738 3MILE DATE- 79 06 14 1540	EXP-OPN	<0,02		MR/HR
SIZE-	EXP-CLD	<0,02		MR/HR
	DISTANCE	0,40		MILES
SOUTH UNION AND RT,441	EXP-CLD	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
417747 3MILE DATE- 79 06 15 0755	EXP-OPN	<0,02		MR/HR
SIZE-	DISTANCE	2,50		MILES
	STA,NO,	E1		
BURD STREET AND RT,441	DISTANCE	2,35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
417748 3MILE DATE- 79 06 15 0755	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E2		
RAILROAD CROSSING AND RT,441	DISTANCE	1,90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
417749 3MILE DATE- 79 06 15 0756	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E3		
RIVERSIDE BOAT SALES AND RT,441	DISTANCE	1,15		MILES
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
417750 3MILE DATE- 79 06 15 0757	EXP-OPN	<0,02		MR/HR
SIZE-	STA,NO,	E4		
	EXP-CLD	<0,02		MR/HR
NORTH GATE AND RT,441	EXP-OPN	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
417751 3MILE DATE- 79 06 15 0757	STA,NO,	E16		
SIZE-	EXP-CLD	<0,02		MR/HR
	DISTANCE	0,70		MILES
LAUREL RD, AND RT,441	STA,NO,	E6		
83 1590 043 42 03 82	AZIMUTH	58,5		DEG-T
417752 3MILE DATE- 79 06 15 0758	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	DISTANCE	0,45		MILES
MEADOW LANE AND RT,441	EXP-OPN	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
417753 3MILE DATE- 79 06 15 0759	STA,NO,	E7		
SIZE-	DISTANCE	0,39		MILES
	EXP-CLD	<0,02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER ON RT.441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
417754 3MILE	DATE- 79 06 15 0759	EXP-OPN	<0.02		MR/HR
SIZE-		STA.NO.	E8		
		EXP-CLD	<0.02		MR/HR
ACCESS RD. SUBSTATION PARKING ON RT.441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
417755 3MILE	DATE- 79 06 15 0800	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E9		
		EXP-OPN	<0.02		MR/HR
RED HILL PLAZA AND RT.441		STA.NO.	E10		
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
417756 3MILE	DATE- 79 06 15 0800	EXP-OPN	<0.02		MR/HR
SIZE-		EXP-CLD	<0.02		MR/HR
		DISTANCE	0.85		MILES
ENGLE RD. AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
417757 3MILE	DATE- 79 06 15 0801	STA.NO.	E11		
SIZE-		DISTANCE	1.15		MILES
		EXP-OPN	<0.02		MR/HR
SOUTH GATE AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
417758 3MILE	DATE- 79 06 15 0801	DISTANCE	1.60		MILES
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E12		
FALMOUTH RD. AND RT.441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
417759 3MILE	DATE- 79 06 15 0802	STA.NO.	E13		
SIZE-		DISTANCE	2.30		MILES
		EXP-CLD	<0.02		MR/HR
COLLINS RD. AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
417760 3MILE	DATE- 79 06 15 0802	STA.NO.	E14		
SIZE-		EXP-OPN	<0.02		MR/HR
		DISTANCE	2.50		MILES
KEENER RD. AND RT. 441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
417761 3MILE	DATE- 79 06 15 0803	EXP-CLD	<0.02		MR/HR
SIZE-		DISTANCE	2.85		MILES
		STA.NO.	E15		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER ON RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
417739 3MILE DATE- 79 06 15 1416	DISTANCE	0.40		MILES
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E8		
ACCESS RD,SUBSTATION PARK,ON RT,441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
417740 3MILE DATE- 79 06 15 1416	STA.NO.	E9		
SIZE-	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
RED HILL PLAZA AND RT,441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
417741 3MILE DATE- 79 06 15 1417	STA.NO.	E10		
SIZE-	EXP-OPN	<0.02		MR/HR
	EXP-CLD	<0.02		MR/HR
ENGLE RD,AND ROUTE 441	STA.NO.	E11		
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
417742 3MILE DATE- 79 06 15 1418	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	1.15		MILES
	EXP-OPN	<0.02		MR/HR
SOUTH GATE AND ROUTE 441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417743 3MILE DATE- 79 06 15 1419	STA.NO.	E12		
SIZE-	EXP-CLD	<0.02		MR/HR
	DISTANCE	1.60		MILES
FALMOUTH RD AND RT,441	STA.NO.	E13		
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
417744 3MILE DATE- 79 06 15 1420	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	2.30		MILES
	EXP-CLD	<0.02		MR/HR
COLLINS RD,ANDRT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417745 3MILE DATE- 79 06 15 1420	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	2.50		MILES
	STA.NO.	E14		
KEENER RD,AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
417746 3MILE DATE- 79 06 15 1421	EXP-OPN	<0.02		MR/HR
SIZE-	STA.NO.	E15		
	DISTANCE	2.85		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH UNION AND RT.441	STA.NO.	E1		
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
417762 3MILE DATE- 79 06 16 0750	DISTANCE	2.50		MILES
SIZE-	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
BURD STREET AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
417763 3MILE DATE- 79 06 16 0752	DISTANCE	2.35		MILES
SIZE-	EXP-CLD	<0.02		MR/HR
	STA.NO.	E2		
RAILROAD CROSSING AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	350		DEG-T
417764 3MILE DATE- 79 06 16 0753	DISTANCE	1.90		MILES
SIZE-	EXP-CLD	<0.02		MR/HR
	STA.NO.	E3		
RIVERSIDE BOAT SALES AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
417765 3MILE DATE- 79 06 16 0754	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA.NO.	E4		
NORTH GATE AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
417766 3MILE DATE- 79 06 16 0755	DISTANCE	0.70		MILES
SIZE-	STA.NO.	E16		
	EXP-OPN	<0.02		MR/HR
LAUREL RD.AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
417767 3MILE DATE- 79 06 16 0755	STA.NO.	E6		
SIZE-	EXP-CLD	<0.02		MR/HR
	DISTANCE	0.45		MILES
MEADOW LANE AND RT.441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
417768 3MILE DATE- 79 06 16 0756	STA.NO.	E7		
SIZE-	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
TMI OBSERVATION CENTER ON RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
417769 3MILE DATE- 79 06 16 0756	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E8		
	DISTANCE	0.40		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD, SUBSTATION PARKING ON RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
417770 3MILE DATE- 79 06 16 0757	DISTANCE	0.45		MILES
SIZE-	EXP-OPN	<0.02		MR/HR
	STA,NO,	E9		
RED HILL PLAZA AND RT,441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
417771 3MILE DATE- 79 06 16 0757	EXP-OPN	<0.02		MR/HR
SIZE-	STA,NO,	E10		
	EXP-CLD	<0.02		MR/HR
ENGLE RD, AND RT,441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
417772 3MILE DATE- 79 06 16 0758	EXP-OPN	<0.02		MR/HR
SIZE-	STA,NO,	E11		
	EXP-CLD	<0.02		MR/HR
SOUTH GATE AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417773 3MILE DATE- 79 06 16 0758	EXP-OPN	<0.02		MR/HR
SIZE-	STA,NO,	E12		
	DISTANCE	1.60		MILES
FALMOUTH RD, AND RT,441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
417774 3MILE DATE- 79 06 16 0759	EXP-OPN	<0.02		MR/HR
SIZE-	EXP-CLD	<0.02		MR/HR
	STA,NO,	E13		
COLLINS RD, AND RT,441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417775 3MILE DATE- 79 06 16 0759	STA,NO,	E14		
SIZE-	DISTANCE	2.80		MILES
	EXP-CLD	<0.02		MR/HR
KEENER RD, AND RT,441	STA,NO,	E15		
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
417776 3MILE DATE- 79 06 16 0800	DISTANCE	2.85		MILES
SIZE-	EXP-OPN	<0.02		MR/HR
	EXP-CLD	<0.02		MR/HR
SOUTH UNION AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
417797 3MILE DATE- 79 06 16 1312	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	2.50		MILES
	STA,NO,	E1		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.35		MILES
417798 3MILE DATE- 79 06 16 1312	STA.NO.	E2		
SIZE-	AZIMUTH	354		DEG-T
	EXP-OPN	<0.02		MR/HR
RAILROAD CROSSING AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.90		MILES
417799 3MILE DATE- 79 06 16 1313	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	360		DEG-T
	STA.NO.	E3		
RIVERSIDE BOAT SALES AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
417800 3MILE DATE- 79 06 16 1314	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA.NO.	E4		
NORTH GATE AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
417801 3MILE DATE- 79 06 16 1315	STA.NO.	E16		
SIZE-	DISTANCE	0.70		MILES
	EXP-CLD	<0.02		MR/HR
SOUTH UNION AND RT.441	STA.NO.	E1		
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
417802 3MILE DATE- 79 06 17 0744	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	2.50		MILES
	EXP-OPN	<0.02		MR/HR
BURD STREET AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
417803 3MILE DATE- 79 06 17 0745	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	2.35		MILES
	STA.NO.	E2		
RAILROAD CROSSING AND RT.441	STA.NO.	E3		
83 1590 043 42 03 82	DISTANCE	1.90		MILES
417804 3MILE DATE- 79 06 17 0746	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	360		DEG-T
	EXP-OPN	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417805 3MILE DATE- 79 06 17 0751	STA.NO.	E4		
SIZE-	AZIMUTH	7		DEG-T
	EXP-OPN	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT.441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
417806 3MILE DATE- 79 06 17 0752	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	0.70		MILES
	EXP-CLD	<0.02		MR/HR
LAUREL RD. AND RT.441	STA.NO.	E6		
83 1590 043 42 03 82	DISTANCE	0.45		MILES
417807 3MILE DATE- 79 06 17 0753	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	58.5		DEG-T
	EXP-CLD	<0.02		MR/HR
MEADOW LANE AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.39		MILES
417808 3MILE DATE- 79 06 17 0753	STA.NO.	E7		
SIZE-	AZIMUTH	88		DEG-T
	EXP-CLD	<0.02		MR/HR
TMI OBSERVATION CENTER ON RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.40		MILES
417809 3MILE DATE- 79 06 17 0754	STA.NO.	E8		
SIZE-	AZIMUTH	110		DEG-T
	EXP-CLD	<0.02		MR/HR
ACCESS RD. SUBSTATION PARKING ON RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
417810 3MILE DATE- 79 06 17 0754	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	130		DEG-T
	STA.NO.	E9		
RED HILL PLAZA AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
417811 3MILE DATE- 79 06 17 0755	STA.NO.	E10		
SIZE-	DISTANCE	0.85		MILES
	EXP-OPN	<0.02		MR/HR
ENGLE RD. AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
417812 3MILE DATE- 79 06 17 0755	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	1.15		MILES
	EXP-CLD	<0.02		MR/HR
SOUTH GATE AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417813 3MILE DATE- 79 06 17 0756	STA.NO.	E12		
SIZE-	DISTANCE	1.60		MILES
	EXP-CLD	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
CENTER OF GOLDSBORO	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	264		DEG-T
417777 3MILE DATE- 79 06 17 1040	STA.NO.	W2		
SIZE-	EXP-OPN	<0.02		MR/HR
	DISTANCE	1.35		MILES
FRAZIER ST. AND RT.262	DISTANCE	1.35		MILES
83 1590 043 42 03 82	AZIMUTH	256		DEG-T
417789 3MILE DATE- 79 06 17 1040	EXP-OPN	<0.02		MR/HR
SIZE-	STA.NO.	W14		
	EXP-CLD	<0.02		MR/HR
WISLER RD. AND RT.262	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	248		DEG-T
417790 3MILE DATE- 79 06 17 1041	STA.NO.	W15		
SIZE-	DISTANCE	1.4		MILES
	EXP-OPN	<0.02		MR/HR
MIDWAY RD. AND RT.262	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	235		DEG-T
417791 3MILE DATE- 79 06 17 1042	DISTANCE	1.6		MILES
SIZE-	STA.NO.	W16		
	EXP-CLD	<0.02		MR/HR
RIVER RD. AND RT.262	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.85		MILES
417792 3MILE DATE- 79 06 17 1043	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	226		DEG-T
	STA.NO.	W17		
RT. 295 / REESER	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	197.5		DEG-T
417793 3MILE DATE- 79 06 17 1045	STA.NO.	W18		
SIZE-	DISTANCE	2.2		MILES
	EXP-OPN	<0.02		MR/HR
RT. 382 / 262	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.8		MILES
417794 3MILE DATE- 79 06 17 1046	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	192		DEG-T
	STA.NO.	W19		
RT. 382 AND RT. 181	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	3.15		MILES
417795 3MILE DATE- 79 06 17 1048	STA.NO.	W20		
SIZE-	AZIMUTH	171		DEG-T
	EXP-CLD	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
NORTH END BRUNNERS ISL.		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	3.25		MILES
417796 3MILE	DATE- 79 06 17 1049	STA.NO.	W21		
SIZE-		AZIMUTH	167		DEG-T
		EXP-OPN	<0.02		MR/HR
RT.262/ BRIDGE		STA.NO.	W3		
83 1590 043 42 03 82		AZIMUTH	268		DEG-T
417778 3MILE	DATE- 79 06 17 1057	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		DISTANCE	1.65		MILES
RT.262 / RT.392		STA.NO.	W4		
83 1590 043 42 03 82		AZIMUTH	300		DEG-T
417779 3MILE	DATE- 79 06 17 1059	DISTANCE	2.4		MILES
SIZE-		EXP-CLD	<0.02		MR/HR
		EXP-OPN	<0.02		MR/HR
RT.262 / CURVE		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	304		DEG-T
417780 3MILE	DATE- 79 06 17 1100	STA.NO.	W5		
SIZE-		DISTANCE	2.55		MILES
		EXP-CLD	<0.02		MR/HR
RT.262 - CORN HILL RD.		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	295		DEG-T
417781 3MILE	DATE- 79 06 17 1103	DISTANCE	3.4		MILES
SIZE-		STA.NO.	W6		
		EXP-OPN	<0.02		MR/HR
RT.262 AND HUSK LANE		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	289		DEG-T
417782 3MILE	DATE- 79 06 17 1104	DISTANCE	4.4		MILES
SIZE-		STA.NO.	W7		
		EXP-OPN	<0.02		MR/HR
RT.262 AND EISNHOWER		STA.NO.	W8		
83 1590 043 42 03 82		AZIMUTH	283		DEG-T
417783 3MILE	DATE- 79 06 17 1105	DISTANCE	5.0		MILES
SIZE-		EXP-OPN	<0.02		MR/HR
		EXP-CLD	<0.02		MR/HR
RT.262 AND RT.177		STA.NO.	W9		
83 1590 043 42 03 82		AZIMUTH	285		DEG-T
417784 3MILE	DATE- 79 06 17 1105	EXP-OPN	<0.02		MR/HR
SIZE-		DISTANCE	5.7		MILES
		EXP-CLD	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RT.262 AND RT.83		STA.NO.	W10		
83 1590 043 42 03 82		AZIMUTH	288		DEG-T
417785 3MILE	DATE- 79 06 17 1106	DISTANCE	6.0		MILES
SIZE-		EXP-CLD	<0.02		MR/HR
		EXP-DPN	<0.02		MR/HR
RT.262 AND SPRING RD.		STA.NO.	W11		
83 1590 043 42 03 82		AZIMUTH	292		DEG-T
417786 3MILE	DATE- 79 06 17 1107	DISTANCE	6.8		MILES
SIZE-		EXP-CLD	<0.02		MR/HR
		EXP-DPN	<0.02		MR/HR
RT.262 AND MARK RD.		STA.NO.	W12		
83 1590 043 42 03 82		AZIMUTH	296		DEG-T
417787 3MILE	DATE- 79 06 17 1108	DISTANCE	7.8		MILES
SIZE-		EXP-CLD	<0.02		MR/HR
		EXP-DPN	<0.02		MR/HR
RT.262 AND RT.76		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	295		DEG-T
417788 3MILE	DATE- 79 06 17 1110	EXP-DPN	<0.02		MR/HR
SIZE-		DISTANCE	7.6		MILES
		STA.NO.	W13		
SOUTH UNION AND RT.441		STA.NO.	E1		
83 1590 043 42 03 82		DISTANCE	2.50		MILES
417814 3MILE	DATE- 79 06 18 0746	EXP-CLD	<0.02		MR/HR
SIZE-		AZIMUTH	352		DEG-T
		EXP-DPN	<0.02		MR/HR
BURD STREET AND RT.441		EXP-DPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
417815 3MILE	DATE- 79 06 18 0747	STA.NO.	E2		
SIZE-		DISTANCE	2.35		MILES
		EXP-CLD	<0.02		MR/HR
RAILROAD CROSSING AND RT.441		STA.NO.	E3		
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
417816 3MILE	DATE- 79 06 18 0748	EXP-DPN	<0.02		MR/HR
SIZE-		DISTANCE	1.90		MILES
		EXP-CLD	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT.441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	1.15		MILES
417817 3MILE	DATE- 79 06 18 0749	STA.NO.	E4		
SIZE-		AZIMUTH	7		DEG-T
		EXP-DPN	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT.441	STA.NO.	E16		
83 1590 043 42 03 82	DISTANCE	0.70		MILES
417818 3MILE DATE- 79 06 18 0750	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	25		DEG-T
	EXP-CLD	<0.02		MR/HR
LAUREL RD. AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
417819 3MILE DATE- 79 06 18 0932	STA.NO.	E6		
SIZE-	DISTANCE	0.45		MILES
	EXP-CLD	<0.02		MR/HR
MEADOW LANE AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
417820 3MILE DATE- 79 06 18 0933	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	0.39		MILES
	STA.NO.	E7		
TMI OBSERVATION CENTER DN RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
417821 3MILE DATE- 79 06 18 0933	STA.NO.	E8		
SIZE-	DISTANCE	0.40		MILES
	EXP-OPN	<0.02		MR/HR
ACCESS RD. SUBSTATION PARKING DN RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
417822 3MILE DATE- 79 06 18 0934	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	130		DEG-T
	STA.NO.	E9		
RED HILL PLAZA AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
417823 3MILE DATE- 79 06 18 0935	STA.NO.	E10		
SIZE-	DISTANCE	0.85		MILES
	EXP-CLD	<0.02		MR/HR
ENGLE RD. AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417824 3MILE DATE- 79 06 18 0935	STA.NO.	E11		
SIZE-	AZIMUTH	153		DEG-T
	EXP-OPN	<0.02		MR/HR
SOUTH GATE AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.60		MILES
417825 3MILE DATE- 79 06 18 0936	STA.NO.	E12		
SIZE-	AZIMUTH	160		DEG-T
	EXP-CLD	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD. AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
417826 3MILE DATE- 79 06 18 0937	STA.NO.	E13		
SIZE-	DISTANCE	2.30		MILES
	EXP-CLD	<0.02		MR/HR
COLLINS RD. AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
417827 3MILE DATE- 79 06 18 0938	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	STA.NO.	E14		
KEENER RD. AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.85		MILES
417828 3MILE DATE- 79 06 18 0938	STA.NO.	E15		
SIZE-	AZIMUTH	152		DEG-T
	EXP-CLD	<0.02		MR/HR
KEENER RD. AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.85		MILES
417843 3MILE DATE- 79 06 18 1607	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	152		DEG-T
	STA.NO.	E15		
COLLINS RD. AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
417842 3MILE DATE- 79 06 18 1609	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	STA.NO.	E14		
FALMOUTH RD. AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.30		MILES
417841 3MILE DATE- 79 06 18 1610	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	162.5		DEG-T
	STA.NO.	E13		
ENGLE RD. AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
417839 3MILE DATE- 79 06 18 1611	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA.NO.	E11		
SOUTH GATE AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
417840 3MILE DATE- 79 06 18 1611	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	1.60		MILES
	STA.NO.	E12		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD, SUBSTATION PARKING ON RT,441	EXP-DPN	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
417837 3MILE DATE- 79 06 18 1612	EXP-CLD	<0,02		MR/HR
SIZE-	DISTANCE	0,45		MILES
	STA,NO,	E9		
RED HILL PLAZA AND RT,441	EXP-CLD	<0,02		MR/HR
83 1590 043 42 03 82	STA,NO,	E10		
417838 3MILE DATE- 79 06 18 1612	EXP-DPN	<0,02		MR/HR
SIZE-	DISTANCE	0,85		MILES
	AZIMUTH	127		DEG-T
MEADOW LANE AND RT,441	STA,NO,	E7		
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
417835 3MILE DATE- 79 06 18 1613	EXP-CLD	<0,02		MR/HR
SIZE-	DISTANCE	0,39		MILES
	EXP-DPN	<0,02		MR/HR
TMI OBSERVATION CENTER ON RT,441	STA,NO,	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
417836 3MILE DATE- 79 06 18 1613	EXP-CLD	<0,02		MR/HR
SIZE-	DISTANCE	0,40		MILES
	EXP-DPN	<0,02		MR/HR
LAUREL RD, AND RT,441	STA,NO,	E6		
83 1590 043 42 03 82	DISTANCE	0,45		MILES
417834 3MILE DATE- 79 06 18 1614	EXP-DPN	<0,02		MR/HR
SIZE-	AZIMUTH	58,5		DEG-T
	EXP-CLD	<0,02		MR/HR
RIVERSIDE BOAT SALES AND RT,441	EXP-DPN	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
417832 3MILE DATE- 79 06 18 1615	EXP-CLD	<0,02		MR/HR
SIZE-	DISTANCE	1,15		MILES
	STA,NO,	E4		
NORTH GATE AND RT,441	EXP-CLD	<0,02		MR/HR
83 1590 043 42 03 82	DISTANCE	0,70		MILES
417833 3MILE DATE- 79 06 18 1615	STA,NO,	E16		
SIZE-	AZIMUTH	25		DEG-T
	EXP-DPN	<0,02		MR/HR
RAILROAD CROSSING AND RT,441	EXP-DPN	<0,02		MR/HR
83 1590 043 42 03 82	DISTANCE	1,90		MILES
417831 3MILE DATE- 79 06 18 1616	EXP-CLD	<0,02		MR/HR
SIZE-	AZIMUTH	360		DEG-T
	STA,NO,	E3		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH UNION AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
417829 3MILE DATE- 79 06 18 1617	STA.NO.	E1		
SIZE-	AZIMUTH	352		DEG-T
	EXP-DPN	<0.02		MR/HR
BURD STREET AND RT.441	STA.NO.	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
417830 3MILE DATE- 79 06 18 1617	EXP-CLD	<0.02		MR/HR
SIZE-	DISTANCE	2.35		MILES
	EXP-DPN	<0.02		MR/HR
SOUTH UNION AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
417844 3MILE DATE- 79 06 19 0745	EXP-DPN	<0.02		MR/HR
SIZE-	AZIMUTH	352		DEG-T
	STA.NO.	E1		
BURD STREET AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.35		MILES
417845 3MILE DATE- 79 06 19 0746	EXP-DPN	<0.02		MR/HR
SIZE-	AZIMUTH	354		DEG-T
	STA.NO.	E2		
RAILROAD CROSSING AND RT.441	EXP-DPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.90		MILES
417846 3MILE DATE- 79 06 19 0747	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	360		DEG-T
	STA.NO.	E3		
RIVERSIDE BOAT SALES AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417847 3MILE DATE- 79 06 19 0748	EXP-DPN	<0.02		MR/HR
SIZE-	AZIMUTH	7		DEG-T
	STA.NO.	E4		
NORTH GATE AND RT.441	EXP-DPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.70		MILES
417848 3MILE DATE- 79 06 19 0749	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	25		DEG-T
	STA.NO.	E16		
LAUREL RD. AND RT.441	EXP-DPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
417849 3MILE DATE- 79 06 19 0749	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	58.5		DEG-T
	STA.NO.	E6		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
MEADOW LANE AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.30		MILES
417850 3MILE DATE- 79 06 19 0750	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	88		DEG-T
	STA.NO.	E7		
TMI OBSERVATION CENTER ON RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.40		MILES
417851 3MILE DATE- 79 06 19 0750	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	110		DEG-T
	STA.NO.	E8		
ACCESS RD. SUBSTATION PARKING ON RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E9		
417852 3MILE DATE- 79 06 19 0751	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	130		DEG-T
	DISTANCE	0.45		MILES
RED HILL PLAZA AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.85		MILES
417853 3MILE DATE- 79 06 19 0751	EXP-OPN	<0.02		MR/HR
SIZE-	STA.NO.	E10		
	AZIMUTH	127		DEG-T
ENGLE RD. AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E11		
417854 3MILE DATE- 79 06 19 0752	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	153		DEG-T
	DISTANCE	1.15		MILES
SOUTH GATE AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E12		
417855 3MILE DATE- 79 06 19 0752	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	DISTANCE	1.60		MILES
FALMOUTH RD. AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.30		MILES
417856 3MILE DATE- 79 06 19 0948	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	162.5		DEG-T
	STA.NO.	E13		
COLLINS RD. AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
417857 3MILE DATE- 79 06 19 0950	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	STA.NO.	E14		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD, AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.85		MILES
417858 3MILE DATE- 79 06 19 0951	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	152		DEG-T
	STA.NO.	E15		
KEENER RD, AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.85		MILES
417873 3MILE DATE- 79 06 19 1650	AZIMUTH	152		DEG-T
SIZE-	STA.NO.	E15		
	EXP-OPN	<0.02		MR/HR
COLLINS RD, AND RT,441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E14		
417872 3MILE DATE- 79 06 19 1652	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	160		DEG-T
SOUTH GATE AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E12		
417870 3MILE DATE- 79 06 19 1653	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	DISTANCE	1.60		MILES
FALMOUTH RD, AND RT,441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.30		MILES
417871 3MILE DATE- 79 06 19 1653	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E13		
	AZIMUTH	162.5		DEG-T
RED HILL PLAZA AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.85		MILES
417868 3MILE DATE- 79 06 19 1654	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	127		DEG-T
	STA.NO.	E10		
ENGLE RD, AND RT,441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417869 3MILE DATE- 79 06 19 1654	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	183		DEG-T
	STA.NO.	E11		
MEADOW LANE AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.39		MILES
417865 3MILE DATE- 79 06 19 1655	EXP-OPN	<0.02		MR/HR
SIZE-	STA.NO.	E7		
	AZIMUTH	88		DEG-T

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER ON RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	STA,NO,	E8		
417866 3MILE DATE- 79 06 19 1655	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	110		DEG-T
	DISTANCE	0,40		MILES
ACCESS RD, SUBSTATION PARKING ON RT,441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0,45		MILES
417867 3MILE DATE- 79 06 19 1655	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	130		DEG-T
	STA,NO,	E9		
NORTH GATE AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0,70		MILES
417863 3MILE DATE- 79 06 19 1656	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	25		DEG-T
	STA,NO,	E16		
LAUREL RD, AND RT,441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	STA,NO,	E6		
417864 3MILE DATE- 79 06 19 1656	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	58.5		DEG-T
	DISTANCE	0,45		MILES
RAILROAD CROSSING AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1,90		MILES
417861 3MILE DATE- 79 06 19 1657	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	360		DEG-T
	STA,NO,	E3		
RIVERSIDE BOAT SALES AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1,15		MILES
417862 3MILE DATE- 79 06 19 1657	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	7		DEG-T
	STA,NO,	E4		
BURD STREET AND RT,441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	STA,NO,	E2		
417860 3MILE DATE- 79 06 19 1658	EXP-CLD	<0.02		MR/HR
SIZE-	AZIMUTH	354		DEG-T
	DISTANCE	2,35		MILES
SOUTH UNION AND RT,441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2,50		MILES
417859 3MILE DATE- 79 06 19 1659	EXP-OPN	<0.02		MR/HR
SIZE-	STA,NO,	E1		
	AZIMUTH	352		DEG-T

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT ± 2SIGMA	UNITS
SOUTH UNION AND RT.441		EXP-CLD	<0.02	MR/HR
83 1590 043 42 03 82		DISTANCE	2.50	MILES
417874 3MILE	DATE- 79 06 20 0748	AZIMUTH	352	DEG-T
SIZE-		EXP-OPN	<0.02	MR/HR
		STA.NO.	E1	
BURD STREET AND RT.441		EXP-CLD	<0.02	MR/HR
83 1590 043 42 03 82		DISTANCE	2.35	MILES
417875 3MILE	DATE- 79 06 20 0750	AZIMUTH	354	DEG-T
SIZE-		STA.NO.	E2	
		EXP-OPN	<0.02	MR/HR
RAILROAD CROSSING AND ROUTE 441		EXP-CLD	<0.02	MR/HR
83 1590 043 42 03 82		STA.NO.	E3	
417876 3MILE	DATE- 79 06 20 0750	AZIMUTH	360	DEG-T
SIZE-		DISTANCE	1.90	MILES
		EXP-OPN	<0.02	MR/HR
RIVERSIDE BOAT SALES AND RT.441		EXP-CLD	<0.02	MR/HR
83 1590 043 42 03 82		DISTANCE	1.15	MILES
417877 3MILE	DATE- 79 06 20 0751	STA.NO.	E4	
SIZE-		EXP-OPN	<0.02	MR/HR
		AZIMUTH	7	DEG-T
COLLINS RD. AND RT. 441		EXP-CLD	<0.02	MR/HR
83 1590 043 42 03 82		STA.NO.	E16	
417878 3MILE	DATE- 79 06 20 0752	AZIMUTH	25	DEG-T
SIZE-		DISTANCE	0.70	MILES
		EXP-OPN	<0.02	MR/HR
LAUREL RD. AND RT.441		EXP-CLD	<0.02	MR/HR
83 1590 043 42 03 82		EXP-OPN	<0.02	MR/HR
417879 3MILE	DATE- 79 06 20 0753	AZIMUTH	58.5	DEG-T
SIZE-		DISTANCE	0.45	MILES
		STA.NO.	E6	
MEADOW LANE AND RT.441		EXP-CLD	<0.02	MR/HR
83 1590 043 42 03 82		DISTANCE	0.39	MILES
417880 3MILE	DATE- 79 06 20 0753	EXP-OPN	<0.02	MR/HR
SIZE-		STA.NO.	E7	
		AZIMUTH	88	DEG-T
TMI OBSERVATION CENTER ON RT.441		EXP-CLD	<0.02	MR/HR
83 1590 043 42 03 82		DISTANCE	0.40	MILES
417881 3MILE	DATE- 79 06 20 0754	AZIMUTH	110	DEG-T
SIZE-		EXP-OPN	<0.02	MR/HR
		STA.NO.	E8	

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD, SUBSTATION PARKING ON RT, 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	STA,NO,	E9		
417882 3MILE DATE- 79 06 20 0754	AZIMUTH	130		DEG-T
SIZE-	DISTANCE	0.45		MILES
	EXP-OPN	<0.02		MR/HR
RED HILL PLAZA AND RT, 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.85		MILES
417883 3MILE DATE- 79 06 20 0755	STA,NO,	E10		
SIZE-	EXP-OPN	<0.02		MR/HR
	AZIMUTH	127		DEG-T
ENGLE RD, AND RT, 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	STA,NO,	E11		
417884 3MILE DATE- 79 06 20 0755	AZIMUTH	153		DEG-T
SIZE-	DISTANCE	1.15		MILES
	EXP-OPN	<0.02		MR/HR
SOUTH GATE AND RT, 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.60		MILES
417885 3MILE DATE- 79 06 20 0756	AZIMUTH	160		DEG-T
SIZE-	STA,NO,	E12		
	EXP-OPN	<0.02		MR/HR
SOUTH UNION AND RT, 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417886 3MILE DATE- 79 06 21 1009	AZIMUTH	352		DEG-T
SIZE-	DISTANCE	2.50		MILES
	STA,NO,	E1		
BURD STREET AND RT, 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.35		MILES
417887 3MILE DATE- 79 06 21 1010	EXP-OPN	<0.02		MR/HR
SIZE-	STA,NO,	E2		
	AZIMUTH	354		DEG-T
RAILROAD CROSSING AND RT, 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	STA,NO,	E3		
417888 3MILE DATE- 79 06 21 1011	AZIMUTH	360		DEG-T
SIZE-	DISTANCE	1.90		MILES
	EXP-OPN	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT, 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417889 3MILE DATE- 79 06 21 1012	STA,NO,	E4		
SIZE-	EXP-OPN	<0.02		MR/HR
	AZIMUTH	7		DEG-T

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.70		MILES
417890 3MILE DATE- 79 06 21 1012	AZIMUTH	25		DEG-T
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E16		
LAUREL RD. AND RT. 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
417891 3MILE DATE- 79 06 21 1013	AZIMUTH	58.5		DEG-T
SIZE-	STA.NO.	E6		
	EXP-OPN	<0.02		MR/HR
TMI OBSERVATION CENTER ON RT. 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417893 3MILE DATE- 79 06 21 1014	AZIMUTH	110		DEG-T
SIZE-	DISTANCE	0.40		MILES
	STA.NO.	E8		
ACCESS RD. SUBSTATION PARKING ON RT. 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E9		
417894 3MILE DATE- 79 06 21 1015	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	0.45		MILES
	AZIMUTH	130		DEG-T
RED HILL PLAZA AND RT. 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417895 3MILE DATE- 79 06 21 1015	STA.NO.	E10		
SIZE-	DISTANCE	0.85		MILES
	AZIMUTH	127		DEG-T
ENGLE RD. AND RT. 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
417896 3MILE DATE- 79 06 21 1016	AZIMUTH	153		DEG-T
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E11		
SOUTH GATE AND RT. 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.60		MILES
417897 3MILE DATE- 79 06 21 1016	AZIMUTH	160		DEG-T
SIZE-	STA.NO.	E12		
	EXP-OPN	<0.02		MR/HR
FALMOUTH RD. AND RT. 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.30		MILES
417898 3MILE DATE- 79 06 21 1017	AZIMUTH	162.5		DEG-T
SIZE-	STA.NO.	E13		
	EXP-OPN	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD. AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417899 3MILE DATE- 79 06 21 1018	DISTANCE	2.50		MILES
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E14		
KEENER RD. AND RT. 441	STA.NO.	E15		
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417900 3MILE DATE- 79 06 21 1018	EXP-OPN	<0.02		MR/HR
SIZE-	AZIMUTH	152		DEG-T
	DISTANCE	2.85		MILES
MEADOW LANE AND RT. 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.39		MILES
417892 3MILE DATE- 79 06 21 1031	AZIMUTH	88		DEG-T
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E7		
SOUTH UNION AND RT.441	EXP-OPN	<0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	E1		
417919 3MILE DATE- 79 06 21 1125	AZIMUTH	352		DEG-T
SIZE-	EXP-CLD	<0.01		MR/HR
	DISTANCE	2.50		MILES
SOUTH UNION AND RT. 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417904 3MILE DATE- 79 06 21 1444	DISTANCE	2.50		MILES
SIZE-	STA.NO.	E1		
	EXP-CLD	<0.02		MR/HR
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417905 3MILE DATE- 79 06 21 1445	STA.NO.	E2		
SIZE-	EXP-CLD	<0.02		MR/HR
	AZIMUTH	354		DEG-T
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417906 3MILE DATE- 79 06 21 1446	AZIMUTH	360		DEG-T
SIZE-	STA.NO.	E3		
	EXP-CLD	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT.441	AZIMUTH	7		DEG-T
83 1590 043 42 03 82	STA.NO.	E4		
417907 3MILE DATE- 79 06 21 1451	DISTANCE	1.15		MILES
SIZE-	EXP-OPN	<0.02		MR/HR
	EXP-CLD	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	EXP-DPN	<0.02		MR/HR
417908 3MILE DATE- 79 06 21 1452	DISTANCE	0.70		MILES
SIZE-	EXP-CLD	<0.02		MR/HR
	STA.NO.	E16		
LAUREL RD. AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417909 3MILE DATE- 79 06 21 1452	DISTANCE	0.45		MILES
SIZE-	EXP-DPN	<0.02		MR/HR
	AZIMUTH	58.5		DEG-T
MEADOW LANE AND RT.441	EXP-DPN	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E7		
417910 3MILE DATE- 79 06 21 1453	AZIMUTH	88		DEG-T
SIZE-	EXP-CLD	<0.02		MR/HR
	DISTANCE	0.39		MILES
TMI OBSERVATION CENTER ON RT.441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	EXP-DPN	<0.02		MR/HR
417911 3MILE DATE- 79 06 21 1453	DISTANCE	0.40		MILES
SIZE-	EXP-CLD	<0.02		MR/HR
	STA.NO.	E8		
ACCESS RD. SUBSTATION PARKING ON RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E9		
417912 3MILE DATE- 79 06 21 1454	EXP-DPN	<0.02		MR/HR
SIZE-	AZIMUTH	130		DEG-T
	DISTANCE	0.45		MILES
RED HILL PLAZA AND RT.441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	STA.NO.	E10		
417913 3MILE DATE- 79 06 21 1454	DISTANCE	0.85		MILES
SIZE-	EXP-DPN	<0.02		MR/HR
	EXP-CLD	<0.02		MR/HR
ENGLE RD. AND RT.441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	EXP-DPN	<0.02		MR/HR
417914 3MILE DATE- 79 06 21 1455	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E11		
	DISTANCE	1.15		MILES
SOUTH GATE AND RT.441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-DPN	<0.02		MR/HR
417915 3MILE DATE- 79 06 21 1456	STA.NO.	E12		
SIZE-	AZIMUTH	160		DEG-T
	DISTANCE	1.60		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD. AND RT.441		AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82		STA.NO.	E13		
417916 3MILE	DATE- 79 06 21 1456	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		DISTANCE	2.30		MILES
COLLINS RD. AND RT.441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		EXP-CLD	<0.02		MR/HR
417917 3MILE	DATE- 79 06 21 1457	DISTANCE	2.50		MILES
SIZE-		AZIMUTH	160		DEG-T
		STA.NO.	E14		
KEENER RD. AND RT.441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417918 3MILE	DATE- 79 06 21 1458	AZIMUTH	152		DEG-T
SIZE-		STA.NO.	E15		
		EXP-CLD	<0.02		MR/HR
KEENER RD. AND RT.441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		EXP-CLD	<0.01		MR/HR
417933 3MILE	DATE- 79 06 22 1000	STA.NO.	E15		
SIZE-		EXP-OPN	<0.01		MR/HR
		AZIMUTH	152		DEG-T
COLLINS RD. AND RT.441		EXP-CLD	<0.01		MR/HR
83 1590 043 42 03 82		EXP-OPN	<0.01		MR/HR
417932 3MILE	DATE- 79 06 22 1005	DISTANCE	2.50		MILES
SIZE-		STA.NO.	E14		
		AZIMUTH	160		DEG-T
FALMOUTH RD. AND RT.441		EXP-OPN	<0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	E13		
417931 3MILE	DATE- 79 06 22 1006	AZIMUTH	162.5		DEG-T
SIZE-		EXP-CLD	<0.01		MR/HR
		DISTANCE	2.30		MILES
SOUTH GATE AND RT.441		EXP-CLD	<0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	E12		
417930 3MILE	DATE- 79 06 22 1007	DISTANCE	1.60		MILES
SIZE-		EXP-OPN	<0.01		MR/HR
		AZIMUTH	160		DEG-T
ENGLE RD. AND RT.441		AZIMUTH	153		DEG-T
83 1590 043 42 03 82		STA.NO.	E11		
417929 3MILE	DATE- 79 06 22 1009	DISTANCE	1.15		MILES
SIZE-		EXP-CLD	<0.01		MR/HR
		EXP-OPN	<0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT.441	EXP-CLD	<0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	E10		
417928 3MILE DATE- 79 06 22 1010	AZIMUTH	127		DEG-T
SIZE-	EXP-OPN	<0.01		MR/HR
	DISTANCE	0.85		MILES
ACCESS RD. SUBSTATION PARKING ON RT.441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	EXP-OPN	<0.01		MR/HR
417927 3MILE DATE- 79 06 22 1011	STA.NO.	E9		
SIZE-	EXP-CLD	<0.01		MR/HR
	AZIMUTH	130		DEG-T
TMI OBSERVATION CENTER ON RT.441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	EXP-OPN	<0.01		MR/HR
417926 3MILE DATE- 79 06 22 1012	AZIMUTH	110		DEG-T
SIZE-	STA.NO.	E8		
	EXP-CLD	<0.01		MR/HR
MEADOW LANE AND RT.441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	EXP-OPN	<0.01		MR/HR
417925 3MILE DATE- 79 06 22 1013	AZIMUTH	88		DEG-T
SIZE-	EXP-CLD	<0.01		MR/HR
	STA.NO.	E7		
LAUREL RD. AND RT.441	EXP-OPN	<0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	E6		
417924 3MILE DATE- 79 06 22 1014	EXP-CLD	<0.01		MR/HR
SIZE-	DISTANCE	0.45		MILES
	AZIMUTH	58.5		DEG-T
NORTH GATE AND RT.441	STA.NO.	E16		
83 1590 043 42 03 82	EXP-CLD	<0.01		MR/HR
417923 3MILE DATE- 79 06 22 1015	DISTANCE	0.70		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
	AZIMUTH	25		DEG-T
RIVERSIDE BOAT SALES AND RT.441	AZIMUTH	7		DEG-T
83 1590 043 42 03 82	STA.NO.	E4		
417922 3MILE DATE- 79 06 22 1120	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	DISTANCE	1.15		MILES
RAILROAD CROSSING AND RT.441	STA.NO.	E3		
83 1590 043 42 03 82	EXP-CLD	<0.01		MR/HR
417921 3MILE DATE- 79 06 22 1123	AZIMUTH	360		DEG-T
SIZE-	EXP-OPN	<0.01		MR/HR
	DISTANCE	1.90		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT.441		EXP-CLD	<0.01		MR/HR
83 1590 043 42 03 82		EXP-OPN	<0.01		MR/HR
417920 3MILE	DATE- 79 06 22 1124	DISTANCE	2.35		MILES
SIZE-		STA.NO.	E2		
		AZIMUTH	354		DEG-T
KEENER RD. AND PT. 441		AZIMUTH	152		DEG-T
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417948 3MILE	DATE- 79 06 22 1308	DISTANCE	2.85		MILES
SIZE-		STA.NO.	E15		
		EXP-CLD	<0.02		MR/HR
COLLINS RD. AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		STA.NO.	E14		
417947 3MILE	DATE- 79 06 22 1309	DISTANCE	2.50		MILES
SIZE-		EXP-OPN	<0.02		MR/HR
		EXP-CLD	<0.02		MR/HR
FALMOUTH RD. AND RT. 441		EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E13		
417946 3MILE	DATE- 79 06 22 1310	AZIMUTH	162.5		DEG-T
SIZE-		EXP-OPN	<0.02		MR/HR
		DISTANCE	2.30		MILES
SOUTH GATE AND RT. 441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		EXP-CLD	<0.02		MR/HR
417945 3MILE	DATE- 79 06 22 1311	STA.NO.	E12		
SIZE-		DISTANCE	1.60		MILES
		AZIMUTH	160		DEG-T
ENGLE RD. AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417944 3MILE	DATE- 79 06 22 1312	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E11		
		AZIMUTH	153		DEG-T
RED MILL PLAZA AND RT. 441		DISTANCE	0.85		MILES
83 1590 043 42 03 82		STA.NO.	E10		
417943 3MILE	DATE- 79 06 22 1313	AZIMUTH	127		DEG-T
SIZE-		EXP-CLD	<0.02		MR/HR
		EXP-OPN	<0.02		MR/HR
ACCESS RD. SUBSTATION PARKING ON RT. 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		EXP-CLD	<0.02		MR/HR
417942 3MILE	DATE- 79 06 22 1315	AZIMUTH	130		DEG-T
SIZE-		STA.NO.	E9		
		EXP-OPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER ON RT, 441	STA,NO,	E8		
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417941 3MILE DATE- 79 06 22 1317	DISTANCE	0.40		MILES
SIZE-	EXP-CLD	<0.02		MR/HR
	AZIMUTH	110		DEG-T
MEADOW LANE AND RT, 441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	STA,NO,	E7		
417940 3MILE DATE- 79 06 22 1319	AZIMUTH	88		DEG-T
SIZE-	DISTANCE	0.39		MILES
	EXP-CLD	<0.02		MR/HR
LAUREL RD, AND RT, 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417939 3MILE DATE- 79 06 22 1320	STA,NO,	E6		
SIZE-	EXP-CLD	<0.02		MR/HR
	AZIMUTH	58,5		DEG-T
NORTH GATE AND RT, 441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	STA,NO,	E16		
417938 3MILE DATE- 79 06 22 1323	DISTANCE	0.70		MILES
SIZE-	EXP-CLD	<0.02		MR/HR
	AZIMUTH	25		DEG-T
RIVERSIDE BOAT SALES AND RT,441	AZIMUTH	7		DEG-T
83 1590 043 42 03 82	STA,NO,	E4		
417937 3MILE DATE- 79 06 22 1325	DISTANCE	1.15		MILES
SIZE-	EXP-OPN	<0.02		MR/HR
	EXP-CLD	<0.02		MR/HR
RAILROAD CROSSING AND RT, 441	EXP-CLD	<0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417936 3MILE DATE- 79 06 22 1328	AZIMUTH	360		DEG-T
SIZE-	STA,NO,	E3		
	DISTANCE	1.90		MILES
BURD STREET AND RT, 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417935 3MILE DATE- 79 06 22 1330	AZIMUTH	354		DEG-T
SIZE-	STA,NO,	E2		
	EXP-CLD	<0.02		MR/HR
SOUTH UNION AND RT,441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	EXP-CLD	<0.02		MR/HR
417934 3MILE DATE- 79 06 22 1332	AZIMUTH	352		DEG-T
SIZE-	EXP-OPN	<0.02		MR/HR
	STA,NO,	E1		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD. AND RT.441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		STA.NO.	E15		
417978 3MILE	DATE- 79 06 23 0840	AZIMUTH	152		DEG-T
SIZE-		EXP-DPN	<0.02		MR/HR
COLLINS RD. AND RT.441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		EXP-DPN	<0.02		MR/HR
417977 3MILE	DATE- 79 06 23 0842	STA.NO.	E14		
SIZE-		AZIMUTH	160		DEG-T
FALMOUTH RD. AND RT.441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		STA.NO.	E13		
417976 3MILE	DATE- 79 06 23 0844	AZIMUTH	162.5		DEG-T
SIZE-		EXP-DPN	<0.02		MR/HR
SOUTH GATE AND RT.441		STA.NO.	E12		
83 1590 043 42 03 82		EXP-DPN	<0.02		MR/HR
417975 3MILE	DATE- 79 06 23 0845	DISTANCE	1.60		MILES
SIZE-		AZIMUTH	160		DEG-T
ENGLE RD. AND RT.441		AZIMUTH	153		DEG-T
83 1590 043 42 03 82		STA.NO.	E11		
417974 3MILE	DATE- 79 06 23 0846	DISTANCE	1.15		MILES
SIZE-		EXP-DPN	<0.02		MR/HR
RED HILL PLAZA AND RT.441		EXP-DPN	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E10		
417973 3MILE	DATE- 79 06 23 0847	AZIMUTH	127		DEG-T
SIZE-		DISTANCE	0.85		MILES
ACCESS RD. SUBSTATION PARKING ON RT.441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		EXP-DPN	<0.02		MR/HR
417972 3MILE	DATE- 79 06 23 0848	AZIMUTH	130		DEG-T
SIZE-		STA.NO.	E9		
TMI OBSERVATION CENTER ON RT.441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		STA.NO.	E8		
417971 3MILE	DATE- 79 06 23 0849	AZIMUTH	110		DEG-T
SIZE-		EXP-DPN	<0.02		MR/HR
MEADOW LANE AND RT.441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		EXP-DPN	<0.02		MR/HR
417970 3MILE	DATE- 79 06 23 0850	AZIMUTH	88		DEG-T
SIZE-		STA.NO.	E7		
LAUREL RD. AND RT.441		STA.NO.	E6		
83 1590 043 42 03 82		EXP-DPN	<0.02		MR/HR
417969 3MILE	DATE- 79 06 23 0852	DISTANCE	0.45		MILES
SIZE-		AZIMUTH	58.5		DEG-T

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT.441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	STA.NO.	E16		
417968 3MILE DATE- 79 06 23 0853	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	0.70		MILES
RIVERSIDE BOAT SALES AND RT.441	AZIMUTH	7		DEG-T
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417967 3MILE DATE- 79 06 23 0854	DISTANCE	1.15		MILES
SIZE-	STA.NO.	E4		
RAILROAD CROSSING AND RT.441	EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E3		
417966 3MILE DATE- 79 06 23 0855	AZIMUTH	360		DEG-T
SIZE-	DISTANCE	1.90		MILES
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417965 3MILE DATE- 79 06 23 0856	AZIMUTH	354		DEG-T
SIZE-	STA.NO.	E2		
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	STA.NO.	E1		
417964 3MILE DATE- 79 06 23 0858	AZIMUTH	352		DEG-T
SIZE-	EXP-OPN	<0.02		MR/HR
SOUTH UNION AND RT.441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	STA.NO.	E1		
417949 3MILE DATE- 79 06 23 1425	DISTANCE	2.50		MILES
SIZE-	EXP-OPN	<0.02		MR/HR
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417950 3MILE DATE- 79 06 23 1426	DISTANCE	2.35		MILES
SIZE-	STA.NO.	E2		
RAILROAD CROSSING AND RT.441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417951 3MILE DATE- 79 06 23 1428	STA.NO.	E3		
SIZE-	DISTANCE	1.90		MILES
RIVERSIDE BOAT SALES AND RT. 441	AZIMUTH	7		DEG-T
83 1590 043 42 03 82	STA.NO.	E4		
417952 3MILE DATE- 79 06 23 1430	EXP-OPN	<0.02		MR/HR
SIZE-	DISTANCE	1.15		MILES
NORTH GATE AND RT. 441	STA.NO.	E16		
83 1590 043 42 03 82	EXP-OPN	<0.02		MR/HR
417953 3MILE DATE- 79 06 23 1432	DISTANCE	0.70		MILES
SIZE-	AZIMUTH	25		DEG-T

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD. AND RT. 441	EXP-DPH	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E6		
417954 3MILE DATE- 79 06 23 1433	AZIMUTH	58.5		DEG-T
SIZE-	DISTANCE	0.45		MILES
MEADOW LANE AND RT. 441	AZIMUTH	88		DEG-T
83 1590 043 42 03 82	EXP-DPH	<0.02		MR/HR
417955 3MILE DATE- 79 06 23 1435	DISTANCE	0.39		MILES
SIZE-	STA.NO.	E7		
TMI OBSERVATION CENTER ON RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	STA.NO.	E8		
417956 3MILE DATE- 79 06 23 1436	DISTANCE	0.40		MILES
SIZE-	EXP-DPH	<0.02		MR/HR
ACCESS RD. SUBSTATION PARKING ON RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	EXP-DPH	<0.02		MR/HR
417957 3MILE DATE- 79 06 23 1437	DISTANCE	0.45		MILES
SIZE-	AZIMUTH	130		DEG-T
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	EXP-DPH	<0.02		MR/HR
417958 3MILE DATE- 79 06 23 1438	AZIMUTH	127		DEG-T
SIZE-	STA.NO.	E10		
ENGLE RD. AND RT. 441	EXP-DPH	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E11		
417959 3MILE DATE- 79 06 23 1440	AZIMUTH	153		DEG-T
SIZE-	DISTANCE	1.15		MILES
SOUTH GATE AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	STA.NO.	E12		
417960 3MILE DATE- 79 06 23 1441	DISTANCE	1.60		MILES
SIZE-	EXP-DPH	<0.02		MR/HR
FALMOUTH RD. AND RT. 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	EXP-DPH	<0.02		MR/HR
417961 3MILE DATE- 79 06 23 1442	DISTANCE	2.30		MILES
SIZE-	STA.NO.	E13		
COLLINS RD. AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	EXP-DPH	<0.02		MR/HR
417962 3MILE DATE- 79 06 23 1443	DISTANCE	2.50		MILES
SIZE-	STA.NO.	E14		
KEENER RD. AND RT. 441	STA.NO.	E15		
83 1590 043 42 03 82	EXP-DPH	<0.02		MR/HR
417963 3MILE DATE- 79 06 23 1444	DISTANCE	2.85		MILES
SIZE-	AZIMUTH	152		DEG-T

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD, AND RT,441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	EXP-DPM	<0.02		MR/HR
417993 3MILE DATE- 79 06 24 0910	STA,NO,	E15		
SIZE-	AZIMUTH	152		DEG-T
COLLINS RD, AND RT,441	DISTANCE	2.80		MILES
83 1590 043 42 03 82	STA,NO,	E14		
417992 3MILE DATE- 79 06 24 0912	AZIMUTH	160		DEG-T
SIZE-	EXP-DPM	<0.02		MR/HR
FALMOUTH RD, AND RT,441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	EXP-DPM	<0.02		MR/HR
417991 3MILE DATE- 79 06 24 0914	AZIMUTH	162.5		DEG-T
SIZE-	STA,NO,	E13		
SOUTH GATE AND RT,441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	STA,NO,	E12		
417990 3MILE DATE- 79 06 24 0915	AZIMUTH	160		DEG-T
SIZE-	EXP-DPM	<0.02		MR/HR
EAGLE RD, AND RT,441	STA,NO,	E11		
83 1590 043 42 03 82	EXP-DPM	<0.02		MR/HR
417989 3MILE DATE- 79 06 24 0917	DISTANCE	1.15		MILES
SIZE-	AZIMUTH	153		DEG-T
RED HILL PLAZA AND RT,441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	EXP-DPM	<0.02		MR/HR
417988 3MILE DATE- 79 06 24 0919	DISTANCE	0.85		MILES
SIZE-	STA,NO,	E10		
ACCESS RD, SUBSTATION PARKING ON RT,441	AZIMUTH	130		DEG-T
83 1590 043 42 03 82	EXP-DPM	<0.02		MR/HR
417987 3MILE DATE- 79 06 24 0920	STA,NO,	E9		
SIZE-	DISTANCE	0.45		MILES
TMI OBSERVATION CENTER ON RT,441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	EXP-DPM	<0.02		MR/HR
417986 3MILE DATE- 79 06 24 0921	DISTANCE	0.40		MILES
SIZE-	STA,NO,	E8		
MEADOW LANE AND RT,441	AZIMUTH	88		DEG-T
83 1590 043 42 03 82	EXP-DPM	<0.02		MR/HR
417985 3MILE DATE- 79 06 24 0922	DISTANCE	0.39		MILES
SIZE-	STA,NO,	E7		
LAUREL RD, AND RT,441	AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82	EXP-DPM	<0.02		MR/HR
417984 3MILE DATE- 79 06 24 0923	DISTANCE	0.45		MILES
SIZE-	STA,NO,	E6		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT.441		AZIMUTH	25		DEG-T
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417983 3MILE	DATE- 79 06 24 0928	DISTANCE	0.70		MILES
SIZE-		STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT.441		EXP-OPN	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E4		
417982 3MILE	DATE- 79 06 24 0930	AZIMUTH	7		DEG-T
SIZE-		DISTANCE	1.15		MILES
RAILROAD CROSSING AND RT.441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417981 3MILE	DATE- 79 06 24 0932	STA.NO.	E3		
SIZE-		AZIMUTH	360		DEG-T
BUPD STREET AND RT.441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		STA.NO.	E2		
417980 3MILE	DATE- 79 06 24 0934	EXP-OPN	<0.02		MR/HR
SIZE-		AZIMUTH	354		DEG-T
SOUTH UNION AND RT.441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		EXP-OPN	<0.02		MR/HR
417979 3MILE	DATE- 79 06 24 0936	AZIMUTH	352		DEG-T
SIZE-		STA.NO.	E1		
KEENER RD. AND RT.441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430008 3MILE	DATE- 79 06 24 1300	EXP.OPN	<0.02		MR/HR
SIZE-		STA.NO.	E15		
COLLINS RD. AND RT.441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430007 3MILE	DATE- 79 06 24 1302	STA.NO.	E14		
SIZE-		DISTANCE	2.8		MILES
FALMOUTH RD. AND RT.441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.3		DEG-T
430006 3MILE	DATE- 79 06 24 1304	EXP.OPN	<0.02		MR/HR
SIZE-		STA.NO.	E13		
SOUTH GATE AND RT. 441		STA.NO.	E12		
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430005 3MILE	DATE- 79 06 24 1306	DISTANCE	1.60		MILES
SIZE-		EXP.OPN	<0.02		MR/HR
ENGLE RD. AND RT.441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
430004 3MILE	DATE- 79 06 24 1308	STA.NO.	E11		
SIZE-		EXP.OPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND ROUTE 441	EXP.DPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430003 3MILE DATE- 79 06 24 1309	DISTANCE	.85		MILES
SIZE-	STA.NO.	E10		
ACCESS RD. SUBSTATION PARKING ON RT441	STA.NO.	E9		
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430002 3MILE DATE- 79 06 24 1310	EXP.DPN	<0.02		MR/HR
SIZE-	DISTANCE	.45		MILES
TMI OBSERVATION CENTER ON RT. 441	STA.NO.	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430001 3MILE DATE- 79 06 24 1311	DISTANCE	.40		MILES
SIZE-	EXP.DPN	<0.02		MR/HR
MEADOW LANE AND RT.441	STA.NO.	E7		
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
430000 3MILE DATE- 79 06 24 1312	EXP.DPN	<0.02		MR/HR
SIZE-	DISTANCE	.39		MILES
LAUREL RD. AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	EXP-DPN	<0.02		MR/HR
417999 3MILE DATE- 79 06 24 1313	DISTANCE	.45		MILES
SIZE-	AZIMUTH	58.5		DEG-T
NORTH GATE AND RT.441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	EXP-DPN	<0.02		MR/HR
417998 3MILE DATE- 79 06 24 1314	DISTANCE	.70		MILES
SIZE-	STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT.441	AZIMUTH	7		DEG-T
83 1590 043 42 03 82	STA.NO.	E4		
417997 3MILE DATE- 79 06 24 1315	DISTANCE	1.15		MILES
SIZE-	EXP-DPN	<0.02		MR/HR
RAILROAD CROSSING AND RT.441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	EXP-DPN	<0.02		MR/HR
417996 3MILE DATE- 79 06 24 1316	DISTANCE	1.90		MILES
SIZE-	STA.NO.	E3		
BURD STREET AND RT.441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	STA.NO.	E2		
417995 3MILE DATE- 79 06 24 1317	DISTANCE	2.35		MILES
SIZE-	EXP-DPN	<0.02		MR/HR
SOUTH UNION AND RT.441	EXP-DPN	<0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E1		
417994 3MILE DATE- 79 06 24 1318	AZIMUTH	352		DEG-T
SIZE-	DISTANCE	2.5		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD. AND RT.441	EXP.DPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430023 3MILE DATE- 79 06 25 1050	STA.NO.	E15		
SIZE-	DISTANCE	2.95		MILES
COLLINS RD. AND RT.441	STA.NO.	E14		
83 1590 043 42 03 82	DISTANCE	2.5		MILES
430022 3MILE DATE- 79 06 25 1052	EXP.DPN	<0.02		MR/HR
SIZE-	AZIMUTH	160		DEG-T
FALMOUTH RD. AND RT.441	EXP.DPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430021 3MILE DATE- 79 06 25 1053	STA.NO.	E13		
SIZE-	DISTANCE	2.30		MILES
SOUTH GATE AND RT.441	STA.NO.	E12		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430020 3MILE DATE- 79 06 25 1054	EXP.DPN	<0.02		MR/HR
SIZE-	DISTANCE	1.60		MILES
ENGLE RD. AND RT.441	EXP.DPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430019 3MILE DATE- 79 06 25 1055	STA.NO.	E11		
SIZE-	DISTANCE	1.15		MILES
RED HILL PLAZA AND RT.441	STA.NO.	E10		
83 1590 043 42 03 82	DISTANCE	.85		MILES
430018 3MILE DATE- 79 06 25 1056	EXP.DPN	<0.02		MR/HR
SIZE-	AZIMUTH	127		DEG-T
ACCESS RD. SUBSTATION PARKING ON RT.441	EXP.DPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	.45		MILES
430017 3MILE DATE- 79 06 25 1057	STA.NO.	E9		
SIZE-	AZIMUTH	130		DEG-T
TMI OBSERVATION CENTER ON RT.441	STA.NO.	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430016 3MILE DATE- 79 06 25 1058	EXP.DPN	<0.02		MR/HR
SIZE-	DISTANCE	0.40		MILES
MEADOW LANE AND RT.441	EXP.DPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	.39		MILES
430015 3MILE DATE- 79 06 25 1059	STA.NO.	E7		
SIZE-				
LAUREL RD. AND RT.441	STA.NO.	E6		
83 1590 043 42 03 82	AZIMUTH	89		DEG-T
430014 3MILE DATE- 79 06 25 1100	EXP.DPN	<0.02		MR/HR
SIZE-	DISTANCE	.39		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430013 3MILE DATE- 79 06 25 1101	STA.NO.	E16		
SIZE-	DISTANCE	.70		MILES
RIVERSIDE BOAT SALES AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
430012 3MILE DATE- 79 06 25 1102	STA.NO.	E4		
SIZE-	DISTANCE	1.15		MILES
RAILROAD CROSSING AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430011 3MILE DATE- 79 06 25 1103	STA.NO.	E3		
SIZE-	DISTANCE	1.9		MILES
BURD STREET AND RT.441	STA.NO.	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430010 3MILE DATE- 79 06 25 1104	EXP.OPN	<0.02		MR/HR
SIZE-	DISTANCE	2.35		MILES
SOUTH UNION AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430009 3MILE DATE- 79 06 25 1105	DISTANCE	2.5		MILES
SIZE-	STA.NO.	E1		
SOUTH UNION AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
430036 3MILE DATE- 79 06 25 1400	STA.NO.	E1		
SIZE-	AZIMUTH	352		DEG-T
BURD STREET AND RT.441	STA.NO.	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430037 3MILE DATE- 79 06 25 1402	DISTANCE	2.35		MILES
SIZE-				
RAILROAD CROSSING AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430038 3MILE DATE- 79 06 25 1403	STA.NO.	E3		
SIZE-	DISTANCE	1.90		MILES
RIVERSIDE BOAT SALES AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
430039 3MILE DATE- 79 06 25 1404	STA.NO.	E4		
SIZE-	DISTANCE	1.15		MILES
NORTH GATE AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430040 3MILE DATE- 79 06 25 1405	STA.NO.	E16		
SIZE-	DISTANCE	0.70		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD,AND RT,441		STA,NO,	E6		
83 1590 043 42 03 82		DISTANCE	0,45		MILES
430041 3MILE	DATE- 79 06 25 1406	EXP,OPN	<0,02		MR/HR
SIZE-		AZIMUTH	58,5		DEG-T
MEADOW LANE AND RT,441		STA,NO,	E7		
83 1590 043 42 03 82		DISTANCE	0,39		MILES
430042 3MILE	DATE- 79 06 25 1407	EXP,OPN	<0,02		MR/HR
SIZE-		AZIMUTH	89		DEG-T
TMI OBSERVATION CENTER ON RT,441		STA,NO,	E8		
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
430043 3MILE	DATE- 79 06 25 1408	EXP,OPN	<0,02		MR/HR
SIZE-		DISTANCE	0,40		MILES
ACCESS RD,SUBSTATION PARKING ON RT,441		STA,NO,	E9		
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
430044 3MILE	DATE- 79 06 25 1409	EXP,OPN	<0,02		MR/HR
SIZE-		DISTANCE	0,45		MILES
RED HILL PLAZA AND RT,441		STA,NO,	E10		
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
430045 3MILE	DATE- 79 06 25 1410	EXP,OPN	<0,02		MR/HR
SIZE-		DISTANCE	0,85		MILES
ENGLE RD,AND RT,441		EXP,OPN	<0,02		MR/HR
83 1590 043 42 03 82		DISTANCE	1,15		MILES
430046 3MILE	DATE- 79 06 25 1411	STA,NO,	E11		
SIZE-		AZIMUTH	153		DEG-T
SOUTH GATE AND RT,441		EXP,OPN	<0,02		MR/HR
83 1590 043 42 03 82		DISTANCE	1,60		MILES
430047 3MILE	DATE- 79 06 25 1412	STA,NO,	E12		
SIZE-		AZIMUTH	160		DEG-T
FALMOUTH RD,AND RT,441		EXP,OPN	<0,02		MR/HR
83 1590 043 42 03 82		AZIMUTH	162,5		DEG-T
430048 3MILE	DATE- 79 06 25 1414	STA,NO,	E13		
SIZE-		DISTANCE	2,30		MILES
COLLINS RD,AND RT,441		EXP,OPN	<0,02		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430049 3MILE	DATE- 79 06 25 1415	STA,NO,	E14		
SIZE-		DISTANCE	2,50		MILES
KEENER RD,AND RT,441		STA,NO,	E15		
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430050 3MILE	DATE- 79 06 25 1416	EXP,OPN	<0,02		MR/HR
SIZE-		DISTANCE	2,85		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RT,262 AND CURVE		STA,NO,	W5		
83 1590 043 42 03 82		AZIMUTH	304		DEG-T
430028 3MILE	DATE- 79 06 26 0950	EXP,DPH	<0,02		MR/HR
SIZE-		DISTANCE	2,55		MILES
RT,262 AND RT,392		EXP,DPH	<0,02		MR/HR
83 1590 043 42 03 82		DISTANCE	2,4		MILES
430027 3MILE	DATE- 79 06 26 0952	STA,NO,	W4		
SIZE-		AZIMUTH	300		DEG-T
RT,262 AND BRIDGE		EXP,DPH	<0,02		MR/HR
83 1590 043 42 03 82		AZIMUTH	268		DEG-T
430026 3MILE	DATE- 79 06 26 1006	STA,NO,	W3		
SIZE-		DISTANCE	1,65		MILES
CENTER OF GOLDSBORO		STA,NO,	W2		
83 1590 043 42 03 82		AZIMUTH	264		DEG-T
430025 3MILE	DATE- 79 06 26 1008	EXP,DPH	<0,02		MR/HR
SIZE-		DISTANCE	1,35		MILES
RIVER AND WINEBEGO-GOLDSBORO		STA,NO,	W1		
83 1590 043 42 03 82		AZIMUTH	268		DEG-T
430024 3MILE	DATE- 79 06 26 1009	EXP,DPH	<0,02		MR/HR
SIZE-		DISTANCE	1,35		MILES
FRAZER ST,AND RT,262		STA,NO,	W14		
83 1590 043 42 03 82		AZIMUTH	256		DEG-T
430029 3MILE	DATE- 79 06 26 1011	EXP,DPH	<0,02		MR/HR
SIZE-		DISTANCE	1,35		MILES
WISLER RD,AND RT,262		STA,NO,	W15		
83 1590 043 42 03 82		AZIMUTH	248		DEG-T
430030 3MILE	DATE- 79 06 26 1015	EXP,DPH	<0,02		MR/HR
SIZE-		DISTANCE	1,4		MILES
MIDWAY RD,AND RT,262		EXP,DPH	<0,02		MR/HR
83 1590 043 42 03 82		AZIMUTH	235		DEG-T
430031 3MILE	DATE- 79 06 26 1117	STA,NO,	W16		
SIZE-		DISTANCE	1,6		MILES
RIVER RD,AND RT,262		EXP,DPH	<0,02		MR/HR
83 1590 043 42 03 82		AZIMUTH	226		DEG-T
430032 3MILE	DATE- 79 06 26 1119	STA,NO,	W17		
SIZE-		DISTANCE	1,85		MILES
RT,295 AND REESER-HILL RD,		EXP,DPH	<0,02		MR/HR
83 1590 043 42 03 82		AZIMUTH	197,5		DEG-T
430033 3MILE	DATE- 79 06 26 1121	STA,NO,	W18		
SIZE-		DISTANCE	2,2		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RT.382 AND RT.262 BEER RD.	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	192		DEG-T
430034 3MILE DATE- 79 06 26 1123	STA.NO.	N19		
SIZE-	DISTANCE	2.8		MILES
RT.382 AND RT.181-YORK HAVEN	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	171		DEG-T
430035 3MILE DATE- 79 06 26 1125	STA.NO.	N20		
SIZE-	DISTANCE	3.15		MILES
SOUTH UNION AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
430051 3MILE DATE- 79 06 26 1310	STA.NO.			
SIZE-	AZIMUTH	352		DEG-T
BURD ST.AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430052 3MILE DATE- 79 06 26 1310	STA.NO.	E2		
SIZE-	DISTANCE	2.35		MILES
RAILROAD CROSSING AND RT.441	STA.NO.	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430053 3MILE DATE- 79 06 26 1310	EXP.OPN	<0.02		MR/HR
SIZE-	DISTANCE	1.90		MILES
RIVERSIDE BOAT SALES AND RT.441	STA.NO.	E4		
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
430054 3MILE DATE- 79 06 26 1310	EXP.OPN	<0.02		MR/HR
SIZE-	DISTANCE	1.15		MILES
NORTH GATE AND RT.441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430055 3MILE DATE- 79 06 26 1310	EXP.OPN	<0.02		MR/HR
SIZE-	DISTANCE	0.70		MILES
LAUREL RD.AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430056 3MILE DATE- 79 06 26 1310	STA.NO.	E6		
SIZE-	AZIMUTH	58.5		DEG-T
MEADOW LANE AND RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
430057 3MILE DATE- 79 06 26 1310	STA.NO.	E7		
SIZE-	DISTANCE	0.39		MILES
TMI OBSERVATION CENTER ON RT.441	EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430058 3MILE DATE- 79 06 26 1310	STA.NO.	E8		
SIZE-	DISTANCE	0.40		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD,SUBSTATION PARKING AND RT,441	STA,NO,	E9		
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430059 3MILE DATE- 79 06 26 1310	EXP,DPN	<0,02		MR/HR
SIZE-	DISTANCE	0,45		MILES
RED HILL PLAZA AND RT,441	STA,NO,	E10		
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430060 3MILE DATE- 79 06 26 1310	EXP,DPN	<0,02		MR/HR
SIZE-	DISTANCE	0,85		MILES
ENGLE RD,AND RT,441	EXP,DPN	<0,02		MR/HR
83 1590 043 42 03 82	DISTANCE	1,15		MILES
430061 3MILE DATE- 79 06 26 1310	AZIMUTH	153		DEG-T
SIZE-	STA,NO,	E11		
SOUTH GATE AND RT,441	EXP,DPN	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430062 3MILE DATE- 79 06 26 1310	DISTANCE	1,60		MILES
SIZE-	STA,NO,	E12		
FALMOUTH RD,AND RT,441	EXP,DPN	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	162,5		DEG-T
430063 3MILE DATE- 79 06 26 1310	DISTANCE	2,30		MILES
SIZE-	STA,NO,	E13		
COLLINS RD,AND RT,441	EXP,DPN	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430064 3MILE DATE- 79 06 26 1310	DISTANCE	2,50		MILES
SIZE-	STA,NO,	E14		
KEENER RD,AND RT,441	EXP,DPN	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430065 3MILE DATE- 79 06 26 1325	DISTANCE	2,85		MILES
SIZE-	STA,NO,	E15		
SOUTH UNION AND RT, 441	EXP,DPN	<0,02		MR/HR
83 1590 043 42 03 82	DISTANCE	2,5		MILES
430066 3MILE DATE- 79 06 27 0915	STA,NO,	E1		
SIZE-	AZIMUTH	352		DEG-T
BURD STREET AND RT,441	EXP,DPN	<0,02		MR/HR
83 1590 043 42 03 82	DISTANCE	2,35		MILES
430067 3MILE DATE- 79 06 27 0915	STA,NO,	E2		
SIZE-	AZIMUTH	354		DEG-T
RAILROAD CROSSING AND RT,441	EXP,DPN	<0,02		MR/HR
83 1590 043 42 03 82	STA,NO,	E3		
430068 3MILE DATE- 79 06 27 0915	DISTANCE	1,90		MILES
SIZE-	AZIMUTH	360		DEG-T

TABLE 9-7. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT.441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	7		DEG-T
430069 3MILE	DATE- 79 06 27 0915	STA.NO.	E4		
SIZE-		DISTANCE	1.15		MILES
NORTH GATE AND RT.441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
430070 3MILE	DATE- 79 06 27 0915	DISTANCE	.70		MILES
SIZE-		STA.NO.	E16		
LAUREL ROAD AND RT.441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	.45		MILES
430071 3MILE	DATE- 79 06 27 0915	STA.NO.	E6		
SIZE-		AZIMUTH	98.5		DEG-T
MEADOW LANE AND RT.441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E7		
430072 3MILE	DATE- 79 06 27 0915	DISTANCE	.39		MILES
SIZE-		AZIMUTH	88		DEG-T
TMI OBSERVATION CENTER AND RT.441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
430073 3MILE	DATE- 79 06 27 0915	DISTANCE	.40		MILES
SIZE-		STA.NO.	E8		
ACCESS RD. SUBSTATION PARKING ON RT.441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
430074 3MILE	DATE- 79 06 27 0915	STA.NO.	E9		
SIZE-		DISTANCE	.45		MILES
RED HILL PLAZA AND RT.441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
430075 3MILE	DATE- 79 06 27 0915	DISTANCE	.85		MILES
SIZE-		STA.NO.	E10		
ENGLE RD. AND RT.441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		DISTANCE	1.15		MILES
430076 3MILE	DATE- 79 06 27 0915	STA.NO.	E11		
SIZE-		AZIMUTH	153		DEG-T
SOUTH GATE AND RT. 441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430077 3MILE	DATE- 79 06 27 0915	DISTANCE	1.60		MILES
SIZE-		STA.NO.	E12		
FALMOUTH RD. AND RT. 441		EXP.OPN	<0.02		MR/HR
83 1590 043 42 03 82		STA.NO.	E13		
430078 3MILE	DATE- 79 06 27 0915	DISTANCE	2.30		MILES
SIZE-		AZIMUTH	162.5		DEG-T

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD, AND RT,441	EXP,OPN	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430079 3MILE DATE- 79 06 27 0915	STA,NO,	E14		
SIZE-	DISTANCE	2,5		MILES
KEENER RD, AND RT,441	EXP,OPN	<0,02		MR/HR
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430080 3MILE DATE- 79 06 27 0930	DISTANCE	2,85		MILES
SIZE-	STA,NO,	E15		
SOUTH UNION AND RT,441	EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82	DISTANCE	2,50		MILES
430081 3MILE DATE- 79 06 27 1355	STA,NO,	E1		
SIZE-	AZIMUTH	352		DEG-T
BURD ST, AND RT,441	EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430082 3MILE DATE- 79 06 27 1355	DISTANCE	2,5		MILES
SIZE-	STA,NO,	E2		
RAILROAD CROSSING AND RT,441	EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430083 3MILE DATE- 79 06 27 1355	DISTANCE	1,9		MILES
SIZE-	STA,NO,	E3		
RIVERSIDE BOAT SALES AND RT,441	EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82	STA,NO,	E4		
430084 3MILE DATE- 79 06 27 1355	DISTANCE	1,15		MILES
SIZE-	AZIMUTH	7		DEG-T
NORTH GATE AND RT,441	EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430085 3MILE DATE- 79 06 27 1355	STA,NO,	E16		
SIZE-	DISTANCE	0,70		MILES
LAUREL ROAD AND RT,441	EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82	DISTANCE	0,45		MILES
430086 3MILE DATE- 79 06 27 1355	STA,NO,	E6		
SIZE-	AZIMUTH	58,5		DEG-T
MEADOW LANE AND RT,441	EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
430087 3MILE DATE- 79 06 27 1355	DISTANCE	0,39		MILES
SIZE-	STA,NO,	E7		
TMI OBSERVATION CENTER ON RT,441	EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430088 3MILE DATE- 79 06 27 1355	DISTANCE	0,40		MILES
SIZE-	STA,NO,	E8		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD. SUBSTATION AND RT.441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430089 3MILE DATE- 79 06 27 1355	DISTANCE	0.45		MILES
SIZE-	STA.NO.	E9		
RED HILL PLAZA AND RT. 441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	E10		
430090 3MILE DATE- 79 06 27 1355	DISTANCE	0.85		MILES
SIZE-	AZIMUTH	127		DEG-T
ENGLE ROAD AND RT. 411	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430091 3MILE DATE- 79 06 27 1355	STA.NO.	E11		
SIZE-	AZIMUTH	153		DEG-T
SOUTH GATE AND RT.441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430092 3MILE DATE- 79 06 27 1355	STA.NO.	E12		
SIZE-	AZIMUTH	160		DEG-T
FALMOUTH RD. AND RT.441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430093 3MILE DATE- 79 06 27 1355	DISTANCE	2.30		MILES
SIZE-	STA.NO.	E13		
COLLINS ROAD AND RT.441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430094 3MILE DATE- 79 06 27 1355	DISTANCE	2.5		MILES
SIZE-	STA.NO.	E14		
KEENER ROAD AND RT.441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430095 3MILE DATE- 79 06 27 1355	DISTANCE	2.85		MILES
SIZE-	STA.NO.	E15		
RT. 262/RT. 392	DISTANCE	2.4		MILES
83 1590 043 42 03 82	AZIMUTH	300		DEG-T
417170 3MILE DATE- 79 06 28 1045	EXP-OPN	<0.01		MR/HR
SIZE-	STA.NO.	W4		
RT. 262/BRIDGE	STA.NO.	W3		
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
417169 3MILE DATE- 79 06 28 1047	DISTANCE	1.65		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
FRAZER ST. AND RT. 262	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	W14		
430096 3MILE DATE- 79 06 28 1150	AZIMUTH	256		DEG-T
SIZE-	DISTANCE	1.35		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
MISLER RD, AND RT, 262		EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82		AZIMUTH	248		DEG-T
430097 3MILE	DATE- 79 06 28 1151	STA,NO,	W15		
SIZE-		DISTANCE	1,4		MILES
MIDWAY RD AND RT, 262		EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82		STA,NO,	W16		
430098 3MILE	DATE- 79 06 28 1152	DISTANCE	1,6		MILES
SIZE-		AZIMUTH	235		DEG-T
RIVER RD AND RT, 262		EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82		AZIMUTH	226		DEG-T
430099 3MILE	DATE- 79 06 28 1154	STA,NO,	W17		
SIZE-		DISTANCE	1,85		MILES
RT, 295/REESER-HILL RD,		EXP,OPN	<0,01		MR/HR
83 1590 043 42 03 82		AZIMUTH	197,5		DEG-T
430100 3MILE	DATE- 79 06 28 1156	DISTANCE	2,2		MILES
SIZE-		STA,NO,	W18		
RT, 382 AND RT 262 BEER RD		DISTANCE	2,80		MILES
83 1590 043 42 03 82		STA,NO,	W19		
430101 3MILE	DATE- 79 06 28 1158	AZIMUTH	192		DEG-T
SIZE-		EXP,OPN	<0,01		MR/HR
RT, 382 AND RT, 181-YORK HAVEN		STA,NO,	W20		
83 1590 043 42 03 82		DISTANCE	3,15		MILES
430102 3MILE	DATE- 79 06 28 1159	AZIMUTH	171		DEG-T
SIZE-		EXP,OPN	<0,01		MR/HR
SOUTH UNION AND RT, 441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		STA,NO,	E1		
430103 3MILE	DATE- 79 06 29 1105	EXP,OPN	<0,01		MR/HR
SIZE-		DISTANCE	2,80		MILES
BURD STREET AND RT, 441		STA,NO,	E2		
83 1590 043 42 03 82		EXP,OPN	<0,01		MR/HR
430104 3MILE	DATE- 79 06 29 1105	AZIMUTH	354		DEG-T
SIZE-		DISTANCE	2,35		MILES
RAILROAD CROSSING AND RT, 441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		DISTANCE	1,90		MILES
430105 3MILE	DATE- 79 06 29 1105	EXP,OPN	<0,01		MR/HR
SIZE-		STA,NO,	E3		
RIVERSIDE BOAT SALES AND RT, 441		DISTANCE	1,15		MILES
83 1590 043 42 03 82		STA,NO,	E4		
430106 3MILE	DATE- 79 06 29 1105	AZIMUTH	7		DEG-T
SIZE-		EXP,OPN	<0,01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441	EXP.DPN	<0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.7		MILES
430107 3MILE DATE- 79 06 29 1105	AZIMUTH	25		DEG-T
SIZE-	STA.NO.	E16		
LAUREL RD. AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	EXP.DPN	<0.01		MR/HR
430108 3MILE DATE- 79 06 29 1105	AZIMUTH	58.5		DEG-T
SIZE-	DISTANCE	0.45		MILES
MEADOW LANE AND RT.	EXP.DPN	<0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	E7		
430109 3MILE DATE- 79 06 29 1105	AZIMUTH	88		DEG-T
SIZE-	DISTANCE	0.39		MILES
TMI OBSERVATION CENTER ON RT. 441	EXP.DPN	<0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430110 3MILE DATE- 79 06 29 1105	AZIMUTH	110		DEG-T
SIZE-	STA.NO.	E8		
ACCESS RD SUBSTATION PARKING ON RT. 441	AZIMUTH	130		DEG-T
83 1590 043 42 03 82	STA.NO.	E9		
430111 3MILE DATE- 79 06 29 1105	DISTANCE	0.45		MILES
SIZE-	EXP.DPN	<0.01		MR/HR
RED HILL PLAZA AND RT. 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	DISTANCE	0.85		MILES
430112 3MILE DATE- 79 06 29 1105	STA.NO.	E10		
SIZE-	EXP.DPN	<0.01		MR/HR
ENGLE RD. AND RT. 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430113 3MILE DATE- 79 06 29 1105	STA.NO.	E11		
SIZE-	EXP.DPN	<0.01		MR/HR
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430114 3MILE DATE- 79 06 29 1105	EXP.DPN	<0.01		MR/HR
SIZE-	AZIMUTH	160		DEG-T
FALMOUTH RD AND RT. 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	DISTANCE	2.30		MILES
430115 3MILE DATE- 79 06 29 1105	EXP.DPN	<0.01		MR/HR
SIZE-	STA.NO.	E13		
COLLINS RD AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	STA.NO.	E14		
430116 3MILE DATE- 79 06 29 1105	DISTANCE	2.5		MILES
SIZE-	EXP.DPN	<0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD. AND RT. 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	EXP.DPN	<0.01		MR/HR
430117 3MILE DATE- 79 06 29 1130	DISTANCE	2.05		MILES
SIZE-	STA.NO.	E15		
SOUTH UNION AND RT. 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	DISTANCE	2.5		MILES
430118 3MILE DATE- 79 06 29 1448	STA.NO.	E1		
SIZE-	EXP.DPN	<0.01		MR/HR
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2.35		MILES
430119 3MILE DATE- 79 06 29 1449	STA.NO.	E2		
SIZE-	EXP.DPN	<0.01		MR/HR
RAILROAD CROSSING AND RT. 441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	DISTANCE	1.90		MILES
430120 3MILE DATE- 79 06 29 1450	STA.NO.	E3		
SIZE-	EXP.DPN	<0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	EXP.DPN	<0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	E4		
430121 3MILE DATE- 79 06 29 1452	DISTANCE	1.15		MILES
SIZE-	AZIMUTH	7		DEG-T
NORTH GATE AND RT. 441	STA.NO.	E16		
83 1590 043 42 03 82	DISTANCE	0.7		MILES
430122 3MILE DATE- 79 06 29 1453	AZIMUTH	25		DEG-T
SIZE-	EXP.DPN	<0.01		MR/HR
LAUREL RD. AND RT. 441	EXP.DPN	<0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430123 3MILE DATE- 79 06 29 1455	AZIMUTH	58.5		DEG-T
SIZE-	STA.NO.	E6		
MEADOW LANE AND RT 441	AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82	EXP.DPN	<0.01		MR/HR
430124 3MILE DATE- 79 06 29 1457	STA.NO.	E7		
SIZE-	DISTANCE	0.39		MILES
TMI OBSERVATION CENTER ON RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430125 3MILE DATE- 79 06 29 1458	STA.NO.	E8		
SIZE-	EXP.DPN	<0.01		MR/HR
ACCESS RD. SUBSTATION PARKING ON RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	EXP.DPN	<0.01		MR/HR
430126 3MILE DATE- 79 06 29 1500	DISTANCE	0.45		MILES
SIZE-	AZIMUTH	190		DEG-T

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT. 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	STA.NO.	E10		
430127 3MILE DATE- 79 06 29 1501	DISTANCE	0.85		MILES
SIZE-	EXP.DPN	<0.01		MR/HR
EAGLE RD. AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430128 3MILE DATE- 79 06 29 1502	EXP.DPN	<0.01		MR/HR
SIZE-	AZIMUTH	153		DEG-T
SOUTH GATE AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	EXP.DPN	<0.01		MR/HR
430129 3MILE DATE- 79 06 29 1503	DISTANCE	1.60		MILES
SIZE-	STA.NO.	E12		
FALMOUTH RD AND RT. 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	DISTANCE	2.30		MILES
430130 3MILE DATE- 79 06 29 1504	STA.NO.	E13		
SIZE-	EXP.DPN	<0.01		MR/HR
COLLINS RD. AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	EXP.DPN	<0.01		MR/HR
430131 3MILE DATE- 79 06 29 1505	DISTANCE	2.5		MILES
SIZE-	STA.NO.	E14		
KEENER RD AND RT. 441	STA.NO.	E15		
83 1590 043 42 03 82	EXP.DPN	<0.01		MR/HR
430132 3MILE DATE- 79 06 29 1506	AZIMUTH	152		DEG-T
SIZE-	DISTANCE	2.85		MILES
SOUTH UNION AND RT. 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	STA.NO.	E1		
430133 3MILE DATE- 79 06 30 1237	EXP.DPN	<0.01		MR/HR
SIZE-	DISTANCE	2.5		MILES
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	STA.NO.	E2		
430134 3MILE DATE- 79 06 30 1237	DISTANCE	2.35		MILES
SIZE-	EXP.DPN	<0.01		MR/HR
RAILROAD CROSSING AND RT. 441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	STA.NO.	E3		
430135 3MILE DATE- 79 06 30 1237	EXP.DPN	<0.01		MR/HR
SIZE-	DISTANCE	1.90		MILES
RIVERSIDE BOAT SALES AND RT. 441	AZIMUTH	7		DEG-T
83 1590 043 42 03 82	EXP.DPN	<0.01		MR/HR
430136 3MILE DATE- 79 06 30 1237	DISTANCE	1.15		MILES
SIZE-	STA.NO.	E4		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	E16		
430137 3MILE DATE- 79 06 30 1237	DISTANCE	0.7		MILES
SIZE-	AZIMUTH	25		DEG-T
LAUREL RD. AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	DISTANCE	0.48		MILES
430138 3MILE DATE- 79 06 30 1237	AZIMUTH	58.5		DEG-T
SIZE-	EXP.OPN	<0.01		MR/HR
MEADOW LANE AND RT. 441	AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82	EXP.OPN	<0.01		MR/HR
430139 3MILE DATE- 79 06 30 1237	DISTANCE	0.39		MILES
SIZE-	STA.NO.	E7		
IMI OBSERVATION CENTER ON RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430140 3MILE DATE- 79 06 30 1237	EXP.OPN	<0.01		MR/HR
SIZE-	STA.NO.	E8		
ACCESS RD SUBSTATION PARKING ON RT. 441	AZIMUTH	130		DEG-T
83 1590 043 42 03 82	STA.NO.	E9		
430141 3MILE DATE- 79 06 30 1237	DISTANCE	0.45		MILES
SIZE-	EXP.OPN	<0.01		MR/HR
RED HILL PLAZA AND RT. 441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.85		MILES
430142 3MILE DATE- 79 06 30 1237	AZIMUTH	127		DEG-T
SIZE-	STA.NO.	E10		
ENGLE RD. AND RT. 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430143 3MILE DATE- 79 06 30 1237	EXP.OPN	<0.01		MR/HR
SIZE-	STA.NO.	E11		
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430144 3MILE DATE- 79 06 30 1237	EXP.OPN	<0.01		MR/HR
SIZE-	AZIMUTH	160		DEG-T
FALMOUTH RD AND RT. 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	STA.NO.	E13		
430145 3MILE DATE- 79 06 30 1237	EXP.OPN	<0.01		MR/HR
SIZE-	DISTANCE	2.30		MILES
COLLINS RD AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	EXP.OPN	<0.01		MR/HR
430146 3MILE DATE- 79 06 30 1237	DISTANCE	2.5		MILES
SIZE-	STA.NO.	E14		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT, 441		AZIMUTH	152		DEG-T
83 1590 043 42 03 82		STA,NO,	E15		
430147 3MILE	DATE- 79 06 30 1250	EXP,DPN	<0,01		MR/HR
SIZE-		DISTANCE	2,85		MILES
SOUTH UNION AND RT, 441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		DISTANCE	2,5		MILES
430148 3MILE	DATE- 79 06 30 1400	STA,NO,	E1		
SIZE-		EXP,DPN	<0,01		MR/HR
BURD STREET AND RT, 441		EXP,DPN	<0,01		MR/HR
83 1590 043 42 03 82		DISTANCE	2,35		MILES
430149 3MILE	DATE- 79 06 30 1400	AZIMUTH	354		DEG-T
SIZE-		STA,NO,	E2		
RAILROAD CROSSING AND RT, 441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		EXP,DPN	<0,01		MR/HR
430150 3MILE	DATE- 79 06 30 1400	STA,NO,	E3		
SIZE-		DISTANCE	1,90		MILES
RIVERSIDE BOAT SALES AND RT, 441		DISTANCE	1,15		MILES
83 1590 043 42 03 82		STA,NO,	E4		
430151 3MILE	DATE- 79 06 30 1400	EXP,DPN	<0,01		MR/HR
SIZE-		AZIMUTH	7		DEG-T
NORTH GATE AND RT, 441		STA,NO,	E16		
83 1590 043 42 03 82		EXP,DPN	<0,01		MR/HR
430152 3MILE	DATE- 79 06 30 1400	AZIMUTH	25		DEG-T
SIZE-		DISTANCE	0,7		MILES
LAUREL RD AND RT, 441		AZIMUTH	58,5		DEG-T
83 1590 043 42 03 82		EXP,DPN	<0,01		MR/HR
430153 3MILE	DATE- 79 06 30 1400	DISTANCE	0,45		MILES
SIZE-		STA,NO,	E6		
MEADOW LANE AND RT, 441		AZIMUTH	88,0		DEG-T
83 1590 043 42 03 82		EXP,DPN	<0,01		MR/HR
430154 3MILE	DATE- 79 06 30 1400	DISTANCE	0,39		MILES
SIZE-		STA,NO,	E7		
TMI OBSERVATION CENTER AND RT, 441		AZIMUTH	110		DEG-T
83 1590 043 42 03 82		DISTANCE	0,40		MILES
430155 3MILE	DATE- 79 06 30 1400	EXP,DPN	<0,01		MR/HR
SIZE-		STA,NO,	E8		
ACCESS RD SUBSTATION PARKING ON RT, 441		DISTANCE	0,45		MILES
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
430156 3MILE	DATE- 79 06 30 1400	EXP,DPN	<0,01		MR/HR
SIZE-		STA,NO,	E9		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT. 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	STA.NO.	E10		
430157 3MILE DATE- 79 06 30 1400	DISTANCE	0.85		MILES
SIZE-	EXP.OPN	<0.01		MR/HR
ENGLE RD AND RT. 441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430158 3MILE DATE- 79 06 30 1400	AZIMUTH	153		DEG-T
SIZE-	STA.NO.	E11		
SOUTH GATE AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	STA.NO.	E12		
430159 3MILE DATE- 79 06 30 1400	EXP.OPN	<0.01		MR/HR
SIZE-	DISTANCE	1.60		MILES
FALMOUTH RD AND RT. 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	EXP.OPN	<0.01		MR/HR
430160 3MILE DATE- 79 06 30 1400	STA.NO.	E13		
SIZE-	DISTANCE	2.30		MILES
COLLINS RD AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	EXP.OPN	<0.01		MR/HR
430161 3MILE DATE- 79 06 30 1400	DISTANCE	2.5		MILES
SIZE-	STA.NO.	E14		
KEENER RD AND RT. 441	STA.NO.	E15		
83 1590 043 42 03 82	EXP.OPN	<0.01		MR/HR
430162 3MILE DATE- 79 06 30 1412	AZIMUTH	152		DEG-T
SIZE-	DISTANCE	2.85		MILES
SOUTH UNION AND RT. 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	STA.NO.	E1		
430163 3MILE DATE- 79 07 01 0955	EXP.OPN	<0.01		MR/HR
SIZE-	DISTANCE	2.5		MILES
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	EXP.OPN	<0.01		MR/HR
430164 3MILE DATE- 79 07 01 0955	STA.NO.	E2		
SIZE-	DISTANCE	2.35		MILES
RAILROAD CROSSING AND RT. 441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	E3		
430165 3MILE DATE- 79 07 01 0955	AZIMUTH	360		DEG-T
SIZE-	DISTANCE	1.90		MILES
RIVERSIDE BOAT SALES AND RT. 441	AZIMUTH	7		DEG-T
83 1590 043 42 03 82	STA.NO.	E4		
430166 3MILE DATE- 79 07 01 0955	DISTANCE	1.15		MILES
SIZE-	EXP.OPN	<0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441		DISTANCE	0.7		MILES
83 1590 043 42 03 82		EXP.OPN	<0.01		MR/HR
430167 3MILE	DATE- 79 07 01 0955	AZIMUTH	25		DEG-T
SIZE-		STA.NO.	E16		
LAUREL RD AND RT. 441		STA.NO.	E6		
83 1590 043 42 03 82		DISTANCE	0.45		MILES
430168 3MILE	DATE- 79 07 01 0955	EXP.OPN	<0.01		MR/HR
SIZE-		AZIMUTH	58.5		DEG-T
MEADOW LANE AND RT. 441		AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82		DISTANCE	0.39		MILES
430169 3MILE	DATE- 79 07 01 0955	EXP.OPN	<0.01		MR/HR
SIZE-		STA.NO.	E7		
TMI OBSERVATION CENTER DN RT. 441		EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	0.40		MILES
430170 3MILE	DATE- 79 07 01 0955	AZIMUTH	110		DEG-T
SIZE-		STA.NO.	E8		
ACCESS RD SUBSTATION PARKING DN RT. 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		EXP.OPN	<0.01		MR/HR
430171 3MILE	DATE- 79 07 01 0955	AZIMUTH	130		DEG-T
SIZE-		STA.NO.	E9		
RED HILL PLAZA AND RT. 441		EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	0.85		MILES
430172 3MILE	DATE- 79 07 01 0955	STA.NO.	E10		
SIZE-		AZIMUTH	127		DEG-T
ENGLE RD AND RT. 441		AZIMUTH	153		DEG-T
83 1590 043 42 03 82		EXP.OPN	<0.01		MR/HR
430173 3MILE	DATE- 79 07 01 0955	STA.NO.	E11		
SIZE-		DISTANCE	1.15		MILES
SOUTH GATE AND RT. 441		STA.NO.	E12		
83 1590 043 42 03 82		EXP.OPN	<0.01		MR/HR
430174 3MILE	DATE- 79 07 01 0955	DISTANCE	1.60		MILES
SIZE-		AZIMUTH	160		DEG-T
FALMOUTH RD AND RT. 441		EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	E13		
430175 3MILE	DATE- 79 07 01 0955	AZIMUTH	162.5		DEG-T
SIZE-		DISTANCE	2.30		MILES
COLLINS RD AND RT. 441		DISTANCE	2.5		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430176 3MILE	DATE- 79 07 01 0955	STA.NO.	E14		
SIZE-		EXP.OPN	<0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT, 441		EXP,OPN	<0.01		MR/HR
83 1590 043 42 03 82		STA,NO,	E15		
430177 3MILE	DATE- 79 07 01 0955	AZIMUTH	152		DEG-T
SIZE-		DISTANCE	2.85		MILES
ACCESS RD SUBSTATION PARKING AND RT, 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
430201 3MILE	DATE- 79 07 01 1139	STA,NO,	E9		
SIZE-		EXP-OPN	<0.01		MR/HR
SOUTH UNION AND RT, 441		DISTANCE	2.5		MILES
83 1590 043 42 03 82		STA,NO,	E1		
430178 3MILE	DATE- 79 07 01 1408	EXP,OPN	<0.01		MR/HR
SIZE-		AZIMUTH	352		DEG-T
BURD STREET AND RT, 441		AZIMUTH	354		DEG-T
83 1590 043 42 03 82		STA,NO,	E2		
430179 3MILE	DATE- 79 07 01 1408	EXP,OPN	<0.01		MR/HR
SIZE-		DISTANCE	2.35		MILES
RAILROAD CROSSING AND RT, 441		STA,NO,	E3		
83 1590 043 42 03 82		DISTANCE	1.90		MILES
430180 3MILE	DATE- 79 07 01 1408	EXP,OPN	<0.01		MR/HR
SIZE-		AZIMUTH	360		DEG-T
RIVERSIDE BOAT SALES AND RT, 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		EXP,OPN	<0.01		MR/HR
430181 3MILE	DATE- 79 07 01 1408	AZIMUTH	7		DEG-T
SIZE-		STA,NO,	E4		
NORTH GATE AND RT 441		STA,NO,	E16		
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
430182 3MILE	DATE- 79 07 01 1408	EXP,OPN	<0.01		MR/HR
SIZE-		DISTANCE	0.7		MILES
LAUREL RD AND RT, 441		STA,NO,	E5		
83 1590 043 42 03 82		AZIMUTH	58.8		DEG-T
430183 3MILE	DATE- 79 07 01 1408	DISTANCE	0.45		MILES
SIZE-		EXP,OPN	<0.01		MR/HR
MEADOW LANE AND RT, 441		EXP,OPN	<0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	89.0		DEG-T
430184 3MILE	DATE- 79 07 01 1408	STA,NO,	E7		
SIZE-		DISTANCE	0.39		MILES
TMI OBSERVATION CENTER AND RT, 441		AZIMUTH	110		DEG-T
83 1590 043 42 03 82		EXP,OPN	<0.01		MR/HR
430185 3MILE	DATE- 79 07 01 1408	STA,NO,	E8		
SIZE-		DISTANCE	0.40		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD SUBSTATION PARKING AND RT. 441		STA.NO.	E9		
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
430186 3MILE	DATE- 79 07 01 1408	DISTANCE	0.45		MILES
SIZE-		EXP.OPN	<0.01		MR/HR
RED HILL PLAZA AND RT. 441		DISTANCE	0.85		MILES
83 1590 043 42 03 82		EXP.OPN	<0.01		MR/HR
430187 3MILE	DATE- 79 07 01 1408	STA.NO.	E10		
SIZE-		AZIMUTH	127		DEG-T
ENGLE RD AND RT. 441		EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	E11		
430188 3MILE	DATE- 79 07 01 1408	AZIMUTH	153		DEG-T
SIZE-		DISTANCE	1.15		MILES
SOUTH GATE AND RT. 441		EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	E12		
430189 3MILE	DATE- 79 07 01 1408	AZIMUTH	160		DEG-T
SIZE-		DISTANCE	1.60		MILES
FALMOUTH RD AND RT. 441		AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82		EXP.OPN	<0.01		MR/HR
430190 3MILE	DATE- 79 07 01 1408	DISTANCE	2.30		MILES
SIZE-		STA.NO.	E13		
COLLINS RD AND RT. 441		EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	E14		
430191 3MILE	DATE- 79 07 01 1408	DISTANCE	2.50		MILES
SIZE-		AZIMUTH	160		DEG-T
KEENER RD AND RT. 441		STA.NO.	E15		
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430192 3MILE	DATE- 79 07 01 1424	DISTANCE	2.85		MILES
SIZE-		EXP.OPN	<0.01		MR/HR
KEENER RD AND RT. 441		STA.NO.	E15		
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430207 3MILE	DATE- 79 07 02 1129	DISTANCE	2.85		MILES
SIZE-		EXP-OPN	<0.01		MR/HR
SOUTH UNION AND RT. 441		EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	2.5		MILES
430193 3MILE	DATE- 79 07 02 1139	AZIMUTH	352		DEG-T
SIZE-		STA.NO.	E1		
BURD STREET AND RT. 441		EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
430194 3MILE	DATE- 79 07 02 1139	STA.NO.	E2		
SIZE-		DISTANCE	2.35		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RAILROAD CROSSING AND RT. 441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430195 3MILE DATE- 79 07 02 1139	DISTANCE	1.90		MILES
SIZE-	STA.NO.	E3		
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
430196 3MILE DATE- 79 07 02 1139	EXP.OPN	<0.01		MR/HR
SIZE-	STA.NO.	E4		
NORTH GATE AND RT. 441	AZIMUTH	25.0		DEG-T
83 1590 043 42 03 82	DISTANCE	0.70		MILES
430197 3MILE DATE- 79 07 02 1139	EXP.OPN	<0.01		MR/HR
SIZE-	STA.NO.	E16		
LAUREL RD AND RT. 441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430198 3MILE DATE- 79 07 02 1139	STA.NO.	E6		
SIZE-	AZIMUTH	58.5		DEG-T
MEADOW LANE AND RT. 441	EXP.OPN	<0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.39		MILES
430199 3MILE DATE- 79 07 02 1139	STA.NO.	E7		
SIZE-	AZIMUTH	88.0		DEG-T
TMI OBSERVATION CENTER AND RT. 441	STA.NO.	E8		
83 1590 043 42 03 82	EXP.OPN	<0.01		MR/HR
430200 3MILE DATE- 79 07 02 1139	DISTANCE	0.40		MILES
SIZE-	AZIMUTH	110		DEG-T
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430202 3MILE DATE- 79 07 02 1139	STA.NO.	E10		
SIZE-	EXP-OPN	<0.01		MR/HR
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430203 3MILE DATE- 79 07 02 1139	DISTANCE	1.15		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430204 3MILE DATE- 79 07 02 1139	STA.NO.	E12		
SIZE-	EXP-OPN	<0.01		MR/HR
FALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430205 3MILE DATE- 79 07 02 1139	STA.NO.	E13		
SIZE-	EXP-OPN	<0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT. 441	STA.NO.	E14		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430206 3MILE DATE- 79 07 02 1139	DISTANCE	2.50		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430208 3MILE DATE- 79 07 02 1319	STA.NO.	E1		
SIZE-	EXP-OPN	<0.01		MR/HR
BURD STREET AND RT. 441	STA.NO.	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430209 3MILE DATE- 79 07 02 1319	DISTANCE	2.35		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430210 3MILE DATE- 79 07 02 1319	STA.NO.	E3		
SIZE-	EXP-OPN	<0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	STA.NO.	E4		
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430211 3MILE DATE- 79 07 02 1319	DISTANCE	1.15		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
NORTH GATE AND RT. 441	DISTANCE	0.70		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430212 3MILE DATE- 79 07 02 1319	STA.NO.	E16		
SIZE-	EXP-OPN	<0.01		MR/HR
LAUREL RD AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430213 3MILE DATE- 79 07 02 1319	DISTANCE	0.45		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
430214 3MILE DATE- 79 07 02 1319	STA.NO.	E7		
SIZE-	EXP-OPN	<0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	STA.NO.	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430215 3MILE DATE- 79 07 02 1319	DISTANCE	0.40		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430216 3MILE DATE- 79 07 02 1319	DISTANCE	0.45		MILES
SIZE-	EXP-OPN	<0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT. 441	STA.NO.	E10		
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430217 3MILE DATE- 79 07 02 1319	DISTANCE	0.85		MILES
SIZE-	EXP-DPN	<0.01		MR/HR
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430218 3MILE DATE- 79 07 02 1319	STA.NO.	E11		
SIZE-	EXP-DPN	<0.01		MR/HR
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430219 3MILE DATE- 79 07 02 1319	DISTANCE	1.60		MILES
SIZE-	EXP-DPN	<0.01		MR/HR
FALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430220 3MILE DATE- 79 07 02 1319	STA.NO.	E13		
SIZE-	EXP-DPN	<0.01		MR/HR
COLLINS RD AND RT. 441	STA.NO.	E14		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430221 3MILE DATE- 79 07 02 1319	DISTANCE	2.50		MILES
SIZE-	EXP-DPN	<0.01		MR/HR
KEENER RD AND RT. 441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430222 3MILE DATE- 79 07 02 1330	STA.NO.	E15		
SIZE-	EXP-DPN	<0.01		MR/HR
SOUTH UNION AND RT. 441	STA.NO.	E1		
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430223 3MILE DATE- 79 07 03 0930	DISTANCE	2.50		MILES
SIZE-	EXP-DPN	<0.01		MR/HR
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430224 3MILE DATE- 79 07 03 0930	STA.NO.	E2		
SIZE-	EXP-DPN	<0.01		MR/HR
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430225 3MILE DATE- 79 07 03 0930	STA.NO.	E3		
SIZE-	EXP-DPN	<0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	STA.NO.	E4		
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430226 3MILE DATE- 79 07 03 0930	DISTANCE	1.15		MILES
SIZE-	EXP-DPN	<0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430227 3MILE DATE- 79 07 03 0930	DISTANCE	0.70		MILES
SIZE-	EXP-DPN	<0.01		MR/HR
LAUREL RD AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430228 3MILE DATE- 79 07 03 0930	DISTANCE	0.45		MILES
SIZE-	EXP-DPN	<0.01		MR/HR
MEADOW LANE AND RT. 441	STA.NO.	E7		
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
430229 3MILE DATE- 79 07 03 0930	DISTANCE	0.39		MILES
SIZE-	EXP-DPN	<0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430230 3MILE DATE- 79 07 03 0930	STA.NO.	E8		
SIZE-	EXP-DPN	<0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430231 3MILE DATE- 79 07 03 0930	DISTANCE	0.45		MILES
SIZE-	EXP-DPN	<0.01		MR/HR
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430232 3MILE DATE- 79 07 03 0930	STA.NO.	E10		
SIZE-	EXP-DPN	<0.01		MR/HR
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430233 3MILE DATE- 79 07 03 0930	DISTANCE	1.15		MILES
SIZE-	EXP-DPN	<0.01		MR/HR
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430234 3MILE DATE- 79 07 03 0930	DISTANCE	1.60		MILES
SIZE-	EXP-DPN	<0.01		MR/HR
FALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430235 3MILE DATE- 79 07 03 0930	STA.NO.	E13		
SIZE-	EXP-DPN	<0.01		MR/HR
COLLINS RD AND RT 441	STA.NO.	E14		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430236 3MILE DATE- 79 07 03 0930	DISTANCE	2.50		MILES
SIZE-	EXP-DPN	<0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT. 441		STA.NO.	E15		
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430237 3MILE	DATE- 79 07 03 1025	DISTANCE	2.85		MILES
SIZE-		EXP-OPN	<0.01		MR/HR
COLLINS RD AND RT. 441		STA.NO.	E14		
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430251 3MILE	DATE- 79 07 03 1300	DISTANCE	2.50		MILES
SIZE-		EXP-OPN	<0.01		MR/HR
SOUTH UNION AND RT. 441		STA.NO.	E1		
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
430238 3MILE	DATE- 79 07 03 1330	DISTANCE	2.5		MILES
SIZE-		EXP-OPN	<0.01		MR/HR
BURD STREET AND RT. 441		STA.NO.	E2		
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
430239 3MILE	DATE- 79 07 03 1330	DISTANCE	2.35		MILES
SIZE-		EXP-OPN	<0.01		MR/HR
RAILROAD CROSSING AND RT. 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
430240 3MILE	DATE- 79 07 03 1330	STA.NO.	E3		
SIZE-		EXP-OPN	<0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		STA.NO.	E4		
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
430241 3MILE	DATE- 79 07 03 1330	DISTANCE	1.15		MILES
SIZE-		EXP-OPN	<0.01		MR/HR
NORTH GATE AND RT. 441		DISTANCE	0.7		MILES
83 1590 043 42 03 82		AZIMUTH	25.0		DEG-T
430242 3MILE	DATE- 79 07 03 1330	STA.NO.	E16		
SIZE-		EXP-OPN	<0.01		MR/HR
LAUREL RD AND RT. 441		STA.NO.	E6		
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
430243 3MILE	DATE- 79 07 03 1330	DISTANCE	0.45		MILES
SIZE-		EXP-OPN	<0.01		MR/HR
MEADOW LANE AND RT. 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
430244 3MILE	DATE- 79 07 03 1330	STA.NO.	E7		
SIZE-		EXP-OPN	<0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441		STA.NO.	E8		
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
430245 3MILE	DATE- 79 07 03 1330	DISTANCE	0.40		MILES
SIZE-		EXP-OPN	<0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430246 3MILE DATE- 79 07 03 1330	STA.NO.	E9		
SIZE-	EXP-OPN	<0.01		MR/HR
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430247 3MILE DATE- 79 07 03 1330	STA.NO.	E10		
SIZE-	EXP-OPN	<0.01		MR/HR
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430248 3MILE DATE- 79 07 03 1330	STA.NO.	E11		
SIZE-	EXP-OPN	<0.01		MR/HR
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430249 3MILE DATE- 79 07 03 1330	STA.NO.	E12		
SIZE-	EXP-OPN	<0.01		MR/HR
FALMOUTH RD AND RT. 441	STA.NO.	E13		
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430250 3MILE DATE- 79 07 03 1330	DISTANCE	2.30		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
KEENER RD AND RT. 441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430252 3MILE DATE- 79 07 03 1345	STA.NO.	E15		
SIZE-	EXP-OPN	<0.01		MR/HR
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430299 3MILE DATE- 79 07 03 1430	STA.NO.	E2		
SIZE-	EXP-OPN	<0.01		MR/HR
SOUTH UNION AND RT. 441	STA.NO.	E1		
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430253 3MILE DATE- 79 07 04 0910	DISTANCE	2.50		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430254 3MILE DATE- 79 07 04 0910	STA.NO.	E2		
SIZE-	EXP-OPN	<0.01		MR/HR
RAILROAD CROSSING AND RT. 441	STA.NO.	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430255 3MILE DATE- 79 07 04 0910	DISTANCE	1.90		MILES
SIZE-	EXP-OPN	<0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT. 441	STA.NO.	E4		
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430256 3MILE DATE- 79 07 04 0910	DISTANCE	1.15		MILES
SIZE-	EXP-DPH	<0.01		MR/HR
NORTH GATE AND RT. 441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430257 3MILE DATE- 79 07 04 0910	DISTANCE	0.70		MILES
SIZE-	EXP-DPH	<0.01		MR/HR
LAUREL ROAD AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430258 3MILE DATE- 79 07 04 0910	DISTANCE	0.45		MILES
SIZE-	EXP-DPH	<0.01		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
430259 3MILE DATE- 79 07 04 0910	STA.NO.	E7		
SIZE-	EXP-DPH	<0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	DISTANCE	0.60		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430260 3MILE DATE- 79 07 04 0910	STA.NO.	E8		
SIZE-	EXP-DPH	<0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430261 3MILE DATE- 79 07 04 0910	DISTANCE	0.45		MILES
SIZE-	EXP-DPH	<0.01		MR/HR
RED HILL PLAZA AND RT. 441	STA.NO.	E10		
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430262 3MILE DATE- 79 07 04 0910	DISTANCE	0.85		MILES
SIZE-	EXP-DPH	<0.01		MR/HR
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430263 3MILE DATE- 79 07 04 0910	AZIMUTH	153		DEG-T
SIZE-	EXP-DPH	<0.01		MR/HR
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430264 3MILE DATE- 79 07 04 0910	DISTANCE	1.60		MILES
SIZE-	EXP-DPH	<0.01		MR/HR
FALMOUTH RD AND RT. 441	STA.NO.	E13		
83 1590 043 42 03 82	DISTANCE	2.30		MILES
430265 3MILE DATE- 79 07 04 0910	AZIMUTH	162.5		DEG-T
SIZE-	EXP-DPH	<0.01		MR/HR

TABLE 9-F, NPC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT, 441	STA,NO,	E14		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430266 3MILE DATE- 79 07 04 0910	DISTANCE	2,50		MILES
SIZE-	EXP-OPN	<0,01		MR/HR
KEENER RD AND RT, 441	STA,NO,	E15		
83 1590 043 42 03 82	DISTANCE	2,85		MILES
430267 3MILE DATE- 79 07 04 0925	AZIMUTH	152		DEG-T
SIZE-	EXP-OPN	<0,01		MR/HR
SOUTH UNION AND RT, 441	STA,NO,	E1		
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430268 3MILE DATE- 79 07 04 1230	DISTANCE	2,5		MILES
SIZE-	EXP-OPN	<0,01		MR/HR
BURD STREET AND RT, 441	STA,NO,	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430269 3MILE DATE- 79 07 04 1230	DISTANCE	2,35		MILES
SIZE-	EXP-OPN	<0,01		MR/HR
RAILROAD CROSSING AND RT, 441	STA,NO,	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430270 3MILE DATE- 79 07 04 1230	DISTANCE	1,90		MILES
SIZE-	EXP-OPN	<0,01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441	STA,NO,	E4		
83 1590 043 42 03 82	AZIMUTH	7		DEG-T
430271 3MILE DATE- 79 07 04 1230	DISTANCE	1,15		MILES
SIZE-	EXP-OPN	<0,01		MR/HR
NORTH GATE AND RT, 441	STA,NO,	E16		
83 1590 043 42 03 82	AZIMUTH	25,0		DEG-T
430272 3MILE DATE- 79 07 04 1230	DISTANCE	0,70		MILES
SIZE-	EXP-OPN	<0,01		MR/HR
LAUREL RD AND RT, 441	STA,NO,	E6		
83 1590 043 42 03 82	AZIMUTH	58,5		DEG-T
430273 3MILE DATE- 79 07 04 1230	DISTANCE	0,45		MILES
SIZE-	EXP-OPN	<0,01		MR/HR
MEADOW LANE AND RT, 441	STA,NO,	E7		
83 1590 043 42 03 82	AZIMUTH	88		DEG-T
430274 3MILE DATE- 79 07 04 1230	DISTANCE	0,39		MILES
SIZE-	EXP-OPN	<0,01		MR/HR
TMI OBSERVATION CENTER AND RT, 441	STA,NO,	E8		
83 1590 043 42 03 82	DISTANCE	0,40		MILES
430275 3MILE DATE- 79 07 04 1230	AZIMUTH	110		DEG-T
SIZE-	EXP-OPN	<0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD SUBSTATION PARKING AND RT.441	STA.NO.	E9		
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430276 3MILE DATE- 79 07 04 1230	DISTANCE	0.45		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
RED HILL PLAZA AND RT. 441	STA.NO.	E10		
83 1590 043 42 03 82	DISTANCE	0.85		MILES
430277 3MILE DATE- 79 07 04 1230	AZIMUTH	127		DEG-T
SIZE-	EXP-OPN	<0.01		MR/HR
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430278 3MILE DATE- 79 07 04 1230	DISTANCE	1.15		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430279 3MILE DATE- 79 07 04 1230	AZIMUTH	160		DEG-T
SIZE-	EXP-OPN	<0.01		MR/HR
FALMOUTH RD AND RT. 441	STA.NO.	E13		
83 1590 043 42 03 82	DISTANCE	2.30		MILES
430280 3MILE DATE- 79 07 04 1230	AZIMUTH	162.5		DEG-T
SIZE-	EXP-OPN	<0.01		MR/HR
COLLINS RD AND RT. 441	STA.NO.	E14		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430281 3MILE DATE- 79 07 04 1230	DISTANCE	2.50		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
KEENER RD AND RT. 441	STA.NO.	E15		
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430282 3MILE DATE- 79 07 04 1300	DISTANCE	2.85		MILES
SIZE-	EXP-OPN	<0.01		MR/HR
SOUTH UNION AND RT. 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	DISTANCE	2.50		MILES
430283 3MILE DATE- 79 07 05 0935	STA.NO.	E1		
SIZE-	EXP-OPN	<0.01		MR/HR
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2.35		MILES
430284 3MILE DATE- 79 07 05 0935	STA.NO.	E2		
SIZE-	EXP-OPN	<0.01		MR/HR
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430285 3MILE DATE- 79 07 05 0935	STA.NO.	E3		
SIZE-	EXP-OPN	<0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT, 441	AZIMUTH	7.0		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430286 3MILE DATE- 79 07 05 0935	STA.NO.	E4		
SIZE-	EXP-OPN	<0.01		MR/HR
NORTH GATE AND RT, 441	DISTANCE	0.70		MILES
83 1590 043 42 03 82	AZIMUTH	25.0		DEG-T
430287 3MILE DATE- 79 07 05 0935	STA.NO.	E16		
SIZE-	EXP-OPN	<0.01		MR/HR
LAUREL RD AND RT, 441	AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430288 3MILE DATE- 79 07 05 0935	STA.NO.	E6		
SIZE-	EXP-OPN	<0.01		MR/HR
MEADOW LANE AND RT, 441	AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82	DISTANCE	0.39		MILES
430289 3MILE DATE- 79 07 05 0935	STA.NO.	E7		
SIZE-	EXP-OPN	<0.01		MR/HR
TMI OBSERVATION CENTER AND RT, 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430290 3MILE DATE- 79 07 05 0935	STA.NO.	E8		
SIZE-	EXP-OPN	<0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT, 441	AZIMUTH	130		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430291 3MILE DATE- 79 07 05 0935	STA.NO.	E9		
SIZE-	EXP-OPN	<0.01		MR/HR
RED MILL PLAZA AND RT, 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430292 3MILE DATE- 79 07 05 0935	STA.NO.	E10		
SIZE-	EXP-OPN	<0.01		MR/HR
ENGLE RD AND RT, 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430293 3MILE DATE- 79 07 05 0935	STA.NO.	E11		
SIZE-	EXP-OPN	<0.01		MR/HR
SOUTH GATE AND RT, 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430294 3MILE DATE- 79 07 05 0935	STA.NO.	E12		
SIZE-	EXP-OPN	<0.01		MR/HR
FALMOUTH RD AND RT, 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430295 3MILE DATE- 79 07 05 0935	STA.NO.	E13		
SIZE-	EXP-OPN	<0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430296 3MILE	DATE- 79 07 05 0935	STA.NO.	E14		
SIZE-		EXP-OPN	<0.01		MR/HR
KEENER RD AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430297 3MILE	DATE- 79 07 05 1010	STA.NO.	E15		
SIZE-		EXP-OPN	<0.01		MR/HR
SOUTH UNION AND RT. 441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430298 3MILE	DATE- 79 07 05 1430	STA.NO.	E1		
SIZE-		EXP-OPN	<0.01		MR/HR
RAILROAD CROSSING AND RT. 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
430300 3MILE	DATE- 79 07 05 1430	STA.NO.	E3		
SIZE-		EXP-OPN	<0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		AZIMUTH	7		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
430301 3MILE	DATE- 79 07 05 1430	STA.NO.	E4		
SIZE-		EXP-OPN	<0.01		MR/HR
NORTH GATE AND RT. 441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
430302 3MILE	DATE- 79 07 05 1430	STA.NO.	E16		
SIZE-		EXP-OPN	<0.01		MR/HR
LAUREL RD AND RT. 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
430303 3MILE	DATE- 79 07 05 1430	STA.NO.	E6		
SIZE-		EXP-OPN	<0.01		MR/HR
MEADOW LANE AND RT. 441		AZIMUTH	88		DEG-T
83 1590 043 42 03 82		DISTANCE	0.39		MILES
430304 3MILE	DATE- 79 07 05 1430	STA.NO.	E7		
SIZE-		EXP-OPN	<0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
430305 3MILE	DATE- 79 07 05 1430	STA.NO.	E8		
SIZE-		EXP-OPN	<0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441		AZIMUTH	130		DEG-T
83 1590 043 42 03 82		DISTANCE	0.45		MILES
430306 3MILE	DATE- 79 07 05 1430	STA.NO.	E9		
SIZE-		EXP-OPN	<0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT. 441		DISTANCE	0.85		MILES
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
430307 3MILE	DATE- 79 07 05 1430	STA.NO.	E10		
SIZE-		EXP-OPN	<0.01		MR/HR
ENGLE RD AND RT. 441		AZIMUTH	153		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
430308 3MILE	DATE- 79 07 05 1430	STA.NO.	E11		
SIZE-		EXP-OPN	<0.01		MR/HR
SOUTH GATE AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	1.60		MILES
430309 3MILE	DATE- 79 07 05 1430	STA.NO.	E12		
SIZE-		EXP-OPN	<0.01		MR/HR
FALMOUTH RD AND RT. 441		AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82		DISTANCE	2.30		MILES
430310 3MILE	DATE- 79 07 05 1430	STA.NO.	E13		
SIZE-		EXP-OPN	<0.01		MR/HR
COLLINS RD AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430311 3MILE	DATE- 79 07 05 1430	STA.NO.	E14		
SIZE-		EXP-OPN	<0.01		MR/HR
KEENER RD AND RT. 441		AZIMUTH	152		DEG-T
83 1590 043 42 03 82		DISTANCE	2.85		MILES
430312 3MILE	DATE- 79 07 05 1450	STA.NO.	E15		
SIZE-		EXP-OPN	<0.01		MR/HR
KEENER RD AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430325 3MILE	DATE- 79 07 06 1042	STA.NO.	E15		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
COLLINS RD. AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430324 3MILE	DATE- 79 07 06 1043	STA.NO.	E14		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430323 3MILE	DATE- 79 07 06 1044	STA.NO.	E13		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430322 3MILE DATE- 79 07 06 1045	STA.NO.	E12		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
EAGLE RD AND RT. 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430321 3MILE DATE- 79 07 06 1046	STA.NO.	E11		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430320 3MILE DATE- 79 07 06 1047	STA.NO.	E10		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430319 3MILE DATE- 79 07 06 1048	STA.NO.	E9		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441	AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430317 3MILE DATE- 79 07 06 1049	STA.NO.	E6		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430318 3MILE DATE- 79 07 06 1049	STA.NO.	E8		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	DISTANCE	0.70		MILES
430316 3MILE DATE- 79 07 06 1050	STA.NO.	E16		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430315 3MILE DATE- 79 07 06 1051	STA.NO.	E3		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2.35		MILES
430314 3MILE DATE- 79 07 06 1052	STA.NO.	E2		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430313 3MILE DATE- 79 07 06 1053	STA.NO.	E1		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
KEENER RD AND RT. 441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430335 3MILE DATE- 79 07 06 1412	STA.NO.	E15		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
COLLINS RD AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	2.80		MILES
430334 3MILE DATE- 79 07 06 1413	STA.NO.	E14		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430333 3MILE DATE- 79 07 06 1414	STA.NO.	E12		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430332 3MILE DATE- 79 07 06 1415	STA.NO.	E11		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430331 3MILE DATE- 79 07 06 1416	STA.NO.	E10		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430330 3MILE DATE- 79 07 06 1417	STA.NO.	E8		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD AND RT, 441		DISTANCE	0,45		MILES
83 1590 043 42 03 82		AZIMUTH	58,5		DEG-T
430329 3MILE	DATE- 79 07 06 1418	STA,NO,	E6		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441		AZIMUTH	7		DEG-T
83 1590 043 42 03 82		DISTANCE	1,15		MILES
430328 3MILE	DATE- 79 07 06 1419	STA,NO,	E4		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RAILROAD CROSSING AND RT, 441		DISTANCE	1,90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
430327 3MILE	DATE- 79 07 06 1420	STA,NO,	E3		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
SOUTH UNION AND RT, 441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		DISTANCE	2,50		MILES
430326 3MILE	DATE- 79 07 06 1421	STA,NO,	E1		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
KEENER RD AND RT, 441		DISTANCE	2,85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430346 3MILE	DATE- 79 07 07 0954	STA,NO,	E15		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
COLLINS RD AND RT, 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2,50		MILES
430345 3MILE	DATE- 79 07 07 0955	STA,NO,	E14		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
FALMOUTH RD AND RT, 441		AZIMUTH	162,5		DEG-T
83 1590 043 42 03 82		DISTANCE	2,30		MILES
430344 3MILE	DATE- 79 07 07 0956	STA,NO,	E13		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
SOUTH GATE AND RT, 441		DISTANCE	1,60		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430343 3MILE	DATE- 79 07 07 0957	STA,NO,	E12		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
430342 3MILE	DATE- 79 07 07 0958	STA.NO.	E11		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441		AZIMUTH	127		DEG-T
83 1590 043 42 03 82		DISTANCE	0.85		MILES
430341 3MILE	DATE- 79 07 07 0959	STA.NO.	E10		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
430340 3MILE	DATE- 79 07 07 1000	STA.NO.	E7		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
430339 3MILE	DATE- 79 07 07 1002	STA.NO.	E16		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		AZIMUTH	7		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
430338 3MILE	DATE- 79 07 07 1003	STA.NO.	E4		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
430337 3MILE	DATE- 79 07 07 1004	STA.NO.	E3		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
SOUTH UNION AND RT. 441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		DISTANCE	2.5		MILES
430336 3MILE	DATE- 79 07 07 1005	STA.NO.	E1		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RT. 262 AND RT. 177		DISTANCE	5.7		MILES
83 1590 043 42 03 82		AZIMUTH	285		DEG-T
430368 3MILE	DATE- 79 07 07 1109	STA.NO.	W9		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT, 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2,85		MILES
430359 3MILE DATE- 79 07 07 1428	STA,NO,	E15		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
COLLINS RD AND RT, 441	DISTANCE	2,50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430358 3MILE DATE- 79 07 07 1430	STA,NO,	E14		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
FALMOUTH RD AND RT, 441	DISTANCE	2,30		MILES
83 1590 043 42 03 82	AZIMUTH	162,5		DEG-T
430357 3MILE DATE- 79 07 07 1431	STA,NO,	E13		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
SOUTH GATE AND RT, 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	1,60		MILES
430356 3MILE DATE- 79 07 07 1432	STA,NO,	E12		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
RED HILL PLAZA AND RT, 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	DISTANCE	0,85		MILES
430355 3MILE DATE- 79 07 07 1433	STA,NO,	E10		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT, 441	DISTANCE	0,45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430354 3MILE DATE- 79 07 07 1434	STA,NO,	E9		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
MEADOW LANE AND RT, 441	AZIMUTH	88,0		DEG-T
83 1590 043 42 03 82	DISTANCE	0,39		MILES
430353 3MILE DATE- 79 07 07 1435	STA,NO,	E7		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
LAUREL RD AND RT, 441	AZIMUTH	58,5		DEG-T
83 1590 043 42 03 82	DISTANCE	0,45		MILES
430352 3MILE DATE- 79 07 07 1436	STA,NO,	E6		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441	DISTANCE	0.70		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430351 3MILE DATE- 79 07 07 1437	STA.NO.	E16		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430350 3MILE DATE- 79 07 07 1438	STA.NO.	E4		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	DISTANCE	1.90		MILES
430349 3MILE DATE- 79 07 07 1440	STA.NO.	E3		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2.35		MILES
430348 3MILE DATE- 79 07 07 1441	STA.NO.	E2		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430347 3MILE DATE- 79 07 07 1442	STA.NO.	E1		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
RT. 262 AND RT. 83	DISTANCE	6.0		MILES
83 1590 043 42 03 82	AZIMUTH	288		DEG-T
430369 3MILE DATE- 79 07 08 1108	STA.NO.	W10		
SIZE-	EXP-CLD	0.02		MR/HR
	EXP-DPN	0.02		MR/HR
RT. 262 AND BEINHOWER	AZIMUTH	283		DEG-T
83 1590 043 42 03 82	DISTANCE	5.0		MILES
430367 3MILE DATE- 79 07 08 1110	STA.NO.	W8		
SIZE-	EXP-CLD	0.02		MR/HR
	EXP-DPN	0.02		MR/HR
RT. 262 AND HUSK LANE	DISTANCE	4.4		MILES
83 1590 043 42 03 82	AZIMUTH	289		DEG-T
430366 3MILE DATE- 79 07 08 1111	STA.NO.	W7		
SIZE-	EXP-CLD	0.02		MR/HR
	EXP-DPN	0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RT. 262-CORN HILL RD.		AZIMUTH	295		DEG-T
83 1590 043 42 03 82		DISTANCE	3.40		MILES
430365 3MILE	DATE- 79 07 08 1112	STA.NO.	W6		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
RT. 262/CURVE		DISTANCE	2.55		MILES
83 1590 043 42 03 82		AZIMUTH	304		DEG-T
430364 3MILE	DATE- 79 07 08 1115	STA.NO.	W5		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
RT. 262/RT. 392		AZIMUTH	300		DEG-T
83 1590 043 42 03 82		DISTANCE	2.4		MILES
430363 3MILE	DATE- 79 07 08 1116	STA.NO.	W4		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
RT. 262/BRIDGE		DISTANCE	1.65		MILES
83 1590 043 42 03 82		AZIMUTH	268		DEG-T
430362 3MILE	DATE- 79 07 08 1118	STA.NO.	W3		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
CENTER OF GOLDSBORO		DISTANCE	1.35		MILES
83 1590 043 42 03 82		AZIMUTH	264		DEG-T
430361 3MILE	DATE- 79 07 08 1119	STA.NO.	W2		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
RIVER AND WINEBAGO-GOLDSBORO		AZIMUTH	268		DEG-T
83 1590 043 42 03 82		DISTANCE	1.35		MILES
430360 3MILE	DATE- 79 07 08 1120	STA.NO.	W1		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
FRAZER ST. AND RT. 262		DISTANCE	1.35		MILES
83 1590 043 42 03 82		AZIMUTH	256		DEG-T
430370 3MILE	DATE- 79 07 08 1122	STA.NO.	W14		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
WISLER RD AND RT. 262		DISTANCE	1.40		MILES
83 1590 043 42 03 82		AZIMUTH	248		DEG-T
430371 3MILE	DATE- 79 07 08 1123	STA.NO.	W15		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
MIDWAY RD. AND RT. 262		DISTANCE	1.60		MILES
83 1590 043 42 03 82		AZIMUTH	235		DEG-T
430372 3MILE	DATE- 79 07 08 1124	STA.NO.	W16		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
RIVER RD. AND RT. 262		DISTANCE	1.85		MILES
83 1590 043 42 03 82		AZIMUTH	226		DEG-T
430373 3MILE	DATE- 79 07 08 1124	STA.NO.	W17		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
RT. 295/REESER-HILL RD.		DISTANCE	2.20		MILES
83 1590 043 42 03 82		AZIMUTH	197.5		DEG-T
430374 3MILE	DATE- 79 07 08 1125	STA.NO.	W18		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
RT. 382 AND RT. 262-BEER RD.		AZIMUTH	192		DEG-T
83 1590 043 42 03 82		DISTANCE	2.80		MILES
430375 3MILE	DATE- 79 07 08 1126	STA.NO.	W19		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
RT. 382 AND RT. 181-YORK HAVEN		DISTANCE	3.15		MILES
83 1590 043 42 03 82		AZIMUTH	171		DEG-T
430376 3MILE	DATE- 79 07 08 1129	STA.NO.	W20		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
NORTH END BRUNNERS ISL.		AZIMUTH	167		DEG-T
83 1590 043 42 03 82		DISTANCE	3.25		MILES
430377 3MILE	DATE- 79 07 08 1130	STA.NO.	W21		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
SOUTH UNION AND RT. 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
430378 3MILE	DATE- 79 07 08 1350	STA.NO.	E1		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
BURD STREET AND RT. 441		AZIMUTH	354		DEG-T
83 1590 043 42 03 82		DISTANCE	2.35		MILES
430379 3MILE	DATE- 79 07 08 1351	STA.NO.	E2		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	SIGMA	UNITS
RAILROAD CROSSING AND RT. 441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		DISTANCE	1.90		MILES
430380 3MILE	DATE- 79 07 08 1352	STA.NO.	E3		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
430381 3MILE	DATE- 79 07 08 1353	STA.NO.	E4		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
NORTH GATE AND RT. 441		AZIMUTH	25		DEG-T
83 1590 043 42 03 82		DISTANCE	0.70		MILES
430382 3MILE	DATE- 79 07 08 1354	STA.NO.	E16		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
LAUREL RD AND RT. 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
430383 3MILE	DATE- 79 07 08 1355	STA.NO.	E6		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
MEADOW LANE AND RT. 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
430384 3MILE	DATE- 79 07 08 1355	STA.NO.	E7		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441		AZIMUTH	130		DEG-T
83 1590 043 42 03 82		DISTANCE	0.45		MILES
430385 3MILE	DATE- 79 07 08 1356	STA.NO.	E9		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
ENGLE RD AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
430386 3MILE	DATE- 79 07 08 1357	STA.NO.	E11		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR
SOUTH GATE AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	1.60		MILES
430387 3MILE	DATE- 79 07 08 1358	STA.NO.	E12		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-DPH	0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430388 3MILE	DATE- 79 07 08 1359	STA.NO.	E13		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
KEENER RD AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430389 3MILE	DATE- 79 07 08 1400	STA.NO.	E15		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
SOUTH UNION AND RT. 441		DISTANCE	2.80		MILES
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
430390 3MILE	DATE- 79 07 09 1121	STA.NO.	E1		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
BURD STREET AND RT. 441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
430391 3MILE	DATE- 79 07 09 1121	STA.NO.	E2		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
RAILROAD CROSSING AND RT. 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
430392 3MILE	DATE- 79 07 09 1122	STA.NO.	E3		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
430393 3MILE	DATE- 79 07 09 1123	STA.NO.	E4		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
NORTH GATE AND RT. 441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
430394 3MILE	DATE- 79 07 09 1124	STA.NO.	E16		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR
LAUREL RD AND RT. 441		AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82		DISTANCE	0.45		MILES
430395 3MILE	DATE- 79 07 09 1125	STA.NO.	E6		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430396 3MILE DATE- 79 07 09 1126	STA.NO.	E9		
SIZE-	EXP-CLO	0.02		MR/HR
	EXP-OPN	0.02		MR/HR
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430397 3MILE DATE- 79 07 09 1127	STA.NO.	E11		
SIZE-	EXP-CLO	0.02		MR/HR
	EXP-OPN	0.02		MR/HR
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430398 3MILE DATE- 79 07 09 1128	STA.NO.	E12		
SIZE-	EXP-CLO	0.02		MR/HR
	EXP-OPN	0.02		MR/HR
FALMOUTH RD AND RT. 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	DISTANCE	2.30		MILES
430399 3MILE DATE- 79 07 09 1129	STA.NO.	E13		
SIZE-	EXP-CLO	0.02		MR/HR
	EXP-OPN	0.02		MR/HR
KEENER RD AND RT. 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
430400 3MILE DATE- 79 07 09 1130	STA.NO.	E15		
SIZE-	EXP-CLO	0.02		MR/HR
	EXP-OPN	0.02		MR/HR
SOUTH UNION AND RT. 441	DISTANCE	2.5		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430401 3MILE DATE- 79 07 09 1511	STA.NO.	E1		
SIZE-	EXP-CLO	0.02		MR/HR
	EXP-OPN	0.02		MR/HR
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2.35		MILES
430402 3MILE DATE- 79 07 09 1512	STA.NO.	E7		
SIZE-	EXP-OPN	0.02		MR/HR
	EXP-CLO	0.02		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	EXP-CLO	0.02		MR/HR
430403 3MILE DATE- 79 07 09 1514	STA.NO.	E4		
SIZE-	EXP-OPN	0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	DISTANCE	0.70		MILES
430404 3MILE DATE- 79 07 09 1515	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E16		
	EXP-DPN	0.02		MR/HR
TMI OBSERVATION CENTER AND RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430405 3MILE DATE- 79 07 09 1516	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E8		
	EXP-DPN	0.02		MR/HR
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430406 3MILE DATE- 79 07 09 1517	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E10		
	EXP-DPN	0.02		MR/HR
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430407 3MILE DATE- 79 07 09 1518	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E12		
	EXP-DPN	0.02		MR/HR
FALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430408 3MILE DATE- 79 07 09 1519	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E13		
	EXP-DPN	0.02		MR/HR
KEENER RD AND RT. 441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430409 3MILE DATE- 79 07 09 1520	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E15		
	EXP-DPN	0.02		MR/HR
RT. 262 AND SPRING RD	DISTANCE	6.8		MILES
83 1590 043 42 03 82	AZIMUTH	292		DEG-T
430434 3MILE DATE- 79 07 10 0958	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	W11		
	EXP-DPN	0.02		MR/HR
RT. 262 AND RT. 83	DISTANCE	6.0		MILES
83 1590 043 42 03 82	AZIMUTH	288		DEG-T
430433 3MILE DATE- 79 07 10 1001	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	W10		
	EXP-DPN	0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RT, 262 AND RT, 177		AZIMUTH	288		DEG-T
83 1590 043 42 03 82		DISTANCE	5.7		MILES
430432 3MILE	DATE- 79 07 10 1002	EXP-CLD	0.02		MR/HR
SIZE-		STA.NO.	W9		
		EXP-OPN	0.02		MR/HR
RT, 262 AND BEINHOWER		DISTANCE	5.0		MILES
83 1590 043 42 03 82		AZIMUTH	283		DEG-T
430431 3MILE	DATE- 79 07 10 1004	EXP-CLD	0.02		MR/HR
SIZE-		STA.NO.	W8		
		EXP-OPN	0.02		MR/HR
RT, 262 AND HUSK LANE		AZIMUTH	289		DEG-T
83 1590 043 42 03 82		DISTANCE	4.4		MILES
430430 3MILE	DATE- 79 07 10 1009	EXP-CLD	0.02		MR/HR
SIZE-		STA.NO.	W7		
		EXP-OPN	0.02		MR/HR
RT, 262-CORN HILL RD		DISTANCE	3.40		MILES
83 1590 043 42 03 82		AZIMUTH	295		DEG-T
430429 3MILE	DATE- 79 07 10 1010	EXP-CLD	0.02		MR/HR
SIZE-		STA.NO.	W6		
		EXP-OPN	0.02		MR/HR
RT, 262/CURVE		AZIMUTH	304		DEG-T
83 1590 043 42 03 82		DISTANCE	2.55		MILES
430428 3MILE	DATE- 79 07 10 1011	EXP-CLD	0.02		MR/HR
SIZE-		STA.NO.	W5		
		EXP-OPN	0.02		MR/HR
RT, 262/RT, 392		AZIMUTH	300		DEG-T
83 1590 043 42 03 82		DISTANCE	2.4		MILES
430427 3MILE	DATE- 79 07 10 1018	EXP-CLD	0.02		MR/HR
SIZE-		STA.NO.	W4		
		EXP-OPN	0.02		MR/HR
RT, 262/BRIDGE		DISTANCE	1.65		MILES
83 1590 043 42 03 82		AZIMUTH	268		DEG-T
430426 3MILE	DATE- 79 07 10 1020	EXP-CLD	0.02		MR/HR
SIZE-		STA.NO.	W3		
		EXP-OPN	0.02		MR/HR
CENTER OF GOLDSBORO		AZIMUTH	264		DEG-T
83 1590 043 42 03 82		DISTANCE	1.35		MILES
430425 3MILE	DATE- 79 07 10 1021	EXP-CLD	0.02		MR/HR
SIZE-		STA.NO.	W2		
		EXP-OPN	0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RIVER AND WINEBAGO-GOLDSBORO	AZIMUTH	268		DEG-T
83 1590 043 42 03 82	DISTANCE	1.35		MILES
430424 3MILE DATE- 79 07 10 1022	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	W1		
	EXP-OPN	0.02		MR/HR
FRAZER ST. AND RT. 262	DISTANCE	1.35		MILES
83 1590 043 42 03 82	AZIMUTH	256		DEG-T
430435 3MILE DATE- 79 07 10 1023	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	W14		
	EXP-OPN	0.02		MR/HR
WISLER RD. AND RT. 262	DISTANCE	1.40		MILES
83 1590 043 42 03 82	AZIMUTH	248		DEG-T
430436 3MILE DATE- 79 07 10 1024	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	W15		
	EXP-OPN	0.02		MR/HR
MIDWAY RD. AND RT. 262	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	235		DEG-T
430437 3MILE DATE- 79 07 10 1025	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	W16		
	EXP-OPN	0.02		MR/HR
RIVER RD AND RT. 262	AZIMUTH	226		DEG-T
83 1590 043 42 03 82	DISTANCE	1.85		MILES
430438 3MILE DATE- 79 07 10 1026	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	W17		
	EXP-OPN	0.02		MR/HR
RT. 295/REESER-HILL RD.	DISTANCE	2.2		MILES
83 1590 043 42 03 82	AZIMUTH	197.2		DEG-T
430439 3MILE DATE- 79 07 10 1032	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	W18		
	EXP-OPN	0.02		MR/HR
RT. 382 AND RT. 181-YORK HAVEN	AZIMUTH	192		DEG-T
83 1590 043 42 03 82	STA.NO.	W19		
430440 3MILE DATE- 79 07 10 1033	EXP-OPN	0.02		MR/HR
SIZE-	EXP-CLD	0.02		MR/HR
	DISTANCE	2.8		MILES
KEENER RD AND RT. 441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430423 3MILE DATE- 79 07 10 1618	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E15		
	EXP-OPN	0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	2.50		MILES
430422 3MILE DATE- 79 07 10 1620	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E14		
	EXP-DPN	0.02		MR/HR
FALMOUTH RD. AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430421 3MILE DATE- 79 07 10 1621	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E13		
	EXP-DPN	0.02		MR/HR
SOUTH GATE AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430420 3MILE DATE- 79 07 10 1622	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E12		
	EXP-DPN	0.02		MR/HR
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430419 3MILE DATE- 79 07 10 1623	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E11		
	EXP-DPN	0.02		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430418 3MILE DATE- 79 07 10 1624	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E9		
	EXP-DPN	0.02		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
430416 3MILE DATE- 79 07 10 1625	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E11		
	EXP-DPN	0.02		MR/HR
TMI OBSERVATION CENTER AND RT. 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430417 3MILE DATE- 79 07 10 1625	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E8		
	EXP-DPN	0.02		MR/HR
LAUREL RD AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430415 3MILE DATE- 79 07 10 1626	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E6		
	EXP-DPN	0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441	DISTANCE	0.70		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430414 3MILE DATE- 79 07 10 1627	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E16		
	EXP-OPN	0.02		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430413 3MILE DATE- 79 07 10 1628	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E4		
	EXP-OPN	0.02		MR/HR
RAILROAD CROSSING AND RT. 441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	DISTANCE	1.90		MILES
430412 3MILE DATE- 79 07 10 1629	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E3		
	EXP-OPN	0.02		MR/HR
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430411 3MILE DATE- 79 07 10 1630	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E2		
	EXP-OPN	0.02		MR/HR
SOUTH UNION AND RT. 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	DISTANCE	2.50		MILES
430410 3MILE DATE- 79 07 10 1631	EXP-CLD	0.02		MR/HR
SIZE-	STA.NO.	E1		
	EXP-OPN	0.02		MR/HR
SOUTH UNION AND RT. 441	EXP-OPN	0.02		MR/HR
83 1590 043 42 03 82	STA.NO.	E1		
430441 3MILE DATE- 79 07 11 1130	EXP-CLD	0.02		MR/HR
SIZE-	DISTANCE	2.50		MILES
	AZIMUTH	352		DEG-T
BURD STREET AND RT. 441	EXP-CLD	0.02		MR/HR
83 1590 043 42 03 82	EXP-OPN	0.02		MR/HR
430442 3MILE DATE- 79 07 11 1131	DISTANCE	2.35		MILES
SIZE-	STA.NO.	E2		
	AZIMUTH	354		DEG-T
RAILROAD CROSSING AND RT. 441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	EXP-OPN	0.02		MR/HR
430443 3MILE DATE- 79 07 11 1137	STA.NO.	E3		
SIZE-	EXP-CLD	0.02		MR/HR
	DISTANCE	1.90		MILES

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT. 441	STA.NO.	E4		
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430444 3MILE DATE- 79 07 11 1138	EXP-OPN	0.02		MR/HR
SIZE-	EXP-CLD	0.02		MR/HR
	DISTANCE	1.15		MILES
NORTH GATE AND RT. 441	EXP-OPN	0.02		MR/HR
83 1590 043 42 03 82	EXP-CLD	0.02		MR/HR
430445 3MILE DATE- 79 07 11 1139	STA.NO.	E16		
SIZE-	AZIMUTH	25		DEG-T
	DISTANCE	0.70		MILES
MEADOW LANE AND RT. 441	STA.NO.	E7		
83 1590 043 42 03 82	DISTANCE	0.39		MILES
430446 3MILE DATE- 79 07 11 1140	EXP-CLD	0.02		MR/HR
SIZE-	AZIMUTH	88.0		DEG-T
	EXP-OPN	0.02		MR/HR
TMI OBSERVATION CENTER AND RT. 441	EXP-CLD	0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430447 3MILE DATE- 79 07 11 1141	EXP-OPN	0.02		MR/HR
SIZE-	AZIMUTH	110		DEG-T
	STA.NO.	E8		
ACCESS RD SUBSTATION PARKING AND RT. 441	AZIMUTH	130		DEG-T
83 1590 043 42 03 82	EXP-OPN	0.02		MR/HR
430448 3MILE DATE- 79 07 11 1142	DISTANCE	0.45		MILES
SIZE-	EXP-CLD	0.02		MR/HR
	STA.NO.	E9		
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430449 3MILE DATE- 79 07 11 1143	EXP-OPN	0.02		MR/HR
SIZE-	AZIMUTH	153		DEG-T
	EXP-CLD	0.02		MR/HR
SOUTH GATE AND RT. 441	EXP-OPN	0.02		MR/HR
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430450 3MILE DATE- 79 07 11 1143	EXP-CLD	0.02		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	STA.NO.	E12		
COLLINS RD AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	STA.NO.	E14		
430451 3MILE DATE- 79 07 11 1146	EXP-OPN	0.02		MR/HR
SIZE-	EXP-CLD	0.02		MR/HR
	DISTANCE	2.50		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT, 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		EXP-CLD	0.02		MR/HR
430464 3MILE	DATE- 79 07 11 1450	EXP-OPN	0.02		MR/HR
SIZE-		AZIMUTH	152		DEG-T
		STA.NO.	E15		
COLLINS RD AND RT, 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		STA.NO.	E14		
430463 3MILE	DATE- 79 07 11 1452	EXP-OPN	0.02		MR/HR
SIZE-		EXP-CLD	0.02		MR/HR
		DISTANCE	2.50		MILES
SOUTH GATE AND RT, 441		EXP-OPN	0.02		MR/HR
83 1590 043 42 03 82		EXP-CLD	0.02		MR/HR
430462 3MILE	DATE- 79 07 11 1454	STA.NO.	E12		
SIZE-		AZIMUTH	160		DEG-T
		DISTANCE	1.60		MILES
ENGLE RD AND RT, 441		STA.NO.	E11		
83 1590 043 42 03 82		EXP-OPN	0.02		MR/HR
430461 3MILE	DATE- 79 07 11 1502	EXP-CLD	0.02		MR/HR
SIZE-		DISTANCE	1.15		MILES
		AZIMUTH	153		DEG-T
RED HILL PLAZA AND RT, 441		DISTANCE	0.85		MILES
83 1590 043 42 03 82		STA.NO.	E10		
430460 3MILE	DATE- 79 07 11 1503	AZIMUTH	127		DEG-T
SIZE-		EXP-OPN	0.02		MR/HR
		EXP-CLD	0.02		MR/HR
TMI OBSERVATION CENTER AND RT, 441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
430458 3MILE	DATE- 79 07 11 1504	EXP-OPN	0.02		MR/HR
SIZE-		STA.NO.	E8		
		EXP-CLD	0.02		MR/HR
ACCESS RD SUBSTATION PARKING AND RT, 441		AZIMUTH	130		DEG-T
83 1590 043 42 03 82		STA.NO.	E9		
430459 3MILE	DATE- 79 07 11 1504	EXP-OPN	0.02		MR/HR
SIZE-		EXP-CLD	0.02		MR/HR
		DISTANCE	0.45		MILES
MEADOW LANE AND RT, 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
430457 3MILE	DATE- 79 07 11 1505	STA.NO.	E7		
SIZE-		EXP-CLD	0.02		MR/HR
		EXP-OPN	0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA UNITS
NORTH GATE AND RT. 441		STA.NO.	E16	
83 1590 043 42 03 82		EXP-CLO	0.02	MR/HR
430456 3MILE	DATE- 79 07 11 1506	EXP-OPN	0.02	MR/HR
SIZE-		AZIMUTH	25	DEG-T
		DISTANCE	0.70	MILES
RIVERSIDE BOAT SALES AND RT. 441		EXP-OPN	0.02	MR/HR
83 1590 043 42 03 82		AZIMUTH	7	DEG-T
430455 3MILE	DATE- 79 07 11 1507	DISTANCE	1.15	MILES
SIZE-		STA.NO.	E4	
		EXP-CLO	0.02	MR/HR
RAILROAD CROSSING AND RT. 441		STA.NO.	E3	
83 1590 043 42 03 82		DISTANCE	1.90	MILES
430454 3MILE	DATE- 79 07 11 1509	AZIMUTH	360	DEG-T
SIZE-		EXP-CLO	0.02	MR/HR
		EXP-OPN	0.02	MR/HR
BURD STREET AND RT. 441		AZIMUTH	352	DEG-T
83 1590 043 42 03 82		DISTANCE	2.35	MILES
430453 3MILE	DATE- 79 07 11 1510	STA.NO.	E2	
SIZE-		EXP-OPN	0.02	MR/HR
		EXP-CLO	0.02	MR/HR
SOUTH UNION AND RT. 441		DISTANCE	2.50	MILES
83 1590 043 42 03 82		STA.NO.	E1	
430452 3MILE	DATE- 79 07 11 1511	EXP-CLO	0.02	MR/HR
SIZE-		EXP-OPN	0.02	MR/HR
		AZIMUTH	352	DEG-T
KEENER RD AND RT. 441		AZIMUTH	152	DEG-T
83 1590 043 42 03 82		EXP-CLO	0.01	MR/HR
430478 3MILE	DATE- 79 07 12 1139	EXP-OPN	0.01	MR/HR
SIZE-		DISTANCE	2.85	MILES
		STA.NO.	E15	
COLLINS RD. AND RT. 441		DISTANCE	2.50	MILES
83 1590 043 42 03 82		EXP-OPN	0.01	MR/HR
430477 3MILE	DATE- 79 07 12 1141	STA.NO.	E14	
SIZE-		EXP-CLO	0.01	MR/HR
		AZIMUTH	160	DEG-T
FALMOUTH RD AND RT. 441		EXP-OPN	0.01	MR/HR
83 1590 043 42 03 82		AZIMUTH	162.5	DEG-T
430476 3MILE	DATE- 79 07 12 1142	DISTANCE	2.30	MILES
SIZE-		EXP-CLO	0.01	MR/HR
		STA.NO.	E13	

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT.441	DISTANCE	1.60		MILES
83 1590 42 82	AZIMUTH	160		DEG-T
430475 3MILE DATE- 79 07 12 1144	STA.NO.	E12		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430474 3MILE DATE- 79 07 12 1145	EXP-DPN	0.01		MR/HR
SIZE-	EXP-CLD	0.01		MR/HR
	DISTANCE	1.15		MILES
RED HILL PLAZA AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430473 3MILE DATE- 79 07 12 1146	EXP-DPN	0.01		MR/HR
SIZE-	STA.NO.	E10		
	DISTANCE	0.85		MILES
ACCESS RD SUBSTATION PARKING AND RT. 441	AZIMUTH	130		DEG-T
83 1590 043 42 03 82	EXP-DPN	0.01		MR/HR
430472 3MILE DATE- 79 07 12 1147	DISTANCE	0.45		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	STA.NO.	E9		
MEADOW LANE AND RT. 441	AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82	EXP-CLD	0.01		MR/HR
430471 3MILE DATE- 79 07 12 1148	DISTANCE	0.39		MILES
SIZE-	EXP-DPN	0.01		MR/HR
	STA.NO.	E7		
LAUREL RD AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430470 3MILE DATE- 79 07 12 1149	EXP-DPN	0.01		MR/HR
SIZE-	AZIMUTH	58.5		DEG-T
	STA.NO.	E6		
NORTH GATE AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430469 3MILE DATE- 79 07 12 1150	EXP-DPN	0.01		MR/HR
SIZE-	STA.NO.	E16		
	DISTANCE	0.70		MILES
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	STA.NO.	E4		
430468 3MILE DATE- 79 07 12 1151	EXP-DPN	0.01		MR/HR
SIZE-	AZIMUTH	7.0		DEG-T
	EXP-CLD	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RAILROAD CROSSING AND RT, 441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		DISTANCE	1,90		MILES
430467 3MILE	DATE- 79 07 12 1152	STA,NO,	E3		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
BURD STREET AND RT, 441		EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82		EXP-OPN	0,01		MR/HR
430466 3MILE	DATE- 79 07 12 1153	DISTANCE	2,35		MILES
SIZE-		AZIMUTH	354		DEG-T
		STA,NO,	E2		
SOUTH UNION AND RT, 441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		EXP-OPN	0,01		MR/HR
430465 3MILE	DATE- 79 07 12 1154	DISTANCE	2,50		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		STA,NO,	E1		
COLLINS RD AND RT, 441		DISTANCE	2,50		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430490 3MILE	DATE- 79 07 12 1408	EXP-CLD	0,01		MR/HR
SIZE-		EXP-OPN	0,01		MR/HR
		STA,NO,	E14		
SOUTH GATE AND RT, 441		EXP-OPN	0,01		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430488 3MILE	DATE- 79 07 12 1411	DISTANCE	1,60		MILES
SIZE-		STA,NO,	E12		
		EXP-CLD	0,01		MR/HR
FALMOUTH RD AND RT, 441		EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82		DISTANCE	2,30		MILES
430489 3MILE	DATE- 79 07 12 1411	STA,NO,	E13		
SIZE-		EXP-OPN	0,01		MR/HR
		AZIMUTH	162,5		DEG-T
ENGLE RD AND RT, 441		AZIMUTH	153		DEG-T
83 1590 043 42 03 82		STA,NO,	E11		
430487 3MILE	DATE- 79 07 12 1413	EXP-CLD	0,01		MR/HR
SIZE-		EXP-OPN	0,01		MR/HR
		DISTANCE	1,15		MILES
RED HILL PLAZA AND RT, 441		EXP-OPN	0,01		MR/HR
83 1590 043 42 03 82		DISTANCE	0,85		MILES
430486 3MILE	DATE- 79 07 12 1414	STA,NO,	E10		
SIZE-		EXP-CLD	0,01		MR/HR
		AZIMUTH	127		DEG-T

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER AND RT, 441	STA,NO,	E8		
83 1590 043 42 03 82	EXP-OPN	0,01		MR/HR
430485 3MILE DATE- 79 07 12 1415	AZIMUTH	110		DEG-T
SIZE-	DISTANCE	0,40		MILES
	EXP-CLD	0,01		MR/HR
MEADOW LANE AND RT, 441	AZIMUTH	89		DEG-T
83 1590 043 42 03 82	EXP-OPN	0,01		MR/HR
430484 3MILE DATE- 79 07 12 1416	DISTANCE	0,39		MILES
SIZE-	STA,NO,	E7		
	EXP-CLD	0,01		MR/HR
NORTH GATE AND RT, 441	EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82	EXP-OPN	0,01		MR/HR
430483 3MILE DATE- 79 07 12 1417	STA,NO,	E16		
SIZE-	DISTANCE	0,70		MILES
	AZIMUTH	25		DEG-T
RIVERSIDE BOAT SALES AND RT, 441	EXP-OPN	0,01		MR/HR
83 1590 043 42 03 82	STA,NO,	E4		
430482 3MILE DATE- 79 07 12 1418	EXP-CLD	0,01		MR/HR
SIZE-	DISTANCE	1,15		MILES
	AZIMUTH	7,0		DEG-T
RAILROAD CROSSING AND RT, 441	STA,NO,	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430481 3MILE DATE- 79 07 12 1419	DISTANCE	1,90		MILES
SIZE-	EXP-OPN	0,01		MR/HR
	EXP-CLD	0,01		MR/HR
BURD STREET AND RT, 441	DISTANCE	2,35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430480 3MILE DATE- 79 07 12 1421	EXP-CLD	0,01		MR/HR
SIZE-	STA,NO,	E2		
	EXP-OPN	0,01		MR/HR
SOUTH UNION AND RT, 441	STA,NO,	E1		
83 1590 043 42 03 82	EXP-OPN	0,01		MR/HR
430479 3MILE DATE- 79 07 12 1423	EXP-CLD	0,01		MR/HR
SIZE-	DISTANCE	2,50		MILES
	AZIMUTH	352		DEG-T
RT, 262 AND HUSK LANE	DISTANCE	4,4		MILES
83 1590 043 42 03 82	AZIMUTH	289		DEG-T
430497 3MILE DATE- 79 07 12 1536	STA,NO,	W7		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
WISLER RD, AND RT, 262		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	248		DEG-T
430502 3MILE	DATE- 79 07 12 1548	STA,NO,	W15		
SIZE-		DISTANCE	1.4		MILES
		EXP-CLD	0.01		MR/HR
KREWER RD AND RT, 441		STA,NO,	E15		
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430519 3MILE	DATE- 79 07 13 1037	EXP-OPN	0.01		MR/HR
SIZE-		EXP-CLD	0.01		MR/HR
		DISTANCE	2.85		MILES
COLLINS RD AND RT, 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430518 3MILE	DATE- 79 07 13 1039	EXP-OPN	0.01		MR/HR
SIZE-		STA,NO,	E14		
		EXP-CLD	0.01		MR/HR
FALMOUTH RD AND RT, 441		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430517 3MILE	DATE- 79 07 13 1040	EXP-CLD	0.01		MR/HR
SIZE-		STA,NO,	E13		
		DISTANCE	2.30		MILES
SOUTH GATE AND RT, 441		STA,NO,	E12		
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430516 3MILE	DATE- 79 07 13 1042	EXP-CLD	0.01		MR/HR
SIZE-		EXP-OPN	0.01		MR/HR
		DISTANCE	1.60		MILES
ENGLE RD AND RT, 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
430515 3MILE	DATE- 79 07 13 1043	EXP-OPN	0.01		MR/HR
SIZE-		DISTANCE	1.15		MILES
		STA,NO,	E11		
RED HILL PLAZA AND RT, 441		STA,NO,	E10		
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
430514 3MILE	DATE- 79 07 13 1044	EXP-OPN	0.01		MR/HR
SIZE-		EXP-CLD	0.01		MR/HR
		DISTANCE	0.85		MILES
TMI OBSERVATION CENTER AND RT, 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
430513 3MILE	DATE- 79 07 13 1045	STA,NO,	E8		
SIZE-		DISTANCE	0.40		MILES
		EXP-OPN	0.01		MR/HR

TABLE 9-F. WPC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430512 3MILE DATE- 79 07 13 1046	STA.NO.	E6		
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	0.45		MILES
NORTH GATE AND RT. 441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430511 3MILE DATE- 79 07 13 1047	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	0.70		MILES
RIVERSIDE BOAT SALES AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430510 3MILE DATE- 79 07 13 1049	DISTANCE	1.15		MILES
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E4		
RAILROAD CROSSING AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430509 3MILE DATE- 79 07 13 1051	DISTANCE	1.90		MILES
SIZE-	STA.NO.	E3		
	EXP-CLD	0.01		MR/HR
RT. 262 AND RT. 83	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	288		DEG-T
430500 3MILE DATE- 79 07 13 1533	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	6.0		MILES
	STA.NO.	W10		
RT. 262 AND RT. 177	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	285		DEG-T
430499 3MILE DATE- 79 07 13 1534	STA.NO.	W9		
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	5.7		MILES
RT. 262 AND BEINHOWER	DISTANCE	5.0		MILES
83 1590 043 42 03 82	AZIMUTH	283		DEG-T
430498 3MILE DATE- 79 07 13 1535	STA.NO.	W8		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-CORN HILL RD.	STA.NO.	W6		
83 1590 043 42 03 82	AZIMUTH	295		DEG-T
430496 3MILE DATE- 79 07 13 1537	EXP-OPN	0.01		MR/HR
SIZE-	EXP-CLD	0.01		MR/HR
	DISTANCE	3.4		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16				
	ANALYSIS	RESULT	2SIGMA	UNITS
RT. 262/CURVE	DISTANCE	2.55		MILES
83 1590 043 42 03 82	AZIMUTH	304		DEG-T
430495 3MILE DATE- 79 07 13 1541	STA.NO.	W5		
SIZE-	EXP-OPN	0.01		MR/HR
	EXP-CLD	0.01		MR/HR
RT. 262/RT. 392	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	300		DEG-T
430494 3MILE DATE- 79 07 13 1542	DISTANCE	2.4		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	STA.NO.	W4		
RT. 262/BRIDGE	STA.NO.	W3		
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
430493 3MILE DATE- 79 07 13 1544	EXP-OPN	0.01		MR/HR
SIZE-	EXP-CLD	0.01		MR/HR
	DISTANCE	1.65		MILES
CENTER OF GOLDSBORO	DISTANCE	1.35		MILES
83 1590 043 42 03 82	AZIMUTH	264		DEG-T
430492 3MILE DATE- 79 07 13 1545	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E2		
RIVER AND WINEBAGO-GOLDSBORO	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
430491 3MILE DATE- 79 07 13 1546	STA.NO.	W1		
SIZE-	DISTANCE	1.35		MILES
	EXP-CLD	0.01		MR/HR
FRAZER ST. AND RT. 262	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	256		DEG-T
430501 3MILE DATE- 79 07 13 1547	DISTANCE	1.35		MILES
SIZE-	STA.NO.	W14		
	EXP-OPN	0.01		MR/HR
MIDWAY RD AND RT. 262	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	235		DEG-T
430503 3MILE DATE- 79 07 13 1549	STA.NO.	W16		
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	1.6		MILES
RIVER RD AND RT. 262	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	226		DEG-T
430504 3MILE DATE- 79 07 13 1550	DISTANCE	1.85		MILES
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	W17		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RT. 295/REESER-HILL RD.	STA.NO.	W18		
83 1590 043 42 03 82	AZIMUTH	197.5		DEG-T
430505 3MILE DATE- 79 07 13 1552	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	2.2		MILES
RT. 382 AND RT. 262-BEER RD.	DISTANCE	2.8		MILES
83 1590 043 42 03 82	AZIMUTH	192		DEG-T
430506 3MILE DATE- 79 07 13 1554	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	W19		
	EXP-OPN	0.01		MR/HR
RT. 382 AND RT. 181-YORK HAVEN	STA.NO.	W20		
83 1590 043 42 03 82	AZIMUTH	171		DEG-T
430507 3MILE DATE- 79 07 13 1556	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	3.15		MILES
NORTH END BRUNNERS ISL.	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	167		DEG-T
430508 3MILE DATE- 79 07 13 1557	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	3.25		MILES
	STA.NO.	W21		
KEENER RD AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430533 3MILE DATE- 79 07 14 1101	STA.NO.	E15		
SIZE-	EXP-CLD	0.01		MR/HR
	DISTANCE	2.85		MILES
COLLINS RD AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430532 3MILE DATE- 79 07 14 1102	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	2.50		MILES
	STA.NO.	E14		
FALMOUTH RD AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430531 3MILE DATE- 79 07 14 1105	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	2.30		MILES
	STA.NO.	E13		
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430530 3MILE DATE- 79 07 14 1107	EXP-OPN	0.01		MR/HR
SIZE-	EXP-CLD	0.01		MR/HR
	STA.NO.	E12		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND PT. 441	STA.NO.	E11		
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430529 3MILE DATE- 79 07 14 1108	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	1.15		MILES
ACCESS RD SUBSTATION PARKING AND RT.441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430528 3MILE DATE- 79 07 14 1109	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E9		
TMI OBSERVATION CENTER AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430527 3MILE DATE- 79 07 14 1110	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E8		
	DISTANCE	0.40		MILES
MEADOW LANE AND RT. 441	STA.NO.	E7		
83 1590 043 42 03 82	AZIMUTH	98.0		DEG-T
430526 3MILE DATE- 79 07 14 1117	DISTANCE	0.39		MILES
SIZE-	EXP-OPN	0.01		MR/HR
	EXP-CLD	0.01		MR/HR
LAUREL RD AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430525 3MILE DATE- 79 07 14 1118	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	0.45		MILES
	STA.NO.	E6		
NORTH GATE AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430524 3MILE DATE- 79 07 14 1119	STA.NO.	E16		
SIZE-	EXP-CLD	0.01		MR/HR
	DISTANCE	0.70		MILES
RIVERSIDE BOAT SALES AND RT. 441	STA.NO.	E4		
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430523 3MILE DATE- 79 07 14 1120	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	1.15		MILES
RAILROAD CROSSING AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430522 3MILE DATE- 79 07 14 1121	STA.NO.	E3		
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	1.90		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16			
	ANALYSIS	RESULT	2SIGMA UNITS
BURD STREET AND RT. 441	STA.NO.	E2	
83 1590 043 42 03 82	AZIMUTH	354	DEG-T
430521 3MILE DATE- 79 07 14 1122	EXP-GPN	0.01	MR/HR
SIZE-	DISTANCE	2.35	MILES
	EXP-CLO	0.01	MR/HR
SOUTH UNION AND RT. 441	DISTANCE	2.5	MILES
83 1590 043 42 03 82	AZIMUTH	352	DEG-T
430520 3MILE DATE- 79 07 14 1123	STA.NO.	E1	
SIZE-	EXP-CLO	0.01	MR/HR
	EXP-GPN	0.01	MR/HR
SOUTH UNION AND RT. 441	DISTANCE	2.50	MILES
83 1590 043 42 03 82	AZIMUTH	352	DEG-T
430552 3MILE DATE- 79 07 14 1504	EXP-CLO	0.01	MR/HR
SIZE-	EXP-GPN	0.01	MR/HR
	STA.NO.	E1	
BURD STREET AND RT. 441	STA.NO.	E2	
83 1590 043 42 03 82	AZIMUTH	354	DEG-T
430553 3MILE DATE- 79 07 14 1506	DISTANCE	2.35	MILES
SIZE-	EXP-GPN	0.01	MR/HR
	EXP-CLO	0.01	MR/HR
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90	MILES
83 1590 043 42 03 82	AZIMUTH	360	DEG-T
430554 3MILE DATE- 79 07 14 1507	EXP-CLO	0.01	MR/HR
SIZE-	EXP-GPN	0.01	MR/HR
	STA.NO.	E3	
RIVERSIDE BOAT SALES AND RT. 441	EXP-CLO	0.01	MR/HR
83 1590 043 42 03 82	AZIMUTH	7.0	DEG-T
430555 3MILE DATE- 79 07 14 1508	DISTANCE	1.15	MILES
SIZE-	STA.NO.	E4	
	EXP-GPN	0.01	MR/HR
NORTH GATE AND RT. 441	STA.NO.	E16	
83 1590 043 42 03 82	AZIMUTH	25	DEG-T
430556 3MILE DATE- 79 07 14 1516	EXP-CLO	0.01	MR/HR
SIZE-	DISTANCE	0.70	MILES
	EXP-GPN	0.01	MR/HR
LAUREL RD AND RT. 441	DISTANCE	0.48	MILES
83 1590 043 42 03 82	AZIMUTH	58.5	DEG-T
430557 3MILE DATE- 79 07 14 1517	EXP-GPN	0.01	MR/HR
SIZE-	EXP-CLO	0.01	MR/HR
	STA.NO.	E6	

TABLE 9-F. NRC SURVEY METEP RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
MEADOW LANE AND RT. 441		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
430558 3MILE	DATE- 79 07 14 1518	DISTANCE	0.39		MILES
SIZE-		EXP-CLO	0.01		MR/HR
		STA.NO.	E7		
TMI OBSERVATION CENTER AND RT. 441		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
430559 3MILE	DATE- 79 07 14 1519	STA.NO.	E8		
SIZE-		EXP-CLO	0.01		MR/HR
		DISTANCE	0.40		MILES
ACCESS RD SUBSTATION PARKING AND RT. 441		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
430560 3MILE	DATE- 79 07 14 1522	STA.NO.	E9		
SIZE-		EXP-CLO	0.01		MR/HR
		DISTANCE	0.45		MILES
RED HILL PLAZA AND RT. 441		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
430561 3MILE	DATE- 79 07 14 1523	STA.NO.	E10		
SIZE-		DISTANCE	0.85		MILES
		EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430562 3MILE	DATE- 79 07 14 1524	STA.NO.	E12		
SIZE-		EXP-OPN	0.01		MR/HR
		DISTANCE	1.60		MILES
FALMOUTH RD AND RT. 441		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430563 3MILE	DATE- 79 07 14 1526	DISTANCE	2.30		MILES
SIZE-		EXP-CLO	0.01		MR/HR
		STA.NO.	E13		
KEENER RD. AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430564 3MILE	DATE- 79 07 14 1527	EXP-CLO	0.01		MR/HR
SIZE-		EXP-OPN	0.01		MR/HR
		STA.NO.	E15		
RT. 262 AND RT. 83		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	288		DEG-T
430543 3MILE	DATE- 79 07 15 1101	STA.NO.	W10		
SIZE-		EXP-CLO	0.01		MR/HR
		DISTANCE	6.0		MILES

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RT, 262 AND RT, 177	EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	285		DEG-T
430542 3MILE DATE- 79 07 15 1103	DISTANCE	5,7		MILES
SIZE-	EXP-OPN	0,01		MR/HR
	STA,NO,	W9		
RT, 262 AND BEINHOWER	STA,NO,	W8		
83 1590 043 42 03 82	AZIMUTH	283		DEG-T
430541 3MILE DATE- 79 07 15 1104	EXP-OPN	0,01		MR/HR
SIZE-	EXP-CLD	0,01		MR/HR
	DISTANCE	5,0		MILES
RT, 262 AND HUSK LANE	EXP-OPN	0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	289		DEG-T
430540 3MILE DATE- 79 07 15 1105	STA,NO,	W7		
SIZE-	EXP-CLD	0,01		MR/HR
	DISTANCE	4,4		MILES
RT, 262-CORN HILL RD,	STA,NO,	W6		
83 1590 043 42 03 82	AZIMUTH	295		DEG-T
430539 3MILE DATE- 79 07 15 1107	EXP-OPN	0,01		MR/HR
SIZE-	DISTANCE	3,4		MILES
	EXP-CLD	0,01		MR/HR
RT, 262/CURVE	EXP-OPN	0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	304		DEG-T
430538 3MILE DATE- 79 07 15 1111	DISTANCE	2,55		MILES
SIZE-	EXP-CLD	0,01		MR/HR
	STA,NO,	W5		
RT, 262/RT, 382	EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	300		DEG-T
430537 3MILE DATE- 79 07 15 1112	STA,NO,	W4		
SIZE-	DISTANCE	2,4		MILES
	EXP-OPN	0,01		MR/HR
RT, 262/BRIDGE	EXP-OPN	0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
430536 3MILE DATE- 79 07 15 1114	EXP-CLD	0,01		MR/HR
SIZE-	DISTANCE	1,65		MILES
	STA,NO,	W3		
CENTER OF GOLDSBORO	EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	264		DEG-T
430535 3MILE DATE- 79 07 15 1115	EXP-OPN	0,01		MR/HR
SIZE-	DISTANCE	1,35		MILES
	STA,NO,	W2		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RIVER AND WINEBAGO-GOLDSBORO	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
430534 3MILE DATE- 79 07 15 1116	EXP-CLO	0.01		MR/HR
SIZE-	STA.NO.	W1		
	DISTANCE	1.35		MILES
FRAZER ST, AND RT, 262	DISTANCE	1.35		MILES
83 1590 043 42 03 82	AZIMUTH	256		DEG-T
430544 3MILE DATE- 79 07 15 1117	STA.NO.	W14		
SIZE-	EXP-CLO	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
WISLER RD, AND RT, 262	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	248		DEG-T
430545 3MILE DATE- 79 07 15 1118	STA.NO.	W15		
SIZE-	EXP-CLO	0.01		MR/HR
	DISTANCE	1.40		MILES
MIDWAY RD, AND RT, 262	EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	235		DEG-T
430546 3MILE DATE- 79 07 15 1119	DISTANCE	1.60		MILES
SIZE-	STA.NO.	W16		
	EXP-OPN	0.01		MR/HR
RIVER RD, AND RT, 262	DISTANCE	1.85		MILES
83 1590 043 42 03 82	AZIMUTH	226		DEG-T
430547 3MILE DATE- 79 07 15 1120	STA.NO.	W17		
SIZE-	EXP-CLO	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT, 295/REESER-HILL RD,	DISTANCE	2.2		MILES
83 1590 043 42 03 82	AZIMUTH	197.5		DEG-T
430548 3MILE DATE- 79 07 15 1121	EXP-CLO	0.01		MR/HR
SIZE-	STA.NO.	W18		
	EXP-OPN	0.01		MR/HR
RT, 382 AND RT, 262-BEER RD,	STA.NO.	W19		
83 1590 043 42 03 82	AZIMUTH	192		DEG-T
430549 3MILE DATE- 79 07 15 1123	EXP-CLO	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	2.8		MILES
RT, 382 AND RT, 181-YORK HAVEN	DISTANCE	3.15		MILES
83 1590 043 42 03 82	AZIMUTH	171		DEG-T
430550 3MILE DATE- 79 07 15 1125	STA.NO.	W20		
SIZE-	EXP-OPN	0.01		MR/HR
	EXP-CLO	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
NORTH END BRUNNERS ISL.		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	167		DEG-T
430551 3MILE	DATE- 79 07 15 1126	DISTANCE	3.25		MILES
SIZE-		EXP-CLO	0.01		MR/HR
		STA.NO.	M21		
SOUTH UNION AND RT. 441		STA.NO.	E1		
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
430565 3MILE	DATE- 79 07 15 1432	EXP-CLO	0.01		MR/HR
SIZE-		EXP-OPN	0.01		MR/HR
		DISTANCE	2.50		MILES
BURD STREET AND RT. 441		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
430566 3MILE	DATE- 79 07 15 1433	DISTANCE	2.35		MILES
SIZE-		STA.NO.	E2		
		EXP-CLO	0.01		MR/HR
RAILROAD CROSSING AND RT. 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
430567 3MILE	DATE- 79 07 15 1434	STA.NO.	E3		
SIZE-		EXP-CLO	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
430568 3MILE	DATE- 79 07 15 1436	EXP-OPN	0.01		MR/HR
SIZE-		EXP-CLO	0.01		MR/HR
		STA.NO.	E4		
NORTH GATE AND RT. 441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		AZIMUTH	25.0		DEG-T
430569 3MILE	DATE- 79 07 15 1450	EXP-OPN	0.01		MR/HR
SIZE-		EXP-CLO	0.01		MR/HR
		STA.NO.	E16		
LAUREL RD AND RT. 441		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
430570 3MILE	DATE- 79 07 15 1451	STA.NO.	E6		
SIZE-		DISTANCE	0.45		MILES
		EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441		STA.NO.	E7		
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
430571 3MILE	DATE- 79 07 15 1452	EXP-OPN	0.01		MR/HR
SIZE-		DISTANCE	0.39		MILES
		EXP-CLO	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER AND RT, 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430572 3MILE DATE- 79 07 15 1452	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E9		
ACCESS RD SUBSTATION PARKING AND RT, 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430573 3MILE DATE- 79 07 15 1453	DISTANCE	0.45		MILES
SIZE-	STA.NO.	E9		
	EXP-CLD	0.01		MR/HR
RED MILL PLAZA AND RT, 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430574 3MILE DATE- 79 07 15 1454	EXP-OPN	0.01		MR/HR
SIZE-	EXP-CLD	0.01		MR/HR
	STA.NO.	E10		
ENGLE RD AND RT, 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430575 3MILE DATE- 79 07 15 1455	STA.NO.	E11		
SIZE-	DISTANCE	1.15		MILES
	EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT, 441	STA.NO.	E12		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430576 3MILE DATE- 79 07 15 1456	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	DISTANCE	1.60		MILES
FALMOUTH RD AND RT, 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430577 3MILE DATE- 79 07 15 1457	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	2.30		MILES
	STA.NO.	E13		
COLLINS RD AND RT, 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430578 3MILE DATE- 79 07 15 1458	STA.NO.	E14		
SIZE-	EXP-OPN	0.01		MR/HR
	EXP-CLD	0.01		MR/HR
KEENER RD AND RT, 441	STA.NO.	E15		
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430579 3MILE DATE- 79 07 15 1459	DISTANCE	2.85		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH UNION AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430580 3MILE DATE- 79 07 16 1434	STA.NO.	E1		
SIZE-	DISTANCE	2.50		MILES
	EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430581 3MILE DATE- 79 07 16 1435	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E2		
	DISTANCE	2.50		MILES
RAILROAD CROSSING AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430582 3MILE DATE- 79 07 16 1436	DISTANCE	1.90		MILES
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E3		
RIVERSIDE BOAT SALES AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430583 3MILE DATE- 79 07 16 1437	EXP-CLD	0.01		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA.NO.	E4		
NORTH GATE AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430584 3MILE DATE- 79 07 16 1438	STA.NO.	E16		
SIZE-	DISTANCE	0.70		MILES
	EXP-CLD	0.01		MR/HR
LAUREL RD AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430585 3MILE DATE- 79 07 16 1439	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E6		
	DISTANCE	0.45		MILES
MEADOW LANE AND RT. 441	STA.NO.	E7		
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
430586 3MILE DATE- 79 07 16 1440	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	0.39		MILES
	EXP-CLD	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430587 3MILE DATE- 79 07 16 1441	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	110		DEG-T
	STA.NO.	E8		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD SUBSTATION PARKING AND RT. 441	EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430588 3MILE DATE- 79 07 16 1441	STA.NO.	E9		
SIZE-	DISTANCE	0.45		MILES
	EXP-CLD	0.01		MR/HR
RED HILL PLAZA AND RT. 441	STA.NO.	E10		
83 1590 043 42 03 82	DISTANCE	0.85		MILES
430589 3MILE DATE- 79 07 16 1442	EXP-CLD	0.01		MR/HR
SIZE-	AZIMUTH	127		DEG-T
	EXP-DPN	0.01		MR/HR
ENGLE RD AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430590 3MILE DATE- 79 07 16 1443	STA.NO.	E11		
SIZE-	DISTANCE	1.15		MILES
	EXP-DPN	0.01		MR/HR
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430591 3MILE DATE- 79 07 16 1444	EXP-DPN	0.01		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	EXP-CLD	0.01		MR/HR
FALMOUTH RD AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430592 3MILE DATE- 79 07 16 1445	STA.NO.	E13		
SIZE-	DISTANCE	2.30		MILES
	EXP-DPN	0.01		MR/HR
COLLINS RD AND RT. 441	EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430593 3MILE DATE- 79 07 16 1446	STA.NO.	E14		
SIZE-	DISTANCE	2.50		MILES
	EXP-CLD	0.01		MR/HR
KEENER RD. AND RT. 441	EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430594 3MILE DATE- 79 07 16 1447	EXP-CLD	0.01		MR/HR
SIZE-	DISTANCE	2.85		MILES
	STA.NO.	E15		
KEENER RD AND RT. 441	STA.NO.	E15		
83 1590 043 42 03 82	DISTANCE	2.85		MILES
430609 3MILE DATE- 79 07 17 0926	EXP-CLD	0.01		MR/HR
SIZE-	AZIMUTH	152		DEG-T
	EXP-DPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT. 441	EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
430608 3MILE DATE- 79 07 17 0928	EXP-CLD	0.01		MR/HR
SIZE-	AZIMUTH	160		DEG-T
	STA.NO.	E14		
FALMOUTH RD AND RT. 441	STA.NO.	E13		
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430607 3MILE DATE- 79 07 17 0929	EXP-DPN	0.01		MR/HR
SIZE-	DISTANCE	2.30		MILES
	EXP-CLD	0.01		MR/HR
SOUTH GATE AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430606 3MILE DATE- 79 07 17 0930	STA.NO.	E12		
SIZE-	DISTANCE	1.60		MILES
	EXP-DPN	0.01		MR/HR
EAGLE RD. AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430605 3MILE DATE- 79 07 17 0931	EXP-DPN	0.01		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA.NO.	E11		
RED HILL PLAZA AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430604 3MILE DATE- 79 07 17 0932	EXP-DPN	0.01		MR/HR
SIZE-	DISTANCE	0.85		MILES
	STA.NO.	E10		
ACCESS RD SUBSTATION PARKING AND RT. 441	EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430603 3MILE DATE- 79 07 17 0933	STA.NO.	E9		
SIZE-	AZIMUTH	130		DEG-T
	EXP-CLD	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430602 3MILE DATE- 79 07 17 0934	STA.NO.	E8		
SIZE-	DISTANCE	0.40		MILES
	EXP-DPN	0.01		MR/HR
MEADOW LANE AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.39		MILES
430601 3MILE DATE- 79 07 17 0935	EXP-DPN	0.01		MR/HR
SIZE-	AZIMUTH	88.0		DEG-T
	STA.NO.	E7		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430600 3MILE DATE- 79 07 17 0936	STA.NO.	E6		
SIZE-	DISTANCE	0.45		MILES
	EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.70		MILES
430599 3MILE DATE- 79 07 17 0937	STA.NO.	E16		
SIZE-	AZIMUTH	25		DEG-T
	EXP-CLD	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430598 3MILE DATE- 79 07 17 0938	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA.NO.	E4		
RAILROAD CROSSING AND RT. 441	STA.NO.	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430597 3MILE DATE- 79 07 17 0939	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	1.90		MILES
	EXP-CLD	0.01		MR/HR
BURD STREET AND RT. 441	STA.NO.	E2		
83 1590 043 42 03 82	DISTANCE	2.35		MILES
430596 3MILE DATE- 79 07 17 0942	EXP-CLD	0.01		MR/HR
SIZE-	AZIMUTH	354		DEG-T
	EXP-OPN	0.01		MR/HR
SOUTH UNION AND RT. 441	STA.NO.	E1		
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430595 3MILE DATE- 79 07 17 0944	EXP-CLD	0.01		MR/HR
SIZE-	DISTANCE	2.50		MILES
	EXP-OPN	0.01		MR/HR
SOUTH UNION AND RT. 441	STA.NO.	E1		
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430610 3MILE DATE- 79 07 17 1527	EXP-CLD	0.01		MR/HR
SIZE-	DISTANCE	2.50		MILES
	EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441	STA.NO.	E2		
83 1590 043 42 03 82	DISTANCE	2.35		MILES
430611 3MILE DATE- 79 07 17 1528	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	354		DEG-T
	EXP-CLD	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RAILROAD CROSSING AND RT, 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430612 3MILE DATE- 79 07 17 1529	STA.NO.	E3		
SIZE-	DISTANCE	1.90		MILES
	EXP-DPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441	EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430613 3MILE DATE- 79 07 17 1531	EXP-CLD	0.01		MR/HR
SIZE-	DISTANCE	1.15		MILES
	STA.NO.	E4		
NORTH GATE AND RT, 441	EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430614 3MILE DATE- 79 07 17 1532	STA.NO.	E16		
SIZE-	DISTANCE	0.70		MILES
	EXP-CLD	0.01		MR/HR
LAUREL RD AND RT, 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430615 3MILE DATE- 79 07 17 1533	STA.NO.	E6		
SIZE-	DISTANCE	0.45		MILES
	EXP-DPN	0.01		MR/HR
MEADOW LANE AND RT, 441	STA.NO.	E7		
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
430616 3MILE DATE- 79 07 17 1533	EXP-DPN	0.01		MR/HR
SIZE-	DISTANCE	0.39		MILES
	EXP-CLD	0.01		MR/HR
TMI OBSERVATION CENTER AND RT, 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430617 3MILE DATE- 79 07 17 1534	EXP-DPP	0.01		MR/HR
SIZE-	DISTANCE	0.40		MILES
	STA.NO.	E8		
ACCESS RD SUBSTATION PARKING AND RT, 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430618 3MILE DATE- 79 07 17 1535	STA.NO.	E9		
SIZE-	DISTANCE	0.45		MILES
	EXP-DPN	0.01		MR/HR
RED HILL PLAZA AND RT, 441	EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.85		MILES
430619 3MILE DATE- 79 07 17 1536	STA.NO.	E10		
SIZE-	AZIMUTH	127		DEG-T
	EXP-CLD	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT. 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
430620 3MILE	DATE- 79 07 17 1537	STA.NO.	E11		
SIZE-		DISTANCE	1.15		MILES
		EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	1.60		MILES
430621 3MILE	DATE- 79 07 17 1538	STA.NO.	E12		
SIZE-		AZIMUTH	160		DEG-T
		EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT. 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430622 3MILE	DATE- 79 07 17 1539	STA.NO.	E11		
SIZE-		DISTANCE	2.30		MILES
		EXP-OPN	0.01		MR/HR
COLLINS RD AND RT. 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430623 3MILE	DATE- 79 07 17 1540	EXP-OPN	0.01		MR/HR
SIZE-		AZIMUTH	160		DEG-T
		STA.NO.	E14		
KEENER RD AND RT. 441		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	2.85		MILES
430624 3MILE	DATE- 79 07 17 1541	EXP-CLD	0.01		MR/HR
SIZE-		AZIMUTH	152		DEG-T
		STA.NO.	E15		
KEENER RD AND RT. 441		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430638 3MILE	DATE- 79 07 18 0933	EXP-CLD	0.01		MR/HR
SIZE-		DISTANCE	2.85		MILES
		STA.NO.	E15		
COLLINS RD AND RT. 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430637 3MILE	DATE- 79 07 18 0935	STA.NO.	E14		
SIZE-		DISTANCE	2.50		MILES
		EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT. 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430636 3MILE	DATE- 79 07 18 0936	STA.NO.	E13		
SIZE-		DISTANCE	2.30		MILES
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT. 441		EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430635 3MILE	DATE- 79 07 18 0937	STA.NO.	E12		
SIZE-		DISTANCE	1.60		MILES
		EXP-CLD	0.01		MR/HR
ENGLE RD AND RT. 441		EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
430634 3MILE	DATE- 79 07 18 0938	STA.NO.	E11		
SIZE-		DISTANCE	1.15		MILES
		EXP-CLD	0.01		MR/HR
RED HILL PLAZA AND RT. 441		EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
430633 3MILE	DATE- 79 07 18 0939	STA.NO.	E10		
SIZE-		DISTANCE	0.85		MILES
		EXP-CLD	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441		EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
430632 3MILE	DATE- 79 07 18 0940	EXP-CLD	0.01		MR/HR
SIZE-		DISTANCE	0.45		MILES
		STA.NO.	E9		
MEADOW LANE AND RT. 441		EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	0.39		MILES
430631 3MILE	DATE- 79 07 18 0941	STA.NO.	E7		
SIZE-		AZIMUTH	88.0		DEG-T
		EXP-CLD	0.01		MR/HR
LAUREL RD AND RT. 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
430630 3MILE	DATE- 79 07 18 0942	STA.NO.	E6		
SIZE-		DISTANCE	0.40		MILES
		EXP-DPN	0.01		MR/HR
NORTH GATE AND RT. 441		EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	0.70		MILES
430629 3MILE	DATE- 79 07 18 0943	EXP-CLD	0.01		MR/HR
SIZE-		AZIMUTH	25		DEG-T
		STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT. 441		STA.NO.	E4		
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
430628 3MILE	DATE- 79 07 18 0944	EXP-CLD	0.01		MR/HR
SIZE-		DISTANCE	1.15		MILES
		EXP-DPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RAILROAD CROSSING AND RT, 441		STA,NO,	E3		
83 1590 043 42 03 82		DISTANCE	1,90		MILES
430627 3MILE	DATE- 79 07 18 0945	EXP-CLD	0,01		MR/HR
SIZE-		AZIMUTH	360		DEG-T
		EXP-OPN	0,01		MR/HR
BURD STREET AND RT, 441		STA,NO,	E2		
83 1590 043 42 03 82		DISTANCE	2,35		MILES
430626 3MILE	DATE- 79 07 18 0946	EXP-CLD	0,01		MR/HR
SIZE-		AZIMUTH	354		DEG-T
		EXP-OPN	0,01		MR/HR
SOUTH UNION AND RT, 441		STA,NO,	E1		
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
430625 3MILE	DATE- 79 07 18 0947	EXP-CLD	0,01		MR/HR
SIZE-		DISTANCE	2,50		MILES
		EXP-OPN	0,01		MR/HR
KEENER RD AND RT, 441		EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430652 3MILE	DATE- 79 07 18 1340	EXP-OPN	0,01		MR/HR
SIZE-		DISTANCE	2,85		MILES
COLLINS RD AND RT, 441		STA,NO,	E14		
83 1590 043 42 03 82		DISTANCE	2,50		MILES
430651 3MILE	DATE- 79 07 18 1341	EXP-CLD	0,01		MR/HR
SIZE-		AZIMUTH	160		DEG-T
		EXP-OPN	0,01		MR/HR
FALMOUTH RD AND RT, 441		EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82		AZIMUTH	162,5		DEG-T
430650 3MILE	DATE- 79 07 18 1342	EXP-OPN	0,01		MR/HR
SIZE-		DISTANCE	2,30		MILES
		STA,NO,	E13		
SOUTH GATE AND RT, 441		STA,NO,	E12		
83 1590 043 42 03 82		DISTANCE	1,60		MILES
430649 3MILE	DATE- 79 07 18 1343	EXP-CLD	0,01		MR/HR
SIZE-		AZIMUTH	160		DEG-T
		EXP-OPN	0,01		MR/HR
ENGLE RD AND RT, 441		EXP-OPN	0,01		MR/HR
83 1590 043 42 03 82		DISTANCE	1,15		MILES
430648 3MILE	DATE- 79 07 18 1344	STA,NO,	E11		
SIZE-		AZIMUTH	153		DEG-T
		EXP-CLD	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT, 441	EXP-OPN	0,01		MR/HR
83 1590 043 42 03 82	DISTANCE	0,85		MILES
430647 3MILE DATE- 79 07 18 1345	EXP-CLD	0,01		MR/HR
SIZE-	AZIMUTH	127		DEG-T
	STA,NO,	E10		
ACCESS RD SUBSTATION PARKING AND RT, 441	EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82	DISTANCE	0,45		MILES
430646 3MILE DATE- 79 07 18 1346	STA,NO,	E9		
SIZE-	AZIMUTH	130		DEG-T
	EXP-OPN	0,01		MR/HR
TMI OBSERVATION CENTER AND RT, 441	EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430645 3MILE DATE- 79 07 18 1347	EXP-OPN	0,01		MR/HR
SIZE-	DISTANCE	0,40		MILES
	STA,NO,	E8		
LAUREL RD AND RT, 441	EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82	DISTANCE	0,45		MILES
430644 3MILE DATE- 79 07 18 1348	STA,NO,	E6		
SIZE-	AZIMUTH	58,5		DEG-T
	EXP-OPN	0,01		MR/HR
NORTH GATE AND RT, 441	STA,NO,	E16		
83 1590 043 42 03 82	DISTANCE	0,70		MILES
430643 3MILE DATE- 79 07 18 1349	EXP-OPN	0,01		MR/HR
SIZE-	AZIMUTH	25,0		DEG-T
	EXP-CLD	0,01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441	EXP-OPN	0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	7,0		DEG-T
430642 3MILE DATE- 79 07 18 1350	STA,NO,	E4		
SIZE-	DISTANCE	1,15		MILES
	EXP-CLD	0,01		MR/HR
RAILROAD CROSSING AND RT, 441	STA,NO,	E3		
83 1590 043 42 03 82	DISTANCE	1,90		MILES
430641 3MILE DATE- 79 07 18 1351	EXP-OPN	0,01		MR/HR
SIZE-	AZIMUTH	360		DEG-T
	EXP-CLD	0,01		MR/HR
BURD STREET AND RT, 441	EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430640 3MILE DATE- 79 07 18 1352	EXP-OPN	0,01		MR/HR
SIZE-	DISTANCE	2,35		MILES
	STA,NO,	E2		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16				
		ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT, 441		STA,NO,	E1		
83 1590 043 42 03 82		DISTANCE	2,50		MILES
430639 3MILE	DATE- 79 07 18 1353	EXP-DPN	0,01		MR/HR
SIZE-		AZIMUTH	352		DEG-T
		EXP-CLD	0,01		MR/HR
RT, 262 AND RT, 83		EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82		AZIMUTH	288		DEG-T
430677 3MILE	DATE- 79 07 19 0940	EXP-DPN	0,01		MR/HR
SIZE-		DISTANCE	6,0		MILES
		STA,NO,	W10		
RT, 262 AND RT, 177		EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82		STA,NO,	W9		
430676 3MILE	DATE- 79 07 19 0941	EXP-DPN	0,01		MR/HR
SIZE-		DISTANCE	5,7		MILES
		AZIMUTH	285		DEG-T
RT, 262 AND REINHOWER		EXP-DPN	0,01		MR/HR
83 1590 043 42 03 82		AZIMUTH	283		DEG-T
430675 3MILE	DATE- 79 07 19 0942	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	W8		
		DISTANCE	5,0		MILES
RT, 262 AND HUSK LANE		EXP-DPN	0,01		MR/HR
83 1590 043 42 03 82		STA,NO,	W7		
430674 3MILE	DATE- 79 07 19 0944	EXP-CLD	0,01		MR/HR
SIZE-		DISTANCE	4,4		MILES
		AZIMUTH	289		DEG-T
RT, 262-CORN HILL RD		EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82		AZIMUTH	295		DEG-T
430673 3MILE	DATE- 79 07 19 0945	EXP-DPN	0,01		MR/HR
SIZE-		STA,NO,	W6		
		DISTANCE	3,4		MILES
RT, 262-CURVE		EXP-CLD	0,01		MR/HR
83 1590 043 42 03 82		AZIMUTH	304		DEG-T
430672 3MILE	DATE- 79 07 19 0949	EXP-DPN	0,01		MR/HR
SIZE-		STA,NO,	W5		
		DISTANCE	2,55		MILES
RT, 262-RT, 392		EXP-DPN	0,01		MR/HR
83 1590 043 42 03 82		DISTANCE	2,4		MILES
430671 3MILE	DATE- 79 07 19 0950	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	W4		
		AZIMUTH	300		DEG-T

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16				
	ANALYSIS	RESULT	2SIGMA	UNITS
RT, 262-BRIDGE	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.65		MILES
430670 3MILE DATE- 79 07 19 0952	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	268		DEG-T
	STA.NO.	W3		
CENTER OF GOLDSBORO	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	264		DEG-T
430669 3MILE DATE- 79 07 19 0953	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	1.35		MILES
	STA.NO.	W2		
RIVER AND WINEBAGO-GOLDSBORO	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.35		MILES
430668 3MILE DATE- 79 07 19 0954	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	268		DEG-T
	STA.NO.	W1		
FRAZER ST, AND RT, 262	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.35		MILES
430678 3MILE DATE- 79 07 19 0955	EXP-CLD	0.01		MR/HR
SIZE-	AZIMUTH	256		DEG-T
	STA.NO.	W14		
WISLER RDAND RT, 262	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	248		DEG-T
430679 3MILE DATE- 79 07 19 0956	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	1.4		MILES
	STA.NO.	W15		
MIDWAY RD AND RT, 262	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	235		DEG-T
430680 3MILE DATE- 79 07 19 0957	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	W16		
	DISTANCE	1.6		MILES
RIVER RD AND RT, 262	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	226		DEG-T
430681 3MILE DATE- 79 07 19 0958	EXP-OPN	0.01		MR/HR
SIZE-	STA.NO.	W17		
	DISTANCE	1.85		MILES
RT, 295-REESER-HILL RD	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	2.20		MILES
430682 3MILE DATE- 79 07 19 1000	EXP-CLD	0.01		MR/HR
SIZE-	AZIMUTH	197.5		DEG-T
	STA.NO.	W18		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RT. 382 AND RT. 262-BEER RD.		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	2.8		MILES
430683 3MILE	DATE- 79 07 19 1001	EXP-OPN	0.01		MR/HR
SIZE-		STA.NO.	W19		
		AZIMUTH	192		DEG-T
RT. 382 AND RT. 181-YORK HAVEN		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	W20		
430684 3MILE	DATE- 79 07 19 1003	EXP-CLD	0.01		MR/HR
SIZE-		DISTANCE	3.15		MILES
		AZIMUTH	171		DEG-T
NORTH END BRUNNERS ISL.		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	3.25		MILES
430685 3MILE	DATE- 79 07 19 1004	EXP-OPN	0.01		MR/HR
SIZE-		AZIMUTH	167		DEG-T
		STA.NO.	W21		
KEENER RD AND RT. 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430667 3MILE	DATE- 79 07 19 1206	EXP-OPN	0.01		MR/HR
SIZE-		DISTANCE	2.85		MILES
		STA.NO.	E15		
COLLINS RD AND RT. 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	E14		
430666 3MILE	DATE- 79 07 19 1212	EXP-OPN	0.01		MR/HR
SIZE-		DISTANCE	2.50		MILES
		AZIMUTH	160		DEG-T
FALMOUTH RD AND RT. 441		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430665 3MILE	DATE- 79 07 19 1214	EXP-CLD	0.01		MR/HR
SIZE-		DISTANCE	2.30		MILES
		STA.NO.	E13		
SOUTH GATE AND RT. 441		EXP-CLD	0.02		MR/HR
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430664 3MILE	DATE- 79 07 19 1215	EXP-OPN	0.02		MR/HR
SIZE-		DISTANCE	1.60		MILES
		STA.NO.	E12		
ENGLE RD AND RT. 441		EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	E11		
430663 3MILE	DATE- 79 07 19 1216	EXP-OPN	0.01		MR/HR
SIZE-		DISTANCE	1.15		MILES
		AZIMUTH	153		DEG-T

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430662 3MILE DATE- 79 07 19 1218	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	0.85		MILES
	STA.NO.	E10		
ACCESS RD SUBSTATION PARKING AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430661 3MILE DATE- 79 07 19 1220	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	130		DEG-T
	STA.NO.	E9		
TMI OBSERVATION CENTER AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430660 3MILE DATE- 79 07 19 1221	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E8		
	DISTANCE	0.40		MILES
MEADOW LANE AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	0.39		MILES
430659 3MILE DATE- 79 07 19 1222	EXP-OPN	0.01		MR/HR
SIZE-	STA.NO.	E7		
	AZIMUTH	98.0		DEG-T
LAUREL RD AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430658 3MILE DATE- 79 07 19 1223	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	0.45		MILES
	STA.NO.	E6		
NORTH GATE AND RT. 441	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430657 3MILE DATE- 79 07 19 1224	EXP-CLD	0.01		MR/HR
SIZE-	DISTANCE	0.70		MILES
	STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430656 3MILE DATE- 79 07 19 1226	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	7.0		DEG-T
	STA.NO.	E4		
RAILROAD CROSSING AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430655 3MILE DATE- 79 07 19 1227	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	1.90		MILES
	STA.NO.	E3		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT. 441	STA.NO.	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430654 3MILE DATE- 79 07 19 1229	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	2.35		MILES
	EXP-CLD	0.01		MR/HR
SOUTH UNION AND RT. 441	EXP-OPN	0.02		MR/HR
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430653 3MILE DATE- 79 07 19 1230	STA.NO.	E1		
SIZE-	DISTANCE	2.50		MILES
	EXP-CLD	0.02		MR/HR
RT. 262 AND RT. 83	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	W10		
430695 3MILE DATE- 79 07 20 1020	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	6.0		MILES
	AZIMUTH	288		DEG-T
RT. 262 AND RT. 177	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	W9		
430694 3MILE DATE- 79 07 20 1023	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	285		DEG-T
	DISTANCE	5.7		MILES
RT. 262 AND EISNHOWER	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	5.0		MILES
430693 3MILE DATE- 79 07 20 1025	EXP-CLD	0.01		MR/HR
SIZE-	AZIMUTH	283		DEG-T
	STA.NO.	W8		
RT. 262 AND HUSK LANE	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	4.4		MILES
430692 3MILE DATE- 79 07 20 1026	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	289		DEG-T
	STA.NO.	W7		
RT. 262-CORN HILL RD	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	3.4		MILES
430691 3MILE DATE- 79 07 20 1028	EXP-OPN	0.01		MR/HR
SIZE-	STA.NO.	W6		
	AZIMUTH	295		DEG-T
RT. 262-CURVE	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	2.55		MILES
430690 3MILE DATE- 79 07 20 1034	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	304		DEG-T
	STA.NO.	W5		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RT. 262-RT. 392		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	300		DEG-T
430689 3MILE	DATE- 79 07 20 1035	EXP-CLO	0.01		MR/HR
SIZE-		DISTANCE	2.4		MILES
		STA.NO.	W4		
RT. 262-BRIDGE		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	268		DEG-T
430688 3MILE	DATE- 79 07 20 1038	EXP-OPN	0.01		MR/HR
SIZE-		STA.NO.	W3		
		DISTANCE	1.65		MILES
CENTER OF GOLDSBORO		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	264		DEG-T
430687 3MILE	DATE- 79 07 20 1039	EXP-OPN	0.01		MR/HR
SIZE-		STA.NO.	W2		
		DISTANCE	1.35		MILES
RIVER AND WINEBAGO-GOLDSBORO		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	W1		
430686 3MILE	DATE- 79 07 20 1040	EXP-CLO	0.01		MR/HR
SIZE-		DISTANCE	1.35		MILES
		AZIMUTH	268		DEG-T
FRAZER ST. AND RT. 262		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	1.35		MILES
430696 3MILE	DATE- 79 07 20 1041	EXP-OPN	0.01		MR/HR
SIZE-		AZIMUTH	256		DEG-T
		STA.NO.	W14		
WISLER RD. AND RT. 262		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	1.4		MILES
430697 3MILE	DATE- 79 07 20 1043	EXP-CLO	0.01		MR/HR
SIZE-		AZIMUTH	248		DEG-T
		STA.NO.	W15		
MIDWAY RD. AND RT. 262		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	1.6		MILES
430698 3MILE	DATE- 79 07 20 1045	EXP-OPN	0.01		MR/HR
SIZE-		AZIMUTH	235		DEG-T
		STA.NO.	W16		
RIVER RD. AND RT. 262		EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82		AZIMUTH	266		DEG-T
430699 3MILE	DATE- 79 07 20 1045	EXP-CLO	0.01		MR/HR
SIZE-		DISTANCE	1.85		MILES
		STA.NO.	W17		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RT. 295-REESER-HILL RD.	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	W18		
430700 3MILE DATE- 79 07 20 1048	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	197.5		DEG-T
	DISTANCE	2.20		MILES
RT. 382 AND RT. 262-BEER RD.	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	192		DEG-T
430701 3MILE DATE- 79 07 20 1049	EXP-CLD	0.01		MR/HR
SIZE-	DISTANCE	2.8		MILES
	STA.NO.	W19		
RT. 382 AND RT. 181-YORK HAVEN	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	W20		
430702 3MILE DATE- 79 07 20 1052	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	171		DEG-T
	DISTANCE	3.15		MILES
NORTH END BRUNNERS ISL.	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	3.25		MILES
430703 3MILE DATE- 79 07 20 1054	EXP-CLD	0.01		MR/HR
SIZE-	AZIMUTH	167		DEG-T
	STA.NO.	W21		
RIVERSIDE BOAT SALES AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	EXP-OPN	0.01		MR/HR
430725 3MILE DATE- 79 07 20 1352	STA.NO.	E4		
SIZE-	DISTANCE	1.15		MILES
	AZIMUTH	7.0		DEG-T
RAILROAD CROSSING AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	EXP-OPN	0.01		MR/HR
430724 3MILE DATE- 79 07 20 1354	STA.NO.	E3		
SIZE-	AZIMUTH	360		DEG-T
	DISTANCE	1.90		MILES
BURD STREET AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430723 3MILE DATE- 79 07 20 1355	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	2.35		MILES
	STA.NO.	E2		
SOUTH UNION AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	2.50		MILES
430722 3MILE DATE- 79 07 20 1356	AZIMUTH	352		DEG-T
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E1		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	EXP-OPN	0.01		MR/HR
430726 3MILE DATE- 79 07 20 1401	AZIMUTH	25		DEG-T
SIZE-	STA.NO.	E16		
	DISTANCE	0.70		MILES
LAUREL RD AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430727 3MILE DATE- 79 07 20 1402	DISTANCE	0.45		MILES
SIZE-	STA.NO.	E6		
	EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
430728 3MILE DATE- 79 07 20 1403	STA.NO.	E7		
SIZE-	DISTANCE	0.39		MILES
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	E8		
430729 3MILE DATE- 79 07 20 1404	DISTANCE	0.40		MILES
SIZE-	EXP-OPN	0.01		MR/HR
	AZIMUTH	110		DEG-T
ACCESS RD SUBSTATION PARKING AND RT. 441	AZIMUTH	130		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430730 3MILE DATE- 79 07 20 1405	STA.NO.	E9		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430731 3MILE DATE- 79 07 20 1406	STA.NO.	E10		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430732 3MILE DATE- 79 07 20 1407	STA.NO.	E11		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	STA.NO.	E12		
430733 3MILE DATE- 79 07 20 1409	AZIMUTH	160		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD AND RT. 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	DISTANCE	2.30		MILES
430734 3MILE DATE- 79 07 20 1410	STA.NO.	E13		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430735 3MILE DATE- 79 07 20 1411	STA.NO.	E14		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
KEENER RD AND RT. 441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	STA.NO.	E15		
430736 3MILE DATE- 79 07 20 1412	AZIMUTH	152		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
RT. 262 AND RT. 83	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	6.0		MILES
430713 3MILE DATE- 79 07 21 1101	EXP-DPN	0.01		MR/HR
SIZE-	AZIMUTH	288		DEG-T
	STA.NO.	W10		
RT. 262 AND RT. 177	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	W9		
430712 3MILE DATE- 79 07 21 1102	EXP-DPN	0.01		MR/HR
SIZE-.	DISTANCE	5.7		MILES
	AZIMUTH	285		DEG-T
RT. 262 AND BEINHOWER	EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	283		DEG-T
430711 3MILE DATE- 79 07 21 1104	EXP-CLD	0.01		MR/HR
SIZE-	DISTANCE	5.0		MILES
	STA.NO.	W8		
RT. 262 AND HUSK LANE	EXP-CLD	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	4.4		MILES
430710 3MILE DATE- 79 07 21 1106	EXP-DPN	0.01		MR/HR
SIZE-	AZIMUTH	289		DEG-T
	STA.NO.	W7		
RT. 262-CORN HILL RD	EXP-DPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	295		DEG-T
430709 3MILE DATE- 79 07 21 1108	EXP-CLD	0.01		MR/HR
SIZE-	DISTANCE	3.4		MILES
	STA.NO.	W6		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RT. 262-CURVE	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	304		DEG-T
430708 3MILE DATE- 79 07 21 1111	EXP-CLO	0.01		MR/HR
SIZE-	DISTANCE	2.55		MILES
	STA.NO.	W5		
RT. 262-RT. 382	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	2.4		MILES
430707 3MILE DATE- 79 07 21 1114	EXP-CLO	0.01		MR/HR
SIZE-	STA.NO.	W4		
	AZIMUTH	300		DEG-T
RT. 262-BRIDGE	EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.65		MILES
430706 3MILE DATE- 79 07 21 1115	EXP-OPN	0.01		MR/HR
SIZE-	AZIMUTH	268		DEG-T
	STA.NO.	W3		
CENTER OF GOLDSBORO	EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.35		MILES
430705 3MILE DATE- 79 07 21 1116	EXP-OPN	0.01		MR/HR
SIZE-	STA.NO.	W2		
	AZIMUTH	264		DEG-T
RIVER AND WINEBAGO-GOLDSBORO	EXP-OPN	0.01		MR/HR
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
430704 3MILE DATE- 79 07 21 1117	EXP-CLO	0.01		MR/HR
SIZE-	DISTANCE	1.35		MILES
	STA.NO.	W1		
FRAZER ST. AND RT. 262	EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82	STA.NO.	W14		
430714 3MILE DATE- 79 07 21 1121	EXP-OPN	0.01		MR/HR
SIZE-	DISTANCE	1.35		MILES
	AZIMUTH	256		DEG-T
WISLER RD. AND RT. 262	EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.4		MILES
430715 3MILE DATE- 79 07 21 1123	EXP-OPN	0.01		MR/HR
SIZE-	STA.NO.	W15		
	AZIMUTH	248		DEG-T
MIDWAY RD. AND RT. 262	EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82	DISTANCE	1.6		MILES
430716 3MILE DATE- 79 07 21 1124	AZIMUTH	235		DEG-T
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	W16		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
RIVER ROAD AND RT.262		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	1.85		MILES
430717 3MILE	DATE- 79 07 21 1125	EXP-OPN	0.01		MR/HR
SIZE-		STA.NO.	W17		
		AZIMUTH	226		DEG-T
RT. 295-REESER-HILL RD.		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	2.2		MILES
430718 3MILE	DATE- 79 07 21 1127	AZIMUTH	197.5		DEG-T
SIZE-		EXP-OPN	0.01		MR/HR
		STA.NO.	W18		
RT. 382 AND RT. 262-BEER RD.		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		STA.NO.	W19		
430719 3MILE	DATE- 79 07 21 1130	DISTANCE	2.8		MILES
SIZE-		EXP-OPN	0.01		MR/HR
		AZIMUTH	192		DEG-T
RT. 382 AND RT. 181-YORK HAVEN		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	3.15		MILES
430720 3MILE	DATE- 79 07 21 1132	STA.NO.	W20		
SIZE-		AZIMUTH	171		DEG-T
		EXP-OPN	0.01		MR/HR
NORTH END BRUNNERS ISL.		EXP-CLO	0.01		MR/HR
83 1590 043 42 03 82		DISTANCE	3.25		MILES
430721 3MILE	DATE- 79 07 21 1134	EXP-OPN	0.01		MR/HR
SIZE-		STA.NO.	W21		
		AZIMUTH	167		DEG-T
RIVERSIDE BOAT SALES AND RT. 441		STA.NO.	E4		
83 1590 043 42 03 82		DISTANCE	1.15		MILES
430740 3MILE	DATE- 79 07 21 1338	AZIMUTH	7.0		DEG-T
SIZE-		EXP-CLO	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		STA.NO.	E3		
430739 3MILE	DATE- 79 07 21 1340	DISTANCE	1.90		MILES
SIZE-		EXP-CLO	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441		STA.NO.	E2		
83 1590 043 42 03 82		DISTANCE	2.35		MILES
430738 3MILE	DATE- 79 07 21 1342	AZIMUTH	354		DEG-T
SIZE-		EXP-CLO	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH UNION AND RT, 441	STA,NO,	E1		
83 1590 043 42 03 82	DISTANCE	2,50		MILES
430737 3MILE DATE- 79 07 21 1343	AZIMUTH	352		DEG-T
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-DPN	0,01		MR/HR
NORTH GATE AND RT, 441	DISTANCE	0,70		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430741 3MILE DATE- 79 07 21 1348	STA,NO,	E16		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-DPN	0,01		MR/HR
LAUREL RD AND RT, 441	AZIMUTH	58,5		DEG-T
83 1590 043 42 03 82	STA,NO,	E6		
430742 3MILE DATE- 79 07 21 1349	DISTANCE	0,45		MILES
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-DPN	0,01		MR/HR
MEADOW LANE AND RT, 441	STA,NO,	E7		
83 1590 043 42 03 82	AZIMUTH	88,0		DEG-T
430743 3MILE DATE- 79 07 21 1351	DISTANCE	0,39		MILES
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-DPN	0,01		MR/HR
RED HILL PLAZA AND RT, 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	DISTANCE	0,85		MILES
430746 3MILE DATE- 79 07 21 1402	STA,NO,	E10		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-DPN	0,01		MR/HR
ENGLE RD AND RT, 441	DISTANCE	1,15		MILES
83 1590 043 42 03 82	STA,NO,	E11		
430747 3MILE DATE- 79 07 21 1404	AZIMUTH	153		DEG-T
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-DPN	0,01		MR/HR
SOUTH GATE AND RT, 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	1,60		MILES
430748 3MILE DATE- 79 07 21 1405	STA,NO,	E12		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-DPN	0,01		MR/HR
FALMOUTH RD AND RT, 441	AZIMUTH	162,5		DEG-T
83 1590 043 42 03 82	DISTANCE	2,30		MILES
430749 3MILE DATE- 79 07 21 1407	STA,NO,	E13		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-DPN	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT, 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		STA.NO.	E14		
430750 3MILE	DATE- 79 07 21 1408	AZIMUTH	160		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
KEENER RD AND RT, 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430751 3MILE	DATE- 79 07 21 1409	STA.NO.	E15		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT, 441		STA.NO.	E9		
83 1590 043 42 03 82		DISTANCE	0.45		MILES
430745 3MILE	DATE- 79 07 21 1415	AZIMUTH	130		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT, 441		AZIMUTH	110		DEG-T
83 1590 043 42 03 82		STA.NO.	E8		
430744 3MILE	DATE- 79 07 21 1416	DISTANCE	0.40		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT,441		DISTANCE	6.0		MILES
83 1590 42 82		AZIMUTH	288		DEG-T
430761 3MILE	DATE- 79 07 22 1010	STA.NO.	W10		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RT, 262 AND RT, 177		STA.NO.	W9		
83 1590 043 42 03 82		AZIMUTH	285		DEG-T
430760 3MILE	DATE- 79 07 22 1012	DISTANCE	5.7		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RT, 262 AND BEINHOWER		DISTANCE	5.0		MILES
83 1590 043 42 03 82		AZIMUTH	283		DEG-T
430759 3MILE	DATE- 79 07 22 1014	STA.NO.	W8		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RT, 262 AND HUSK LANE		STA.NO.	W7		
83 1590 043 42 03 82		AZIMUTH	289		DEG-T
430758 3MILE	DATE- 79 07 22 1015	DISTANCE	4.4		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RT. 262-CORN HILL RD.	STA.NO.	W6		
83 1590 043 42 03 82	AZIMUTH	295		DEG-T
430757 3MILE DATE- 79 07 22 1020	DISTANCE	3.4		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-CURVE	STA.NO.	W5		
83 1590 043 42 03 82	AZIMUTH	304		DEG-T
430756 3MILE DATE- 79 07 22 1030	DISTANCE	2.55		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-RT. 382	STA.NO.	W4		
83 1590 043 42 03 82	AZIMUTH	300		DEG-T
430755 3MILE DATE- 79 07 22 1032	DISTANCE	2.4		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-BRIDGE	DISTANCE	1.65		MILES
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
430754 3MILE DATE- 79 07 22 1035	STA.NO.	W3		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
CENTER OF GOLDSBORO	STA.NO.	W2		
83 1590 043 42 03 82	AZIMUTH	264		DEG-T
430753 3MILE DATE- 79 07 22 1038	DISTANCE	1.35		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RIVER AND WINEBAGO-GOLDSBORO	DISTANCE	1.35		MILES
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
430752 3MILE DATE- 79 07 22 1039	STA.NO.	W1		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
FRAZER ST. AND RT. 441	STA.NO.	W14		
83 1590 043 42 03 82	AZIMUTH	256		DEG-T
430762 3MILE DATE- 79 07 22 1042	DISTANCE	1.35		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
WISLER RD. AND RT. 262	STA.NO.	W15		
83 1590 043 42 03 82	AZIMUTH	248		DEG-T
430763 3MILE DATE- 79 07 22 1043	DISTANCE	1.40		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16				
	ANALYSIS	RESULT	2SIGMA	UNITS
MIDWAY RD. AND RT. 262	STA.NO.	W16		
83 1590 043 42 03 82	AZIMUTH	235		DEG-T
430764 3MILE DATE- 79 07 22 1044	DISTANCE	1.60		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RIVER RD. AND RT. 262	STA.NO.	W17		
83 1590 043 42 03 82	AZIMUTH	226		DEG-T
430765 3MILE DATE- 79 07 22 1044	DISTANCE	1.85		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 295-REESER-HILL RD.	DISTANCE	2.20		MILES
83 1590 043 42 03 82	AZIMUTH	197.5		DEG-T
430766 3MILE DATE- 79 07 22 1048	STA.NO.	W18		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 382 AND 262-REER RD.	DISTANCE	2.80		MILES
83 1590 043 42 03 82	AZIMUTH	192		DEG-T
430767 3MILE DATE- 79 07 22 1051	STA.NO.	W19		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 382 AND RT. 181-YORK HAVEN	STA.NO.	W20		
83 1590 043 42 03 82	AZIMUTH	171		DEG-T
430768 3MILE DATE- 79 07 22 1054	DISTANCE	3.15		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
NORTH END BRUNNERS ISL.	DISTANCE	3.25		MILES
83 1590 043 42 03 82	AZIMUTH	167		DEG-T
430769 3MILE DATE- 79 07 22 1055	STA.NO.	W21		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430810 3MILE DATE- 79 07 22 1412	DISTANCE	0.70		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430811 3MILE DATE- 79 07 22 1412	STA.NO.	E6		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
430809 3MILE	DATE- 79 07 22 1413	STA.NO.	E4		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441		STA.NO.	E3		
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
430808 3MILE	DATE- 79 07 22 1415	DISTANCE	1.90		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
SOUTH UNION AND RT. 441		STA.NO.	E1		
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
430806 3MILE	DATE- 79 07 22 1416	DISTANCE	2.50		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
430807 3MILE	DATE- 79 07 22 1416	STA.NO.	E2		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	RP.0		DEG-T
430812 3MILE	DATE- 79 07 22 1423	STA.NO.	E7		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
430813 3MILE	DATE- 79 07 22 1424	STA.NO.	E8		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441		STA.NO.	E9		
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
430814 3MILE	DATE- 79 07 22 1425	DISTANCE	0.45		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441		STA.NO.	E10		
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
430815 3MILE	DATE- 79 07 22 1426	DISTANCE	0.85		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430817 3MILE DATE- 79 07 22 1428	DISTANCE	1.60		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430819 3MILE DATE- 79 07 22 1431	STA.NO.	E14		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
KEENER RD AND RT. 441	STA.NO.	E15		
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430820 3MILE DATE- 79 07 22 1432	DISTANCE	2.85		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262 AND RT. 83	DISTANCE	6.0		MILES
83 1590 043 42 03 82	AZIMUTH	288		DEG-T
430779 3MILE DATE- 79 07 23 0920	STA.NO.	W10		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262 AND RT. 177	STA.NO.	W9		
83 1590 043 42 03 82	AZIMUTH	285		DEG-T
430778 3MILE DATE- 79 07 23 0923	DISTANCE	5.7		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262 AND BEINHOWER	STA.NO.	W8		
83 1590 043 42 03 82	AZIMUTH	283		DEG-T
430777 3MILE DATE- 79 07 23 0925	DISTANCE	5.0		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262 AND HUSK LANE	DISTANCE	4.4		MILES
83 1590 043 42 03 82	AZIMUTH	289		DEG-T
430776 3MILE DATE- 79 07 23 0926	STA.NO.	W7		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-CORN HILL RD.	STA.NO.	W6		
83 1590 043 42 03 82	AZIMUTH	295		DEG-T
430775 3MILE DATE- 79 07 23 0928	DISTANCE	3.40		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RT. 262-CURVE	STA.NO.	W5		
83 1590 043 42 03 82	AZIMUTH	304		DEG-T
430774 3MILE DATE- 79 07 23 0932	DISTANCE	2.55		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-RT. 392	DISTANCE	2.4		MILES
83 1590 043 42 03 82	AZIMUTH	300		DEG-T
430773 3MILE DATE- 79 07 23 0934	STA.NO.	W4		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-BRIDGE	DISTANCE	1.65		MILES
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
430772 3MILE DATE- 79 07 23 0937	STA.NO.	W3		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
CENTER OF GOLDSBORO	DISTANCE	1.35		MILES
83 1590 043 42 03 82	AZIMUTH	264		DEG-T
430771 3MILE DATE- 79 07 23 0938	STA.NO.	W2		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RIVER AND WINEBAGO-GOLDSBORO	STA.NO.	W1		
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
430770 3MILE DATE- 79 07 23 0939	DISTANCE	1.35		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
FRAZER ST. AND RT. 262	STA.NO.	W14		
83 1590 043 42 03 82	AZIMUTH	256		DEG-T
430780 3MILE DATE- 79 07 23 0942	DISTANCE	1.35		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
WISLER RD. AND RT. 262	DISTANCE	1.4		MILES
83 1590 043 42 03 82	AZIMUTH	248		DEG-T
430781 3MILE DATE- 79 07 23 0943	STA.NO.	W15		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
MIDWAY RD. AND RT. 262	STA.NO.	W16		
83 1590 043 42 03 82	AZIMUTH	235		DEG-T
430782 3MILE DATE- 79 07 23 0944	DISTANCE	1.60		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

Reproduced from best available copy.

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
RIVER RD, AND RT, 262		STA,NO,	W17		
83 1590 043 42 03 82		AZIMUTH	226		DEG-T
430783 3MILE	DATE- 79 07 23 0945	DISTANCE	1,85		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RT, 295-REESER-HILL RD,		STA,NO,	W18		
83 1590 043 42 03 82		AZIMUTH	197,5		DEG-T
430784 3MILE	DATE- 79 07 23 0947	DISTANCE	2,20		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RT, 382 AND RT, 262-BEER RD,		STA,NO,	W19		
83 1590 043 42 03 82		AZIMUTH	192		DEG-T
430785 3MILE	DATE- 79 07 23 0949	DISTANCE	2,80		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RT, 382 AND RT, 181-YORK HAVEN		DISTANCE	3,15		MILES
83 1590 043 42 03 82		AZIMUTH	171		DEG-T
430786 3MILE	DATE- 79 07 23 0952	STA,NO,	W20		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
NORTH END BRUNNERS I&L,		DISTANCE	3,25		MILES
83 1590 043 42 03 82		AZIMUTH	167		DEG-T
430787 3MILE	DATE- 79 07 23 0954	STA,NO,	W21		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RT, 262 AND RT, 83		STA,NO,	W10		
83 1590 043 42 03 82		AZIMUTH	288		DEG-T
430797 3MILE	DATE- 79 07 23 1421	DISTANCE	6,0		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RT, 262 AND RT, 177		DISTANCE	5,7		MILES
83 1590 043 42 03 82		AZIMUTH	285		DEG-T
430796 3MILE	DATE- 79 07 23 1423	STA,NO,	W9		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RT, 262 AND EISNHOWER		STA,NO,	W8		
83 1590 043 42 03 82		AZIMUTH	283		DEG-T
430795 3MILE	DATE- 79 07 23 1425	DISTANCE	5,0		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430816 3MILE DATE- 79 07 23 1427	DISTANCE	1.15		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262 AND HUSK LANE	STA.NO.	W7		
83 1590 043 42 03 82	AZIMUTH	289		DEG-T
430794 3MILE DATE- 79 07 23 1429	DISTANCE	4.4		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-CORN HILL RD.	STA.NO.	W6		
83 1590 043 42 03 82	AZIMUTH	295		DEG-T
430793 3MILE DATE- 79 07 23 1430	DISTANCE	4.0		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT. 441	STA.NO.	E13		
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430818 3MILE DATE- 79 07 23 1430	DISTANCE	2.30		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-CURVE	STA.NO.	W5		
83 1590 043 42 03 82	AZIMUTH	304		DEG-T
430792 3MILE DATE- 79 07 23 1434	DISTANCE	2.55		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-RT. 392	DISTANCE	2.4		MILES
83 1590 043 42 03 82	AZIMUTH	300		DEG-T
430791 3MILE DATE- 79 07 23 1436	STA.NO.	W4		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RT. 262-BRIDGE	DISTANCE	1.65		MILES
83 1590 043 42 03 82	AZIMUTH	269		DEG-T
430790 3MILE DATE- 79 07 23 1438	STA.NO.	W3		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
CENTER OF GOLDSBORO	DISTANCE	1.35		MILES
83 1590 043 42 03 82	AZIMUTH	264		DEG-T
430789 3MILE DATE- 79 07 23 1439	STA.NO.	W2		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RIVER AND WINEBAGO-GOLDSBORO		STA.NO.	W1		
83 1590 043 42 03 82		AZIMUTH	268		DEG-T
430788 3MILE	DATE- 79 07 23 1440	DISTANCE	1.35		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
FRAZER ST. AND RT. 262		DISTANCE	1.35		MILES
83 1590 043 42 03 82		AZIMUTH	256		DEG-T
430798 3MILE	DATE- 79 07 23 1442	STA.NO.	W14		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
WISLER RD. AND RT. 262		STA.NO.	W15		
83 1590 043 42 03 82		AZIMUTH	248		DEG-T
430799 3MILE	DATE- 79 07 23 1444	DISTANCE	1.4		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
MIDWAY RD. AND RT. 262		STA.NO.	W16		
83 1590 043 42 03 82		AZIMUTH	235		DEG-T
430800 3MILE	DATE- 79 07 23 1445	DISTANCE	1.6		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RIVER RD AND RT. 262		DISTANCE	1.85		MILES
83 1590 043 42 03 82		AZIMUTH	226		DEG-T
430801 3MILE	DATE- 79 07 23 1446	STA.NO.	W17		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RT. 295-REESER-HILL RD.		STA.NO.	W18		
83 1590 043 42 03 82		AZIMUTH	197.5		DEG-T
430802 3MILE	DATE- 79 07 23 1448	DISTANCE	2.2		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RT. 382 AND RT. 262-BEER RD.		STA.NO.	W19		
83 1590 043 42 03 82		AZIMUTH	192		DEG-T
430803 3MILE	DATE- 79 07 23 1449	DISTANCE	2.8		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RT. 382 AND RT. 181-YORK HAVEN		STA.NO.	W20		
83 1590 043 42 03 82		AZIMUTH	171		DEG-T
430804 3MILE	DATE- 79 07 23 1452	DISTANCE	3.15		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH END BRUNNERS ISL,	STA.NO.	W21		
83 1590 043 42 03 82	AZIMUTH	167		DEG-T
430805 3MILE DATE- 79 07 23 1453	DISTANCE	3.25		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	STA.NO.	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430828 3MILE DATE- 79 07 24 0844	DISTANCE	0.40		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
430827 3MILE DATE- 79 07 24 0847	STA.NO.	E7		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430826 3MILE DATE- 79 07 24 0848	DISTANCE	0.45		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430825 3MILE DATE- 79 07 24 0849	DISTANCE	0.70		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	STA.NO.	E4		
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430824 3MILE DATE- 79 07 24 0851	DISTANCE	1.15		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441	STA.NO.	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430823 3MILE DATE- 79 07 24 0854	DISTANCE	1.90		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441	STA.NO.	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430822 3MILE DATE- 79 07 24 0855	DISTANCE	2.35		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430821 3MILE DATE- 79 07 24 0856	STA.NO.	E1		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430829 3MILE DATE- 79 07 24 0902	STA.NO.	E9		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441	STA.NO.	E10		
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430830 3MILE DATE- 79 07 24 0904	DISTANCE	0.85		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430831 3MILE DATE- 79 07 24 0906	STA.NO.	E11		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430832 3MILE DATE- 79 07 24 0907	STA.NO.	E12		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT. 441	STA.NO.	E13		
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430833 3MILE DATE- 79 07 24 0909	DISTANCE	2.30		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430834 3MILE DATE- 79 07 24 0910	STA.NO.	E14		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
KEENER RD AND RT. 441	STA.NO.	E15		
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
430835 3MILE DATE- 79 07 24 0911	DISTANCE	2.85		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430836 3MILE DATE- 79 07 24 1345	STA.NO.	E1		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441	STA.NO.	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430837 3MILE DATE- 79 07 24 1346	DISTANCE	2.35		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441	STA.NO.	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430838 3MILE DATE- 79 07 24 1415	DISTANCE	1.90		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430839 3MILE DATE- 79 07 24 1417	STA.NO.	E4		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430840 3MILE DATE- 79 07 24 1420	DISTANCE	0.70		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
430841 3MILE DATE- 79 07 24 1421	DISTANCE	0.45		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441	STA.NO.	E7		
83 1590 043 42 03 82	AZIMUTH	98.0		DEG-T
430842 3MILE DATE- 79 07 24 1422	DISTANCE	0.39		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	STA.NO.	EP		
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430843 3MILE DATE- 79 07 24 1424	AZIMUTH	110		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD SUBSTATION PARKING AND RT. 441		STA.NO.	E9		
83 1590 043 42 03 82		DISTANCE	0.45		MILES
430844 3MILE	DATE- 79 07 24 1425	AZIMUTH	130		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441		STA.NO.	E10		
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
430845 3MILE	DATE- 79 07 24 1427	DISTANCE	0.85		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441		STA.NO.	E11		
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
430846 3MILE	DATE- 79 07 24 1428	DISTANCE	1.15		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441		STA.NO.	E12		
83 1590 043 42 03 82		DISTANCE	1.60		MILES
430847 3MILE	DATE- 79 07 24 1429	AZIMUTH	160		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT. 441		STA.NO.	E13		
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430848 3MILE	DATE- 79 07 24 1431	DISTANCE	2.30		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
COLLINS RD AND RT. 441		STA.NO.	E14		
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430849 3MILE	DATE- 79 07 24 1432	AZIMUTH	160		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
KEENER RD. AND RT. 441		STA.NO.	E15		
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430850 3MILE	DATE- 79 07 24 1434	DISTANCE	2.85		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441		STA.NO.	E2		
83 1590 043 42 03 82		DISTANCE	2.35		MILES
430867 3MILE	DATE- 79 07 25 0909	AZIMUTH	354		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH UNION AND RT. 441	STA.NO.	E1		
83 1590 043 42 03 82	DISTANCE	2.50		MILES
430866 3MILE DATE- 79 07 25 0910	AZIMUTH	352		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441	STA.NO.	E3		
83 1590 043 42 03 82	DISTANCE	1.90		MILES
430868 3MILE DATE- 79 07 25 0915	AZIMUTH	360		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	STA.NO.	E4		
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430869 3MILE DATE- 79 07 25 0916	AZIMUTH	7.0		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430870 3MILE DATE- 79 07 25 0918	DISTANCE	0.70		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430871 3MILE DATE- 79 07 25 0920	AZIMUTH	58.5		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441	STA.NO.	E7		
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
430872 3MILE DATE- 79 07 25 0921	DISTANCE	0.39		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	STA.NO.	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430873 3MILE DATE- 79 07 25 0922	DISTANCE	0.40		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430874 3MILE DATE- 79 07 25 0924	DISTANCE	0.45		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT. 441		STA.NO.	E10		
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
430875 3MILE	DATE- 79 07 25 0925	DISTANCE	0.85		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441		STA.NO.	E11		
83 1590 043 42 03 82		DISTANCE	1.15		MILES
430876 3MILE	DATE- 79 07 25 0926	AZIMUTH	153		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441		STA.NO.	E12		
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430877 3MILE	DATE- 79 07 25 0927	DISTANCE	1.60		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT. 441		STA.NO.	E13		
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430878 3MILE	DATE- 79 07 25 0929	DISTANCE	2.30		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
COLLINS RD AND RT. 441		STA.NO.	E14		
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430879 3MILE	DATE- 79 07 25 0930	AZIMUTH	160		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
KEENER RD AND RT. 441		STA.NO.	E15		
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430880 3MILE	DATE- 79 07 25 0932	DISTANCE	2.85		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
KEENER RD AND RT. 441		STA.NO.	E15		
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430865 3MILE	DATE- 79 07 25 1354	DISTANCE	2.85		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
COLLINS RD AND RT. 441		STA.NO.	E14		
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430864 3MILE	DATE- 79 07 25 1357	DISTANCE	2.50		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD AND RT. 441	STA.NO.	E13		
83 1590 043 42 03 82	DISTANCE	2.30		MILES
430863 3MILE DATE- 79 07 25 1359	AZIMUTH	162.5		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430862 3MILE DATE- 79 07 25 1400	DISTANCE	1.60		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430861 3MILE DATE- 79 07 25 1401	AZIMUTH	153		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441	STA.NO.	E10		
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430860 3MILE DATE- 79 07 25 1402	DISTANCE	0.85		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430859 3MILE DATE- 79 07 25 1403	AZIMUTH	130		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	STA.NO.	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430858 3MILE DATE- 79 07 25 1405	DISTANCE	0.40		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441	STA.NO.	E7		
83 1590 043 42 03 82	DISTANCE	0.39		MILES
430857 3MILE DATE- 79 07 25 1406	AZIMUTH	88.0		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430856 3MILE DATE- 79 07 25 1407	AZIMUTH	58.5		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT, 441		STA,NO,	E16		
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
430855 3MILE	DATE- 79 07 25 1408	DISTANCE	0,70		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441		STA,NO,	E4		
83 1590 043 42 03 82		AZIMUTH	7,0		DEG-T
430854 3MILE	DATE- 79 07 25 1410	DISTANCE	1,15		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RAILROAD CROSSING AND RT, 441		STA,NO,	E3		
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
430853 3MILE	DATE- 79 07 25 1411	DISTANCE	1,90		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
BURD STREET AND RT, 441		STA,NO,	E2		
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
430852 3MILE	DATE- 79 07 25 1412	DISTANCE	2,35		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
SOUTH UNION AND RT, 441		STA,NO,	E1		
83 1590 043 42 03 82		DISTANCE	2,50		MILES
430851 3MILE	DATE- 79 07 25 1413	AZIMUTH	352		DEG-T
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
NORTH GATE AND RT, 441		STA,NO,	E16		
83 1590 043 42 03 82		AZIMUTH	25,0		DEG-T
430900 3MILE	DATE- 79 07 26 0859	DISTANCE	0,70		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
LAUREL RD AND RT, 441		STA,NO,	E6		
83 1590 043 42 03 82		DISTANCE	0,45		MILES
430901 3MILE	DATE- 79 07 26 0900	AZIMUTH	58,5		DEG-T
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
MEADOW LANE AND RT, 441		STA,NO,	E7		
83 1590 043 42 03 82		AZIMUTH	98,0		DEG-T
430902 3MILE	DATE- 79 07 26 0901	DISTANCE	0,39		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER AND RT. 441	STA.NO.	E8		
83 1590 043 42 03 82	DISTANCE	0.40		MILES
430903 3MILE DATE- 79 07 26 0903	AZIMUTH	110		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430904 3MILE DATE- 79 07 26 0904	AZIMUTH	130		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441	STA.NO.	E10		
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430905 3MILE DATE- 79 07 26 0905	DISTANCE	0.85		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430906 3MILE DATE- 79 07 26 0906	AZIMUTH	153		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430907 3MILE DATE- 79 07 26 0907	AZIMUTH	160		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
FALMOUTH RD. AND RT. 441	STA.NO.	E13		
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430908 3MILE DATE- 79 07 26 0908	DISTANCE	2.30		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430909 3MILE DATE- 79 07 26 0910	STA.NO.	E14		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
KEENER RD AND RT. 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
430910 3MILE DATE- 79 07 26 0911	STA.NO.	E15		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT, 441	STA,NO,	E4		
83 1590 043 42 03 82	DISTANCE	1,15		MILES
430899 3MILE DATE- 79 07 26 0916	AZIMUTH	7,0		DEG-T
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
RAILROAD CROSSING AND RT, 441	STA,NO,	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430898 3MILE DATE- 79 07 26 0919	DISTANCE	1,90		MILES
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
BURD STREET AND RT, 441	STA,NO,	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430897 3MILE DATE- 79 07 26 0921	DISTANCE	2,35		MILES
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
SOUTH UNION AND RT, 441	STA,NO,	E1		
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
430896 3MILE DATE- 79 07 26 0922	DISTANCE	2,50		MILES
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
SOUTH UNION AND RT, 441	STA,NO,	E1		
83 1590 043 42 03 82	DISTANCE	2,50		MILES
430881 3MILE DATE- 79 07 26 1332	AZIMUTH	352		DEG-T
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
BURD STREET AND RT, 441	STA,NO,	E2		
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
430882 3MILE DATE- 79 07 26 1333	DISTANCE	2,35		MILES
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
RAILROAD CROSSING AND RT, 441	STA,NO,	E3		
83 1590 043 42 03 82	DISTANCE	1,90		MILES
430883 3MILE DATE- 79 07 26 1335	AZIMUTH	360		DEG-T
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441	STA,NO,	E4		
83 1590 043 42 03 82	DISTANCE	1,15		MILES
430884 3MILE DATE- 79 07 26 1336	AZIMUTH	7,0		DEG-T
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441	STA.NO.	E16		
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
430885 3MILE DATE- 79 07 26 1338	DISTANCE	0.70		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441	STA.NO.	E6		
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430886 3MILE DATE- 79 07 26 1340	AZIMUTH	58.5		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441	STA.NO.	E7		
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
430887 3MILE DATE- 79 07 26 1342	DISTANCE	0.39		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	STA.NO.	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430888 3MILE DATE- 79 07 26 1343	DISTANCE	0.40		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430889 3MILE DATE- 79 07 26 1344	AZIMUTH	130		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441	STA.NO.	E10		
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430890 3MILE DATE- 79 07 26 1345	DISTANCE	0.85		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430891 3MILE DATE- 79 07 26 1346	AZIMUTH	153		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
430892 3MILE DATE- 79 07 26 1347	DISTANCE	1.60		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD AND RT, 441		STA,NO,	E13		
83 1590 043 42 03 82		AZIMUTH	162,5		DEG-T
430893 3MILE	DATE- 79 07 26 1348	DISTANCE	2,50		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
COLLINS RD AND RT, 441		STA,NO,	E14		
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
430894 3MILE	DATE- 79 07 26 1349	DISTANCE	2,50		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
KEENER RD AND RT, 441		STA,NO,	E15		
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430895 3MILE	DATE- 79 07 26 1350	DISTANCE	2,85		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
COLLINS RD AND RT, 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		STA,NO,	E14		
430939 3MILE	DATE- 79 07 27 1036	DISTANCE	2,50		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
KEENER RD AND RT, 441		STA,NO,	E15		
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430940 3MILE	DATE- 79 07 27 1037	DISTANCE	2,85		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
FALMOUTH RD AND RT, 441		DISTANCE	2,30		MILES
83 1590 043 42 03 82		AZIMUTH	162,5		DEG-T
430938 3MILE	DATE- 79 07 27 1038	STA,NO,	E13		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
SOUTH GATE AND RT, 441		DISTANCE	1,60		MILES
83 1590 043 42 03 82		STA,NO,	E12		
430937 3MILE	DATE- 79 07 27 1040	AZIMUTH	180		DEG-T
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
ENGLE RD AND RT, 441		STA,NO,	E11		
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
430936 3MILE	DATE- 79 07 27 1042	DISTANCE	1,15		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT. 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	STA.NO.	E10		
430935 3MILE DATE- 79 07 27 1043	DISTANCE	0.85		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
430934 3MILE DATE- 79 07 27 1044	DISTANCE	0.45		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	STA.NO.	E8		
430933 3MILE DATE- 79 07 27 1045	AZIMUTH	110		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	STA.NO.	E7		
430932 3MILE DATE- 79 07 27 1046	AZIMUTH	88.0		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441	AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430931 3MILE DATE- 79 07 27 1047	STA.NO.	E6		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	STA.NO.	E16		
430930 3MILE DATE- 79 07 27 1048	DISTANCE	0.70		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
430929 3MILE DATE- 79 07 27 1049	STA.NO.	E4		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430928 3MILE DATE- 79 07 27 1052	STA.NO.	E3		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT. 441	STA.NO.	E2		
83 1590 043 42 03 82	DISTANCE	2.35		MILES
430927 3MILE DATE- 79 07 27 1053	AZIMUTH	354		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	STA.NO.	E1		
430926 3MILE DATE- 79 07 27 1054	AZIMUTH	352		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
KEENER RD AND RT. 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	STA.NO.	E15		
430925 3MILE DATE- 79 07 27 1433	DISTANCE	2.85		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
SOUTH UNION AND RT. 441	STA.NO.	E1		
83 1590 043 42 03 82	DISTANCE	2.50		MILES
430911 3MILE DATE- 79 07 27 1435	AZIMUTH	352		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
COLLINS RD AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	STA.NO.	E14		
430924 3MILE DATE- 79 07 27 1435	DISTANCE	2.50		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
FALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
430923 3MILE DATE- 79 07 27 1436	STA.NO.	E13		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
SOUTH GATE AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	1.60		MILES
430922 3MILE DATE- 79 07 27 1437	STA.NO.	E12		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR
ENGLE RD AND RT. 441	STA.NO.	E11		
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
430921 3MILE DATE- 79 07 27 1438	DISTANCE	1.15		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-DPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT, 441		STA,NO,	E10		
83 1590 043 42 03 82		DISTANCE	0,85		MILES
430920 3MILE	DATE- 79 07 27 1439	AZIMUTH	127		DEG-T
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT, 441		DISTANCE	0,45		MILES
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
430919 3MILE	DATE- 79 07 27 1441	STA,NO,	E9		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
MEADOW LANE AND RT, 441		AZIMUTH	88,0		DEG-T
83 1590 043 42 03 82		DISTANCE	0,39		MILES
430917 3MILE	DATE- 79 07 27 1442	STA,NO,	E7		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
TMI OBSERVATION CENTER AND RT, 441		AZIMUTH	110		DEG-T
83 1590 043 42 03 82		DISTANCE	0,40		MILES
430918 3MILE	DATE- 79 07 27 1442	EXP-CLD	0,01		MR/HR
SIZE-		EXP-OPN	0,01		MR/HR
LAUREL RD AND RT, 441		AZIMUTH	58,5		DEG-T
83 1590 043 42 03 82		DISTANCE	0,45		MILES
430916 3MILE	DATE- 79 07 27 1443	STA,NO,	E6		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
NORTH GATE AND RT, 441		AZIMUTH	25		DEG-T
83 1590 043 42 03 82		DISTANCE	0,70		MILES
430915 3MILE	DATE- 79 07 27 1448	STA,NO,	E16		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441		AZIMUTH	7,0		DEG-T
83 1590 043 42 03 82		DISTANCE	1,15		MILES
430914 3MILE	DATE- 79 07 27 1450	STA,NO,	E4		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RAILROAD CROSSING AND RT, 441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		DISTANCE	1,90		MILES
430913 3MILE	DATE- 79 07 27 1452	STA,NO,	E3		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	SIGMA	UNITS
BURD STREET AND RT, 441		AZIMUTH	354		DEG-T
83 1590 043 42 03 82		DISTANCE	2.35		MILES
430912 3MILE	DATE- 79 07 27 1454	STA,NO,	E2		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
KEENER RD AND RT, 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
430970 3MILE	DATE- 79 07 28 0924	STA,NO,	E15		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
COLLINS RD AND RT, 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430969 3MILE	DATE- 79 07 28 0926	STA,NO,	E14		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT, 441		AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82		DISTANCE	2.30		MILES
430968 3MILE	DATE- 79 07 28 0927	STA,NO,	E13		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT, 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	1.60		MILES
430967 3MILE	DATE- 79 07 28 0929	STA,NO,	E12		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
ENGLE RD AND RT, 441		STA,NO,	E11		
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
430966 3MILE	DATE- 79 07 28 0930	DISTANCE	1.15		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT, 441		AZIMUTH	127		DEG-T
83 1590 043 42 03 82		STA,NO,	E10		
430965 3MILE	DATE- 79 07 28 0932	DISTANCE	0.85		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT, 441		STA,NO,	E9		
83 1590 043 42 03 82		DISTANCE	0.45		MILES
430964 3MILE	DATE- 79 07 28 0933	AZIMUTH	130		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER AND RT, 441	STA,NO,	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430963 3MILE DATE- 79 07 28 0934	DISTANCE	0,40		MILES
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
MEADOW LANE AND RT, 441	STA,NO,	E7		
83 1590 043 42 03 82	AZIMUTH	88,0		DEG-T
430962 3MILE DATE- 79 07 28 0946	DISTANCE	0,39		MILES
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
NORTH GATE AND RT, 441	DISTANCE	0,70		MILES
83 1590 043 42 03 82	STA,NO,	E16		
430960 3MILE DATE- 79 07 28 0947	AZIMUTH	25		DEG-T
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
LAUREL RD AND RT, 441	STA,NO,	E6		
83 1590 043 42 03 82	DISTANCE	0,45		MILES
430961 3MILE DATE- 79 07 28 0947	AZIMUTH	58,5		DEG-T
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441	STA,NO,	E4		
83 1590 043 42 03 82	DISTANCE	1,15		MILES
430959 3MILE DATE- 79 07 28 0948	AZIMUTH	7,0		DEG-T
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
RAILROAD CROSSING AND RT, 441	STA,NO,	E3		
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
430958 3MILE DATE- 79 07 28 0950	DISTANCE	1,90		MILES
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
BURD STREET AND RT, 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2,35		MILES
430957 3MILE DATE- 79 07 28 0952	STA,NO,	E2		
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR
SOUTH UNION AND RT, 441	STA,NO,	E1		
83 1590 043 42 03 82	DISTANCE	2,50		MILES
430956 3MILE DATE- 79 07 28 0953	AZIMUTH	352		DEG-T
SIZE-	EXP-CLD	0,01		MR/HR
	EXP-OPN	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND PT. 441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	STA.NO.	E15		
430955 3MILE DATE- 79 07 28 1316	AZIMUTH	152		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	STA.NO.	E14		
430954 3MILE DATE- 79 07 28 1318	AZIMUTH	160		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	STA.NO.	E13		
430953 3MILE DATE- 79 07 28 1319	AZIMUTH	162.5		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441	STA.NO.	E12		
83 1590 043 42 03 82	AZIMUTH	180		DEG-T
430952 3MILE DATE- 79 07 28 1320	DISTANCE	1.60		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
430951 3MILE DATE- 79 07 28 1322	STA.NO.	E11		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
430950 3MILE DATE- 79 07 28 1323	STA.NO.	E10		
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	STA.NO.	E9		
83 1590 043 42 03 82	DISTANCE	0.45		MILES
430949 3MILE DATE- 79 07 28 1324	AZIMUTH	130		DEG-T
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441	STA.NO.	E8		
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
430948 3MILE DATE- 79 07 28 1325	DISTANCE	0.40		MILES
SIZE-	EXP-CLD	0.01		MR/HR
	EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
MEADOW LANE AND RT. 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		STA.NO.	E7		
430947 3MILE	DATE- 79 07 28 1326	AZIMUTH	88.0		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441		STA.NO.	E6		
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
430946 3MILE	DATE- 79 07 28 1327	DISTANCE	0.45		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		STA.NO.	E16		
430945 3MILE	DATE- 79 07 28 1328	AZIMUTH	25		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		AZIMUTH	7.0		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
430944 3MILE	DATE- 79 07 28 1329	STA.NO.	E4		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		STA.NO.	E3		
430943 3MILE	DATE- 79 07 28 1330	DISTANCE	1.90		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		STA.NO.	E2		
430942 3MILE	DATE- 79 07 28 1332	AZIMUTH	354		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
SOUTH UNION AND RT. 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		STA.NO.	E1		
430941 3MILE	DATE- 79 07 28 1333	AZIMUTH	352		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
KEENER RD. AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		STA.NO.	E15		
430985 3MILE	DATE- 79 07 29 0939	AZIMUTH	152		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT. 441		STA.NO.	E14		
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430984 3MILE	DATE- 79 07 29 0941	AZIMUTH	160		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430983 3MILE	DATE- 79 07 29 0946	STA.NO.	E13		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441		DISTANCE	1.60		MILES
83 1590 043 42 03 82		STA.NO.	E12		
430982 3MILE	DATE- 79 07 29 0948	AZIMUTH	160		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441		AZIMUTH	153		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
430981 3MILE	DATE- 79 07 29 0950	STA.NO.	E11		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441		AZIMUTH	127		DEG-T
83 1590 043 42 03 82		DISTANCE	0.85		MILES
430980 3MILE	DATE- 79 07 29 0951	STA.NO.	E10		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441		AZIMUTH	130		DEG-T
83 1590 043 42 03 82		DISTANCE	0.45		MILES
430979 3MILE	DATE- 79 07 29 0952	STA.NO.	E9		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
430978 3MILE	DATE- 79 07 29 0953	STA.NO.	E8		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441		AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82		STA.NO.	E7		
430977 3MILE	DATE- 79 07 29 0954	DISTANCE	0.39		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441		STA.NO.	E16		
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
430975 3MILE	DATE- 79 07 29 0955	DISTANCE	0.70		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441		AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82		STA.NO.	E6		
430976 3MILE	DATE- 79 07 29 0955	DISTANCE	0.45		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		STA.NO.	E4		
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
430974 3MILE	DATE- 79 07 29 0956	DISTANCE	1.15		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441		STA.NO.	E3		
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
430973 3MILE	DATE- 79 07 29 0957	DISTANCE	1.90		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		STA.NO.	E2		
430972 3MILE	DATE- 79 07 29 0958	AZIMUTH	354		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
SOUTH UNION AND RT. 441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430971 3MILE	DATE- 79 07 29 0959	STA.NO.	E1		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
KEENER RD AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		STA.NO.	E15		
431000 3MILE	DATE- 79 07 30 0919	AZIMUTH	152		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
COLLINS RD AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
430999 3MILE	DATE- 79 07 30 0920	STA.NO.	E14		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16		ANALYSIS	RESULT	2SIGMA	UNITS
PALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
430998 3MILE	DATE- 79 07 30 0921	STA.NO.	E13		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441		DISTANCE	1.60		MILES
83 1590 043 42 03 82		STA.NO.	E12		
430997 3MILE	DATE- 79 07 30 0923	AZIMUTH	160		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441		AZIMUTH	153		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
430996 3MILE	DATE- 79 07 30 0924	STA.NO.	E11		
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441		AZIMUTH	127		DEG-T
83 1590 043 42 03 82		STA.NO.	E10		
430995 3MILE	DATE- 79 07 30 0925	DISTANCE	0.85		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		STA.NO.	E8		
430993 3MILE	DATE- 79 07 30 0926	AZIMUTH	110		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441		STA.NO.	E9		
83 1590 043 42 03 82		DISTANCE	0.45		MILES
430994 3MILE	DATE- 79 07 30 0926	AZIMUTH	130		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441		STA.NO.	E7		
83 1590 043 42 03 82		DISTANCE	0.39		MILES
430992 3MILE	DATE- 79 07 30 0927	AZIMUTH	88.0		DEG-T
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441		AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82		STA.NO.	E6		
430991 3MILE	DATE- 79 07 30 0928	DISTANCE	0.45		MILES
SIZE-		EXP-CLD	0.01		MR/HR
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT, 441		DISTANCE	0,70		MILES
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
430990 3MILE	DATE- 79 07 30 0929	STA,NO,	E16		
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441		STA,NO,	E4		
83 1590 043 42 03 82		DISTANCE	1,15		MILES
430989 3MILE	DATE- 79 07 30 0931	AZIMUTH	7,0		DEG-T
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
RAILROAD CROSSING AND RT, 441		DISTANCE	1,90		MILES
83 1590 043 42 03 82		STA,NO,	E3		
430988 3MILE	DATE- 79 07 30 0933	AZIMUTH	360		DEG-T
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
BURD STREET AND RT, 441		DISTANCE	2,35		MILES
83 1590 043 42 03 82		STA,NO,	E2		
430987 3MILE	DATE- 79 07 30 0934	AZIMUTH	354		DEG-T
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
SOUTH UNION AND RT, 441		STA,NO,	E1		
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
430986 3MILE	DATE- 79 07 30 0935	DISTANCE	2,50		MILES
SIZE-		EXP-CLD	0,01		MR/HR
		EXP-OPN	0,01		MR/HR
KEENER RD AND RT, 441		AZIMUTH	152		DEG-T
83 1590 043 42 03 82		DISTANCE	2,85		MILES
431015 3MILE	DATE- 79 07 30 1027	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E15		
		EXP-OPN	0,01		MR/HR
COLLINS RD AND RT, 441		DISTANCE	2,50		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431014 3MILE	DATE- 79 07 30 1030	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E14		
		EXP-OPN	0,01		MR/HR
FALMOUTH RD AND RT, 441		DISTANCE	2,30		MILES
83 1590 043 42 03 82		AZIMUTH	162,5		DEG-T
431013 3MILE	DATE- 79 07 30 1031	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E13		
		EXP-OPN	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT, 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431012 3MILE DATE- 79 07 30 1033	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E12		
	EXP-OPN	0.01		MR/HR
ENGLE RD AND RT, 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
431011 3MILE DATE- 79 07 30 1034	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E11		
	EXP-OPN	0.01		MR/HR
KEENER RD AND RT, 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
431020 3MILE DATE- 79 07 30 1041	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E15		
	EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT, 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	DISTANCE	2.30		MILES
431018 3MILE DATE- 79 07 30 1043	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E13		
	EXP-OPN	0.01		MR/HR
COLLINS RD, AND RT, 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	2.50		MILES
431019 3MILE DATE- 79 07 30 1043	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E14		
	EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT, 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431017 3MILE DATE- 79 07 30 1044	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E12		
	EXP-OPN	0.01		MR/HR
ENGLE RD AND RT, 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431016 3MILE DATE- 79 07 30 1045	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E11		
	EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT, 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431009 3MILE DATE- 79 07 30 1046	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E9		
	EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT. 441		AZIMUTH	127		DEG-T
83 1590 043 42 03 82		DISTANCE	0.85		MILES
431010 3MILE	DATE- 79 07 30 1046	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E10		
		EXP-OPN	0.01		MR/HR
THI OBSERVATION CENTER AND RT. 441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
431008 3MILE	DATE- 79 07 30 1047	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E8		
		EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
431007 3MILE	DATE- 79 07 30 1048	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E7		
		EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441		AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82		DISTANCE	0.45		MILES
431006 3MILE	DATE- 79 07 30 1049	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E6		
		EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
431005 3MILE	DATE- 79 07 30 1052	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E16		
		EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
431004 3MILE	DATE- 79 07 30 1054	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E4		
		EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		DISTANCE	1.90		MILES
431003 3MILE	DATE- 79 07 30 1055	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E3		
		EXP-OPN	0.01		MR/HR
SOUTH UNION AND RT. 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
431001 3MILE	DATE- 79 07 30 1057	EXP-OPN	0.01		MR/HR
SIZE-		EXP-CLD	0.01		MR/HR
		STA.NO.	E1		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16				
	ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
431002 3MILE DATE- 79 07 30 1057	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E2		
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
431021 3MILE DATE- 79 07 31 1343	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E1		
	EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2.35		MILES
431022 3MILE DATE- 79 07 31 1344	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E2		
	EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	EXP-CLD	0.01		MR/HR
431023 3MILE DATE- 79 07 31 1346	STA.NO.	E3		
SIZE-	EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	AZIMUTH	7.0		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
431024 3MILE DATE- 79 07 31 1347	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E4		
	EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441	DISTANCE	0.70		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
431025 3MILE DATE- 79 07 31 1348	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E16		
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
431026 3MILE DATE- 79 07 31 1349	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E6		
	EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431027 3MILE DATE- 79 07 31 1349	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E7		
	EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER AND RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
431028 3MILE DATE- 79 07 31 1350	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E8		
	EXP-DPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431029 3MILE DATE- 79 07 31 1350	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E9		
	EXP-DPN	0.01		MR/HR
RED HILL PLAZA AND RT. 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	DISTANCE	0.85		MILES
431030 3MILE DATE- 79 07 31 1351	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E10		
	EXP-DPN	0.01		MR/HR
ENGLE RD AND RT. 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
431031 3MILE DATE- 79 07 31 1352	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E11		
	EXP-DPN	0.01		MR/HR
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431032 3MILE DATE- 79 07 31 1353	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E12		
	EXP-DPN	0.01		MR/HR
FALMOUTH RD AND RT. 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	DISTANCE	2.30		MILES
431033 3MILE DATE- 79 07 31 1354	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E13		
	EXP-DPN	0.01		MR/HR
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431034 3MILE DATE- 79 07 31 1355	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E14		
	EXP-DPN	0.01		MR/HR
KEENER RD AND RT. 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
431035 3MILE DATE- 79 07 31 1356	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E15		
	EXP-DPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT, 441		DISTANCE	2,85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
431050 3MILE	DATE- 79 08 01 1015	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E15		
		EXP-DPN	0,01		MR/HR
COLLINS RD AND RT, 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2,50		MILES
431049 3MILE	DATE- 79 08 01 1016	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E14		
		EXP-DPN	0,01		MR/HR
FALMOUTH RD AND RT, 441		AZIMUTH	162,5		DEG-T
83 1590 043 42 03 82		DISTANCE	2,30		MILES
431048 3MILE	DATE- 79 08 01 1017	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E13		
		EXP-DPN	0,01		MR/HR
SOUTH GATE AND RT, 441		DISTANCE	1,60		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431047 3MILE	DATE- 79 08 01 1018	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E12		
		EXP-DPN	0,01		MR/HR
RED MILL PLAZA AND RT, 441		AZIMUTH	127		DEG-T
83 1590 043 42 03 82		DISTANCE	0,85		MILES
431045 3MILE	DATE- 79 08 01 1020	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E10		
		EXP-DPN	0,01		MR/HR
ENGLE RD AND RT, 441		DISTANCE	1,15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
431046 3MILE	DATE- 79 08 01 1020	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E11		
		EXP-DPN	0,01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT, 441		AZIMUTH	130		DEG-T
83 1590 043 42 03 82		DISTANCE	0,45		MILES
431044 3MILE	DATE- 79 08 01 1021	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E9		
		EXP-DPN	0,01		MR/HR
TMI OBSERVATION CENTER AND RT, 441		AZIMUTH	110		DEG-T
83 1590 043 42 03 82		DISTANCE	0,40		MILES
431043 3MILE	DATE- 79 08 01 1022	EXP-CLD	0,01		MR/HR
SIZE-		STA,NO,	E8		
		EXP-DPN	0,01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
MEADOW LANE AND RT. 441	AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82	DISTANCE	0.39		MILES
431042 3MILE DATE- 79 08 01 1027	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E7		
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
431041 3MILE DATE- 79 08 01 1028	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E6		
	EXP-OPN	0.01		MR/HR
NORTH GATE AND RT. 441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	DISTANCE	0.70		MILES
431040 3MILE DATE- 79 08 01 1029	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E16		
	EXP-OPN	0.01		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
431039 3MILE DATE- 79 08 01 1030	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E4		
	EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
431038 3MILE DATE- 79 08 01 1031	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E3		
	EXP-OPN	0.01		MR/HR
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
431037 3MILE DATE- 79 08 01 1032	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E2		
	EXP-OPN	0.01		MR/HR
SOUTH UNION AND RT. 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	DISTANCE	2.50		MILES
431036 3MILE DATE- 79 08 01 1033	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E1		
	EXP-OPN	0.01		MR/HR
KEENER RD AND RT. 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
431065 3MILE DATE- 79 08 01 1424	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E15		
	EXP-OPN	0.01		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/15

		ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT. 441		DISTANCE	2.80		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431064 3MILE	DATE- 79 08 01 1426	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E14		
		EXP-OPN	0.01		MR/HR
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
431063 3MILE	DATE- 79 08 01 1427	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E13		
		EXP-OPN	0.01		MR/HR
SOUTH GATE AND RT. 441		DISTANCE	1.60		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431062 3MILE	DATE- 79 08 01 1428	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E12		
		EXP-OPN	0.01		MR/HR
ENGLE RD AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
431061 3MILE	DATE- 79 08 01 1429	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E11		
		EXP-OPN	0.01		MR/HR
RED MILL PLAZA AND RT. 441		AZIMUTH	127		DEG-T
83 1590 043 42 03 82		DISTANCE	0.85		MILES
431060 3MILE	DATE- 79 08 01 1430	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E10		
		EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441		AZIMUTH	130		DEG-T
83 1590 043 42 03 82		DISTANCE	0.45		MILES
431059 3MILE	DATE- 79 08 01 1431	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E9		
		EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT. 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
431057 3MILE	DATE- 79 08 01 1432	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E7		
		EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT. 441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
431058 3MILE	DATE- 79 08 01 1432	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E8		
		EXP-OPN	0.01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16				
	ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD AND RT, 441	AZIMUTH	58,5		DEG-T
83 1590 043 42 03 82	DISTANCE	0,45		MILES
431056 3MILE DATE- 79 08 01 1433	EXP-CLD	0,01		MR/HR
SIZE-	STA,NO,	E4		
	EXP-OPN	0,01		MR/HR
NORTH GATE AND RT, 441	DISTANCE	0,70		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
431055 3MILE DATE- 79 08 01 1434	EXP-CLD	0,01		MR/HR
SIZE-	STA,NO,	E16		
	EXP-OPN	0,01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441	DISTANCE	1,15		MILES
83 1590 043 42 03 82	AZIMUTH	7,0		DEG-T
431054 3MILE DATE- 79 08 01 1435	EXP-CLD	0,01		MR/HR
SIZE-	STA,NO,	E4		
	EXP-OPN	0,01		MR/HR
RAILROAD CROSSING AND RT, 441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	DISTANCE	1,90		MILES
431053 3MILE DATE- 79 08 01 1437	EXP-CLD	0,01		MR/HR
SIZE-	STA,NO,	E3		
	EXP-OPN	0,01		MR/HR
BURD STREET AND RT, 441	DISTANCE	2,35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
431052 3MILE DATE- 79 08 01 1438	EXP-CLD	0,01		MR/HR
SIZE-	STA,NO,	E2		
	EXP-OPN	0,01		MR/HR
SOUTH UNION AND RT, 441	DISTANCE	2,50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
431051 3MILE DATE- 79 08 01 1439	EXP-CLD	0,01		MR/HR
SIZE-	STA,NO,	E1		
	EXP-OPN	0,01		MR/HR
RIVERSIDE BOAT SALES AND RT, 441	AZIMUTH	7,0		DEG-T
83 1590 043 42 03 82	DISTANCE	1,15		MILES
431069 3MILE DATE- 79 08 02 0401	EXP-CLD	0,01		MR/HR
SIZE-	STA,NO,	E4		
	EXP-OPN	0,01		MR/HR
SOUTH UNION AND RT, 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	DISTANCE	2,50		MILES
431066 3MILE DATE- 79 08 02 0858	EXP-CLD	0,01		MR/HR
SIZE-	STA,NO,	E1		
	EXP-OPN	0,01		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT, 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2.35		MILES
431067 3MILE DATE- 79 08 02 0859	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E2		
	EXP-OPN	0.01		MR/HR
RAILROAD CROSSING AND RT, 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
431068 3MILE DATE- 79 08 02 0900	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E3		
	EXP-OPN	0.01		MR/HR
NORTH GATE AND RT, 441	DISTANCE	0.70		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
431070 3MILE DATE- 79 08 02 0902	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E16		
	EXP-OPN	0.01		MR/HR
LAUREL RD AND RT, 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
431071 3MILE DATE- 79 08 02 0903	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E6		
	EXP-OPN	0.01		MR/HR
MEADOW LANE AND RT, 441	AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82	DISTANCE	0.39		MILES
431072 3MILE DATE- 79 08 02 0904	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E7		
	EXP-OPN	0.01		MR/HR
TMI OBSERVATION CENTER AND RT, 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
431073 3MILE DATE- 79 08 02 0905	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E8		
	EXP-OPN	0.01		MR/HR
ACCESS RD SUBSTATION PARKING AND RT, 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431074 3MILE DATE- 79 08 02 0905	EXP-CLD	0.01		MR/HR
SIZE-	STA.NO.	E9		
	EXP-OPN	0.01		MR/HR
RED HILL PLAZA AND RT, 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431075 3MILE DATE- 79 08 02 0906	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E10		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT, 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431076 3MILE DATE- 79 08 02 0907	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E11		
SOUTH GATE AND RT, 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431077 3MILE DATE- 79 08 02 0908	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E12		
FALMOUTH RD AND RT, 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	DISTANCE	2.30		MILES
431078 3MILE DATE- 79 08 02 0910	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E13		
COLLINS RD AND RT, 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431079 3MILE DATE- 79 08 02 0911	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E14		
KEENER RD AND RT, 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
431080 3MILE DATE- 79 08 02 0912	EXP-CLD	0.01		MR/HR
SIZE-	EXP-OPN	0.01		MR/HR
	STA.NO.	E15		
SOUTH UNION AND RT, 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	DISTANCE	2.50		MILES
431081 3MILE DATE- 79 08 03 0910	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E1		
KEENER RD AND RT, 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
431095 3MILE DATE- 79 08 03 1006	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E15		
COLLINS RD AND RT, 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431094 3MILE DATE- 79 08 03 1007	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E14		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD AND RT. 441	AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82	DISTANCE	2.30		MILES
431093 3MILE DATE- 79 08 03 1008	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E13		
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431092 3MILE DATE- 79 08 03 1009	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E12		
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431091 3MILE DATE- 79 08 03 1011	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E11		
RED HILL PLAZA AND RT. 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	DISTANCE	0.85		MILES
431090 3MILE DATE- 79 08 03 1012	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E10		
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431089 3MILE DATE- 79 08 03 1013	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E9		
TMI OBSERVATION CENTER AND RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
431088 3MILE DATE- 79 08 03 1014	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E8		
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431087 3MILE DATE- 79 08 03 1015	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E7		
LAUREL RD AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
431086 3MILE DATE- 79 08 03 1016	EXP-CLD	<0.01		MR/HR
SIZE-	EXP-OPN	<0.01		MR/HR
	STA.NO.	E6		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441		AZIMUTH	25		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
431085 3MILE	DATE- 79 08 03 1017	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT. 441		AZIMUTH	7.0		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
431084 3MILE	DATE- 79 08 03 1018	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E4		
RAILROAD CROSSING AND RT. 441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		DISTANCE	1.90		MILES
431083 3MILE	DATE- 79 08 03 1019	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E3		
BURD STREET AND RT. 441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
431082 3MILE	DATE- 79 08 03 1020	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E2		
TMI OBSERVATION CENTER AND RT. 441		AZIMUTH	110		DEG-T
83 1590 043 42 03 82		DISTANCE	0.40		MILES
431096 3MILE	DATE- 79 08 03 1543	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E8		
ACCESS RD SUBSTATION PARKING AND RT. 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
431097 3MILE	DATE- 79 08 03 1544	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E9		
RED HILL PLAZA AND RT. 441		DISTANCE	0.85		MILES
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
431098 3MILE	DATE- 79 08 03 1544	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E10		
ENGLE RD AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
431099 3MILE	DATE- 79 08 03 1546	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E11		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	1.60		MILES
431100 3MILE	DATE- 79 08 03 1547	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E12		
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
431101 3MILE	DATE- 79 08 03 1548	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E13		
COLLINS RD AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
431102 3MILE	DATE- 79 08 03 1549	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E14		
KEENER RD AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
431103 3MILE	DATE- 79 08 03 1550	EXP-CLD	<0.01		MR/HR
SIZE-		EXP-OPN	<0.01		MR/HR
		STA.NO.	E15		
KEENER RD AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
431133 3MILE	DATE- 79 08 04 0957	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E15		
		EXP-OPN	<0.02		MR/HR
COLLINS RD AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
431132 3MILE	DATE- 79 08 04 0958	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E14		
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
431131 3MILE	DATE- 79 08 04 0959	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E13		
		EXP-OPN	<0.02		MR/HR
SOUTH GATE AND RT. 441		DISTANCE	1.60		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431130 3MILE	DATE- 79 08 04 1000	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E12		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT. 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
431129 3MILE DATE- 79 08 04 1008	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E11		
	EXP-DPN	<0.02		MR/HR
RED HILL PLAZA AND RT. 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	DISTANCE	0.85		MILES
431128 3MILE DATE- 79 08 04 1009	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-DPN	<0.02		MR/HR
	STA.NO.	E10		
ACCESS RD SUBSTATION PARKING AND RT. 441	AZIMUTH	130		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
431127 3MILE DATE- 79 08 04 1010	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E9		
	EXP-DPN	<0.02		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431125 3MILE DATE- 79 08 04 1011	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E7		
	EXP-DPN	<0.02		MR/HR
TMI OBSERVATION CENTER AND RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
431126 3MILE DATE- 79 08 04 1011	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-DPN	<0.02		MR/HR
	STA.NO.	E8		
NORTH GATE AND RT. 441	DISTANCE	0.70		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
431123 3MILE DATE- 79 08 04 1012	STA.NO.	E16		
SIZE-	EXP-DPN	<0.02		MR/HR
	EXP-CLD	<0.02		MR/HR
LAUREL RD AND RT. 441	AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
431124 3MILE DATE- 79 08 04 1012	EXP-DPN	<0.02		MR/HR
SIZE-	EXP-CLD	<0.02		MR/HR
	STA.NO.	E6		
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
431122 3MILE DATE- 79 08 04 1013	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E4		
	EXP-DPN	<0.02		MR/HR

TABLE 9-P. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RAILROAD CROSSING AND RT. 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
431121 3MILE	DATE- 79 08 04 1015	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E3		
BURD STREET AND RT. 441		AZIMUTH	354		DEG-T
83 1590 043 42 03 82		DISTANCE	2.35		MILES
431120 3MILE	DATE- 79 08 04 1016	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E2		
		EXP-OPN	<0.02		MR/HR
SOUTH UNION AND RT. 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
431119 3MILE	DATE- 79 08 04 1017	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E1		
KEENER RD AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
431118 3MILE	DATE- 79 08 04 1415	EXP-CLD	0.01		MR/HR
SIZE-		STA.NO.	E15		
		EXP-OPN	0.01		MR/HR
COLLINS RD AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
431117 3MILE	DATE- 79 08 04 1416	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E14		
FALMOUTH RD AND RT. 441		AZIMUTH	162.5		DEG-T
83 1590 043 42 03 82		DISTANCE	2.30		MILES
431116 3MILE	DATE- 79 08 04 1417	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E13		
		EXP-OPN	<0.02		MR/HR
SOUTH GATE AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	1.60		MILES
431115 3MILE	DATE- 79 08 04 1418	EXP-OPN	<0.02		MR/HR
SIZE-		STA.NO.	E12		
		EXP-CLD	<0.02		MR/HR
ENGLE RD AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
431114 3MILE	DATE- 79 08 04 1419	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E11		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT. 441		AZIMUTH	127		DEG-T
83 1590 043 42 03 82		DISTANCE	0.85		MILES
431113 3MILE	DATE- 79 08 04 1420	EXP-OPN	<0.02		MR/HR
SIZE-		STA.NO.	E10		
		EXP-CLD	<0.02		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
431112 3MILE	DATE- 79 08 04 1421	EXP-OPN	<0.02		MR/HR
SIZE-		STA.NO.	E9		
		EXP-CLD	<0.02		MR/HR
MEADOW LANE AND RT. 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
431110 3MILE	DATE- 79 08 04 1422	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E7		
TMI OBSERVATION CENTER AND RT. 441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
431111 3MILE	DATE- 79 08 04 1422	EXP-OPN	<0.02		MR/HR
SIZE-		STA.NO.	E8		
		EXP-CLD	<0.02		MR/HR
LAUREL RD AND RT. 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
431109 3MILE	DATE- 79 08 04 1423	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E6		
NORTH GATE AND RT. 441		AZIMUTH	25		DEG-T
83 1590 043 42 03 82		DISTANCE	0.70		MILES
431108 3MILE	DATE- 79 08 04 1424	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
431107 3MILE	DATE- 79 08 04 1425	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E4		
RAILROAD CROSSING AND RT. 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
431106 3MILE	DATE- 79 08 04 1426	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E3		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT. 441		AZIMUTH	354		DEG-T
83 1590 043 42 03 82		DISTANCE	2.35		MILES
431105 3MILE	DATE- 79 08 04 1427	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E2		
SOUTH UNION AND RT. 441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
431104 3MILE	DATE- 79 08 04 1428	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E1		
KEENER RD AND RT. 441		AZIMUTH	152		DEG-T
83 1590 043 42 03 82		DISTANCE	2.85		MILES
431163 3MILE	DATE- 79 08 05 0950	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E15		
COLLINS RD AND RT. 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431162 3MILE	DATE- 79 08 05 0951	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E14		
		EXP-OPN	<0.02		MR/HR
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
431161 3MILE	DATE- 79 08 05 0953	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E13		
SOUTH GATE AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	1.60		MILES
431160 3MILE	DATE- 79 08 05 0955	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E12		
		EXP-OPN	<0.02		MR/HR
ENGLE RD AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
431159 3MILE	DATE- 79 08 05 0956	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E11		
RED HILL PLAZA AND RT. 441		DISTANCE	0.85		MILES
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
431158 3MILE	DATE- 79 08 05 0957	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E10		
		EXP-OPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD SUBSTATION PARKING AND RT, 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
431157 3MILE	DATE- 79 08 05 0958	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E9		
MEADOW LANE AND RT, 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
431155 3MILE	DATE- 79 08 05 0959	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E7		
TMI OBSERVATION CENTER AND RT, 441		AZIMUTH	110		DEG-T
83 1590 043 42 03 82		DISTANCE	0.40		MILES
431156 3MILE	DATE- 79 08 05 0959	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E8		
		EXP-OPN	<0.01		MR/HR
LAUREL RD AND RT, 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
431154 3MILE	DATE- 79 08 05 1000	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E6		
		EXP-OPN	<0.02		MR/HR
NORTH GATE AND RT, 441		AZIMUTH	25		DEG-T
83 1590 043 42 03 82		DISTANCE	0.70		MILES
431153 3MILE	DATE- 79 08 05 1001	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT, 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
431152 3MILE	DATE- 79 08 05 1002	EXP-CLD	<0.01		MR/HR
SIZE-		STA.NO.	E4		
		EXP-OPN	<0.01		MR/HR
RAILROAD CROSSING AND RT, 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
431151 3MILE	DATE- 79 08 05 1003	EXP-OPN	<0.02		MR/HR
SIZE-		EXP-CLD	<0.02		MR/HR
		STA.NO.	E3		
BURD STREET AND RT, 441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
431150 3MILE	DATE- 79 08 05 1004	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E2		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH UNION AND RT. 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	DISTANCE	2.50		MILES
431149 3MILE DATE- 79 08 05 1005	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E1		
	EXP-OPN	<0.02		MR/HR
KEENER RD AND RT. 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
431148 3MILE DATE- 79 08 05 1359	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E15		
FALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
431146 3MILE DATE- 79 08 05 1400	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E13		
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431147 3MILE DATE- 79 08 05 1401	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E14		
	EXP-OPN	<0.02		MR/HR
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431145 3MILE DATE- 79 08 05 1406	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E12		
	EXP-OPN	<0.02		MR/HR
ENGLE RD AND RT. 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
431144 3MILE DATE- 79 08 05 1407	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E11		
RED HILL PLAZA AND RT. 441	DISTANCE	0.95		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431143 3MILE DATE- 79 08 05 1408	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E10		
	EXP-OPN	<0.02		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	AZIMUTH	130		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
431142 3MILE DATE- 79 08 05 1409	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E9		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
MEADOW LANE AND RT, 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
431140 3MILE	DATE- 79 08 05 1410	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA,NO,	E7		
TMI OBSERVATION CENTER AND RT, 441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
431141 3MILE	DATE- 79 08 05 1410	EXP-CLD	<0.02		MR/HR
SIZE-		STA,NO,	E8		
		EXP-OPN	<0.02		MR/HR
NORTH GATE AND RT, 441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		AZIMUTH	25.0		DEG-T
431138 3MILE	DATE- 79 08 05 1411	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA,NO,	E16		
LAUREL RD AND RT, 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
431139 3MILE	DATE- 79 08 05 1411	EXP-OPN	<0.02		MR/HR
SIZE-		STA,NO,	E6		
		EXP-CLD	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT, 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
431137 3MILE	DATE- 79 08 05 1412	EXP-CLD	<0.02		MR/HR
SIZE-		STA,NO,	E4		
		EXP-OPN	<0.02		MR/HR
RAILROAD CROSSING AND RT, 441		AZIMUTH	360		DEG-T
83 1590 043 42 03 82		DISTANCE	1.90		MILES
431136 3MILE	DATE- 79 08 05 1413	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA,NO,	E3		
BURD STREET AND RT, 441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
431135 3MILE	DATE- 79 08 05 1415	EXP-CLD	<0.02		MR/HR
SIZE-		STA,NO,	E2		
		EXP-OPN	<0.02		MR/HR
SOUTH UNION AND 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
431134 3MILE	DATE- 79 08 05 1416	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA,NO,	E1		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD AND RT, 441	AZIMUTH	162,5		DEG-T
83 1590 043 42 03 82	DISTANCE	2,30		MILES
431206 3MILE DATE- 79 08 06 0932	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E13		
	EXP-DPN	<0,02		MR/HR
KEENER RD AND RT, 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2,85		MILES
431193 3MILE DATE- 79 08 06 0942	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-DPN	<0,02		MR/HR
	STA,NO,	E15		
COLLINS RD AND PT, 441	DISTANCE	2,50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431192 3MILE DATE- 79 08 06 0943	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E14		
	EXP-DPN	<0,02		MR/HR
FALMOUTH RD AND RT, 441	AZIMUTH	162,5		DEG-T
83 1590 043 42 03 82	DISTANCE	2,30		MILES
431191 3MILE DATE- 79 08 06 0944	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-DPN	<0,02		MR/HR
	STA,NO,	E13		
SOUTH GATE AND RT, 441	DISTANCE	1,60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431190 3MILE DATE- 79 08 06 0945	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E12		
	EXP-DPN	<0,02		MR/HR
ENGLE RD AND RT, 441	DISTANCE	1,15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431189 3MILE DATE- 79 08 06 0952	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-DPN	<0,02		MR/HR
	STA,NO,	E11		
RED HILL PLAZA AND RT, 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	DISTANCE	0,85		MILES
431188 3MILE DATE- 79 08 06 0953	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E10		
	EXP-DPN	<0,02		MR/HR
TMI OBSERVATION CENTER AND RT, 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0,40		MILES
431186 3MILE DATE- 79 08 06 0954	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E8		
	EXP-DPN	<0,02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431187 3MILE DATE- 79 08 06 0954	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E9		
LAUREL RD AND RT. 441	AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
431184 3MILE DATE- 79 08 06 0955	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E6		
	EXP-OPN	<0.02		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431185 3MILE DATE- 79 08 06 0955	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E7		
NORTH GATE AND RT. 441	AZIMUTH	25.0		DEG-T
83 1590 043 42 03 82	DISTANCE	0.70		MILES
431183 3MILE DATE- 79 08 06 0956	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
431182 3MILE DATE- 79 08 06 0957	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E4		
	EXP-OPN	<0.02		MR/HR
RAILROAD CROSSING AND RT. 441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	DISTANCE	1.90		MILES
431181 3MILE DATE- 79 08 06 0958	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E3		
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2.35		MILES
431180 3MILE DATE- 79 08 06 0959	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E2		
	EXP-OPN	<0.02		MR/HR
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
431179 3MILE DATE- 79 08 06 1000	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E1		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT, 441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
431178 3MILE DATE- 79 08 06 1311	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E15		
	EXP-OPN	<0.02		MR/HR
FALMOUTH RD AND RT, 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
431176 3MILE DATE- 79 08 06 1312	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E13		
	EXP-OPN	<0.02		MR/HR
COLLINS RD AND RT, 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	2.50		MILES
431177 3MILE DATE- 79 08 06 1312	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E14		
SOUTH GATE AND RT, 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431175 3MILE DATE- 79 08 06 1313	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E12		
ENGLE RD AND RT, 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
431174 3MILE DATE- 79 08 06 1314	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E11		
	EXP-OPN	<0.02		MR/HR
RED MILL PLAZA AND RT, 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431173 3MILE DATE- 79 08 06 1315	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E10		
ACCESS RD SUBSTATION PARKING AND RT, 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431172 3MILE DATE- 79 08 06 1316	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E9		
	EXP-OPN	<0.02		MR/HR
TMI OBSERVATION CENTER AND RT, 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
431171 3MILE DATE- 79 08 06 1317	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E8		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
431169 3MILE DATE- 79 08 06 1318	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E6		
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431170 3MILE DATE- 79 08 06 1318	EXP-CLD	<0.01		MR/HR
SIZE-	STA.NO.	E7		
	EXP-OPN	<0.01		MR/HR
NORTH GATE AND RT. 441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	DISTANCE	0.70		MILES
431168 3MILE DATE- 79 08 06 1319	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E16		
	EXP-OPN	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	AZIMUTH	7.0		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
431167 3MILE DATE- 79 08 06 1320	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E4		
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
431166 3MILE DATE- 79 08 06 1321	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E3		
	EXP-OPN	<0.02		MR/HR
BURD STREET AND RT. 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2.35		MILES
431165 3MILE DATE- 79 08 06 1322	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E2		
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
431164 3MILE DATE- 79 08 06 1325	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E1		
	EXP-OPN	<0.02		MR/HR
KEENER RD AND RT. 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
431208 3MILE DATE- 79 08 07 0930	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E15		
	EXP-OPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT. 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	2.50		MILES
431207 3MILE DATE- 79 08 07 0931	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E14		
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431205 3MILE DATE- 79 08 07 0933	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E12		
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431204 3MILE DATE- 79 08 07 0938	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E11		
	EXP-OPN	<0.02		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431202 3MILE DATE- 79 08 07 0939	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E9		
	EXP-OPN	<0.02		MR/HR
RED HILL PLAZA AND RT. 441	AZIMUTH	127		DEG-T
83 1590 043 42 03 82	DISTANCE	0.85		MILES
431203 3MILE DATE- 79 08 07 0939	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E10		
TMI OBSERVATION CENTER AND RT. 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
431201 3MILE DATE- 79 08 07 0940	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E8		
LAUREL RD AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
431199 3MILE DATE- 79 08 07 0941	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E6		
MEADOW LANE AND RT. 441	AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82	DISTANCE	0.39		MILES
431200 3MILE DATE- 79 08 07 0941	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E7		
	EXP-OPN	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT. 441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
431198 3MILE	DATE- 79 08 07 0942	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E16		
		EXP-OPN	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		AZIMUTH	7.0		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
431197 3MILE	DATE- 79 08 07 0943	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E4		
RAILROAD CROSSING AND RT. 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
431196 3MILE	DATE- 79 08 07 0944	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E3		
		EXP-OPN	<0.02		MR/HR
BURD STREET AND RT. 441		AZIMUTH	354		DEG-T
83 1590 043 42 03 82		DISTANCE	2.35		MILES
431195 3MILE	DATE- 79 08 07 0945	STA.NO.	E2		
SIZE-		EXP-OPN	0.02		MR/HR
		EXP-CLD	<0.02		MR/HR
SOUTH UNION AND RT. 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
431194 3MILE	DATE- 79 08 07 0946	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E1		
		EXP-OPN	<0.02		MR/HR
BURD STREET AND RT. 441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
431230 3MILE	DATE- 79 08 07 1019	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E2		
		EXP-OPN	<0.02		MR/HR
RT. 262 AND RT. 76-BRIDGE		DISTANCE	7.6		MILES
83 1590 043 42 03 82		AZIMUTH	295		DEG-T
431221 3MILE	DATE- 79 08 07 1412	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	W13		
RT. 262 AND HARK RD.		DISTANCE	7.5		MILES
83 1590 043 42 03 82		AZIMUTH	296		DEG-T
431220 3MILE	DATE- 79 08 07 1414	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	W12		
		EXP-OPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16			
		ANALYSIS	RESULT	2SIGMA	UNITS
RT, 262 AND SPRING RD		AZIMUTH	292		DEG-T
83 1590 043 42 03 82		DISTANCE	6.8		MILES
431219 3MILE	DATE- 79 08 07 1416	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	W11		
RT, 262 AND RT, 83		AZIMUTH	288		DEG-T
83 1590 043 42 03 82		DISTANCE	6.0		MILES
431218 3MILE	DATE- 79 08 07 1418	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	W10		
		EXP-OPN	<0.02		MR/HR
RT, 262 AND RT, 177		DISTANCE	5.7		MILES
83 1590 043 42 03 82		AZIMUTH	285		DEG-T
431217 3MILE	DATE- 79 08 07 1419	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	W9		
RT, 262 AND EISNHOWER		AZIMUTH	283		DEG-T
83 1590 043 42 03 82		DISTANCE	5.0		MILES
431216 3MILE	DATE- 79 08 07 1420	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	W8		
		EXP-OPN	<0.02		MR/HR
RT, 262 AND HUSK LANE		AZIMUTH	289		DEG-T
83 1590 043 42 03 82		DISTANCE	4.4		MILES
431215 3MILE	DATE- 79 08 07 1421	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	W7		
RT, 262-CORN HILL RD,		DISTANCE	3.4		MILES
83 1590 043 42 03 82		AZIMUTH	295		DEG-T
431214 3MILE	DATE- 79 08 07 1422	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	W6		
		EXP-OPN	<0.02		MR/HR
RT, 262/CURVE		AZIMUTH	304		DEG-T
83 1590 043 42 03 82		DISTANCE	2.55		MILES
431213 3MILE	DATE- 79 08 07 1425	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	W5		
RT, 262/RT, 392		AZIMUTH	300		DEG-T
83 1590 043 42 03 82		DISTANCE	2.4		MILES
431212 3MILE	DATE- 79 08 07 1435	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	W4		
		EXP-OPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RT, 262/BRIDGE		DISTANCE	1,65		MILES
83 1590 043 42 03 82		AZIMUTH	268		DEG-T
431211 3MILE	DATE- 79 08 07 1437	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-DPN	<0,02		MR/HR
		STA,NO,	W3		
CENTER OF GOLDSBORO		DISTANCE	1,35		MILES
83 1590 043 42 03 82		AZIMUTH	264		DEG-T
431210 3MILE	DATE- 79 08 07 1438	EXP-CLD	<0,02		MR/HR
SIZE-		STA,NO,	W2		
		EXP-DPN	<0,02		MR/HR
RIVER AND WINEBAGO		AZIMUTH	268		DEG-T
83 1590 043 42 03 82		DISTANCE	1,35		MILES
431209 3MILE	DATE- 79 08 07 1440	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-DPN	<0,02		MR/HR
		STA,NO,	W1		
FRAZER ST, AND RT, 262		AZIMUTH	256		DEG-T
83 1590 043 42 03 82		DISTANCE	1,35		MILES
431222 3MILE	DATE- 79 08 07 1441	EXP-CLD	<0,02		MR/HR
SIZE-		STA,NO,	W14		
		EXP-DPN	<0,02		MR/HR
WISLER RD, AND RT, 262		DISTANCE	1,40		MILES
83 1590 043 42 03 82		AZIMUTH	248		DEG-T
431223 3MILE	DATE- 79 08 07 1442	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-DPN	<0,02		MR/HR
		STA,NO,	W15		
MIDWAY RD AND RT, 262		AZIMUTH	235		DEG-T
83 1590 043 42 03 82		DISTANCE	1,6		MILES
431224 3MILE	DATE- 79 08 07 1443	EXP-CLD	<0,02		MR/HR
SIZE-		STA,NO,	W16		
		EXP-DPN	<0,02		MR/HR
RIVER RD AND RT, 262		DISTANCE	1,85		MILES
83 1590 043 42 03 82		AZIMUTH	226		DEG-T
431225 3MILE	DATE- 79 08 07 1444	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-DPN	<0,02		MR/HR
		STA,NO,	W17		
RT, 295/REESER-HILL RD		DISTANCE	2,20		MILES
83 1590 043 42 03 82		AZIMUTH	197,5		DEG-T
431226 3MILE	DATE- 79 08 07 1445	EXP-CLD	<0,02		MR/HR
SIZE-		STA,NO,	W18		
		EXP-DPN	<0,02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
RT. 382 AND RT. 262-BEER RD.	AZIMUTH	192		DEG-T
83 1590 043 42 03 82	DISTANCE	2.80		MILES
431227 3MILE DATE- 79 08 07 1447	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	N19		
RT. 382 AND RT. 181-YORK HAVEN	DISTANCE	3.15		MILES
83 1590 043 42 03 82	AZIMUTH	171		DEG-T
431228 3MILE DATE- 79 08 07 1449	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	N20		
	EXP-OPN	<0.02		MR/HR
KEENER RD AND RT. 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
431243 3MILE DATE- 79 08 08 1005	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E15		
	EXP-OPN	<0.02		MR/HR
FALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
431241 3MILE DATE- 79 08 08 1006	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E13		
	EXP-OPN	<0.02		MR/HR
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431242 3MILE DATE- 79 08 08 1006	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E14		
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431240 3MILE DATE- 79 08 08 1008	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E12		
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431238 3MILE DATE- 79 08 08 1013	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E10		
ENGLE RD AND RT. 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1.15		MILES
431239 3MILE DATE- 79 08 08 1013	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E11		
	EXP-OPN	<0.02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431237 3MILE DATE- 79 08 08 1014	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E9		
	EXP-DPN	<0.02		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431235 3MILE DATE- 79 08 08 1015	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E7		
	EXP-DPN	<0.02		MR/HR
TMI OBSERVATION CENTER AND RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
431236 3MILE DATE- 79 08 08 1015	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-DPN	<0.02		MR/HR
	STA.NO.	E8		
LAUREL RD AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
431234 3MILE DATE- 79 08 08 1016	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-DPN	<0.02		MR/HR
	STA.NO.	E6		
NORTH GATE AND RT. 441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	DISTANCE	0.70		MILES
431233 3MILE DATE- 79 08 08 1017	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E16		
	EXP-DPN	<0.02		MR/HR
RAILROAD CROSSING AND RT. 441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	DISTANCE	1.90		MILES
431231 3MILE DATE- 79 08 08 1018	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-DPN	<0.02		MR/HR
	STA.NO.	E3		
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
431232 3MILE DATE- 79 08 08 1018	EXP-DPN	<0.02		MR/HR
SIZE-	EXP-CLD	<0.02		MR/HR
	STA.NO.	E4		
SOUTH UNION AND RT. 441	AZIMUTH	352		DEG-T
83 1590 043 42 03 82	DISTANCE	2.50		MILES
431229 3MILE DATE- 79 08 08 1020	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-DPN	<0.02		MR/HR
	STA.NO.	E1		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT, 441	DISTANCE	2,85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
431258 3MILE DATE- 79 08 08 1522	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-DPN	<0,02		MR/HR
	STA,NO,	E15		
FALMOUTH RD AND RT, 441	DISTANCE	2,30		MILES
83 1590 043 42 03 82	AZIMUTH	162,5		DEG-T
431256 3MILE DATE- 79 08 08 1523	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-DPN	<0,02		MR/HR
	STA,NO,	E13		
COLLINS RD AND RT, 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	2,50		MILES
431257 3MILE DATE- 79 08 08 1523	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E14		
	EXP-DPN	<0,02		MR/HR
SOUTH GATE AND RT, 441	AZIMUTH	160		DEG-T
83 1590 043 42 03 82	DISTANCE	1,60		MILES
431255 3MILE DATE- 79 08 08 1525	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E12		
	EXP-DPN	<0,02		MR/HR
ENGLE RD AND RT, 441	AZIMUTH	153		DEG-T
83 1590 043 42 03 82	DISTANCE	1,15		MILES
431254 3MILE DATE- 79 08 08 1526	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-DPN	<0,02		MR/HR
	STA,NO,	E11		
ACCESS RD SUBSTATION PARKING AND RT, 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0,40		MILES
431252 3MILE DATE- 79 08 08 1527	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-DPN	<0,02		MR/HR
	STA,NO,	E9		
RED MILL PLAZA AND RT, 441	DISTANCE	0,85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431253 3MILE DATE- 79 08 08 1527	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E10		
	EXP-DPN	<0,02		MR/HR
MEADOW LANE AND RT, 441	DISTANCE	0,39		MILES
83 1590 043 42 03 82	AZIMUTH	88,0		DEG-T
431250 3MILE DATE- 79 08 08 1528	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-DPN	<0,02		MR/HR
	STA,NO,	E7		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CENTER AND RT, 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0,40		MILES
431251 3MILE DATE- 79 08 08 1528	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E8		
	EXP-OPN	<0,02		MR/HR
LAUREL RD AND RT, 441	DISTANCE	0,45		MILES
83 1590 043 42 03 82	AZIMUTH	58,5		DEG-T
431249 3MILE DATE- 79 08 08 1529	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E6		
	EXP-OPN	<0,02		MR/HR
NORTH GATE AND RT, 441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	DISTANCE	0,70		MILES
431248 3MILE DATE- 79 08 08 1530	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E16		
RIVERSIDE BOAT SALES AND RT, 441	AZIMUTH	7,0		DEG-T
83 1590 043 42 03 82	DISTANCE	1,15		MILES
431247 3MILE DATE- 79 08 08 1531	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E4		
	EXP-OPN	<0,02		MR/HP
RAILROAD CROSSING AND RT, 441	DISTANCE	1,90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
431246 3MILE DATE- 79 08 08 1532	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E3		
BURD STREET AND RT, 441	AZIMUTH	354		DEG-T
83 1590 043 42 03 82	DISTANCE	2,35		MILES
431245 3MILE DATE- 79 08 08 1533	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E2		
	EXP-OPN	<0,02		MR/HR
SOUTH UNION AND RT, 441	DISTANCE	2,50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
431244 3MILE DATE- 79 08 09 1535	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E1		
KEENER RD AND RT, 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2,85		MILES
431273 3MILE DATE- 79 08 09 1358	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E15		
	EXP-OPN	<0,02		MR/HR

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
431272 3MILE	DATE- 79 08 09 1359	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E14		
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
431271 3MILE	DATE- 79 08 09 1400	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E13		
		EXP-OPN	<0.02		MR/HR
SOUTH GATE AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	1.60		MILES
431270 3MILE	DATE- 79 08 09 1401	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E12		
ENGLE RD AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
431269 3MILE	DATE- 79 08 09 1402	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E11		
		EXP-OPN	<0.02		MR/HR
ACCESS RD SUBSTATION PARKING AND RT. 441		AZIMUTH	130		DEG-T
83 1590 043 42 03 82		DISTANCE	0.45		MILES
431267 3MILE	DATE- 79 08 09 1403	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E9		
		EXP-OPN	<0.02		MR/HR
RED HILL PLAZA AND RT. 441		DISTANCE	0.85		MILES
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
431268 3MILE	DATE- 79 08 09 1403	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E10		
MEADOW LANE AND RT. 441		AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82		DISTANCE	0.39		MILES
431265 3MILE	DATE- 79 08 09 1407	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E7		
		EXP-OPN	<0.02		MR/HR
TMI OBSERVATION CENTER AND RT. 441		DISTANCE	0.40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
431266 3MILE	DATE- 79 08 09 1407	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E8		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD AND RT. 441		AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82		DISTANCE	0.45		MILES
431264 3MILE	DATE- 79 08 09 1408	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E6		
NORTH GATE AND RT. 441		AZIMUTH	25		DEG-T
83 1590 043 42 03 82		DISTANCE	0.70		MILES
431263 3MILE	DATE- 79 08 09 1409	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E16		
		EXP-OPN	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
431262 3MILE	DATE- 79 08 09 1410	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E4		
RAILROAD CROSSING AND RT. 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
431261 3MILE	DATE- 79 08 09 1411	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E3		
		EXP-OPN	<0.02		MR/HR
BURD STREET AND RT. 441		AZIMUTH	354		DEG-T
83 1590 043 42 03 82		DISTANCE	2.35		MILES
431260 3MILE	DATE- 79 08 09 1412	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E2		
SOUTH UNION AND RT. 441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
431259 3MILE	DATE- 79 08 09 1413	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E1		
		EXP-OPN	<0.02		MR/HR
SOUTH UNION AND RT. 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
431274 3MILE	DATE- 79 08 09 1442	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E1		
BURD STREET AND RT. 441		AZIMUTH	354		DEG-T
83 1590 043 42 03 82		DISTANCE	2.35		MILES
431275 3MILE	DATE- 79 08 09 1443	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E2		
		EXP-OPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16				
		ANALYSIS	RESULT	2SIGMA	UNITS
RAILROAD CROSSING AND RT, 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
431276 3MILE	DATE- 79 08 09 1444	EXP-CLO	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA,NO,	E3		
RIVERSIDE BOAT SALES AND RT, 441		AZIMUTH	7.0		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
431277 3MILE	DATE- 79 08 09 1445	EXP-CLO	<0.02		MR/HR
SIZE-		STA,NO,	E4		
		EXP-OPN	<0.02		MR/HR
NORTH GATE AND RT, 441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		AZIMUTH	25		DEG-T
431278 3MILE	DATE- 79 08 09 1446	EXP-CLO	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA,NO,	E16		
LAUREL RD AND RT, 441		AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82		DISTANCE	0.45		MILES
431279 3MILE	DATE- 79 08 09 1447	EXP-CLO	<0.02		MR/HR
SIZE-		STA,NO,	E6		
		EXP-OPN	<0.02		MR/HR
MEADOW LANE AND RT, 441		DISTANCE	0.39		MILES
83 1590 043 42 03 82		AZIMUTH	88.0		DEG-T
431280 3MILE	DATE- 79 08 09 1448	EXP-CLO	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA,NO,	E7		
TMI OBSERVATION CENTER AND RT,441		AZIMUTH	110		DEG-T
83 1590 42 82		DISTANCE	0.40		MILES
431281 3MILE	DATE- 79 08 09 1448	EXP-CLO	<0.02		MR/HR
SIZE-		STA,NO,	E8		
		EXP-OPN	<0.02		MR/HR
ACCESS RD SUBSTATION PARKING AND RT, 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
431282 3MILE	DATE- 79 08 09 1449	EXP-CLO	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA,NO,	E9		
RED HILL PLAZA AND RT, 441		DISTANCE	0.85		MILES
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
431283 3MILE	DATE- 79 08 09 1450	EXP-CLO	<0.02		MR/HR
SIZE-		STA,NO,	E10		
		EXP-OPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT. 441		AZIMUTH	153		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
431284 3MILE	DATE- 79 08 09 1450	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E11		
SOUTH GATE AND RT. 441		DISTANCE	1.60		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431285 3MILE	DATE- 79 08 09 1451	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E12		
		EXP-OPN	<0.02		MR/HR
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
431286 3MILE	DATE- 79 08 09 1452	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E13		
COLLINS RD AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	2.50		MILES
431287 3MILE	DATE- 79 08 09 1453	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E14		
		EXP-OPN	<0.02		MR/HR
KEENER RD AND RT. 441		AZIMUTH	152		DEG-T
83 1590 043 42 03 82		DISTANCE	2.85		MILES
431288 3MILE	DATE- 79 08 09 1454	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E15		
KEENER RD AND RT. 441		AZIMUTH	152		DEG-T
83 1590 043 42 03 82		DISTANCE	2.85		MILES
431303 3MILE	DATE- 79 08 10 0916	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E15		
		EXP-OPN	<0.02		MR/HR
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
431301 3MILE	DATE- 79 08 10 0917	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E13		
		EXP-OPN	<0.02		MR/HR
COLLINS RD AND RT. 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431302 3MILE	DATE- 79 08 10 0917	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E14		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
SOUTH GATE AND RT. 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	1.60		MILES
431300 3MILE	DATE- 79 08 10 0918	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-DPN	<0.02		MR/HR
		STA.NO.	E12		
ENGLE RD AND RT. 441		AZIMUTH	153		DEG-T
83 1590 043 42 03 82		DISTANCE	1.15		MILES
431299 3MILE	DATE- 79 08 10 0919	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E11		
		EXP-DPN	<0.02		MR/HR
RED HILL PLAZA AND RT. 441		DISTANCE	0.85		MILES
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
431298 3MILE	DATE- 79 08 10 0920	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-DPN	<0.02		MR/HR
		STA.NO.	E10		
ACCESS RD SUBSTATION PARKING AND RT. 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
431297 3MILE	DATE- 79 08 10 0921	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E9		
		EXP-DPN	<0.02		MR/HR
MEADOW LANE AND RT. 441		AZIMUTH	88.0		DEG-T
83 1590 043 42 03 82		DISTANCE	0.39		MILES
431295 3MILE	DATE- 79 08 10 0922	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E7		
		EXP-DPN	<0.02		MR/HR
TMI OBSERVATION CENTER AND RT. 441		AZIMUTH	110		DEG-T
83 1590 043 42 03 82		DISTANCE	0.40		MILES
431296 3MILE	DATE- 79 08 10 0922	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-DPN	<0.02		MR/HR
		STA.NO.	E8		
LAUREL RD AND RT. 441		DISTANCE	0.45		MILES
83 1590 043 42 03 82		AZIMUTH	58.5		DEG-T
431294 3MILE	DATE- 79 08 10 0923	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-DPN	<0.02		MR/HR
		STA.NO.	E6		
NORTH GATE AND RT. 441		AZIMUTH	25		DEG-T
83 1590 043 42 03 82		DISTANCE	0.70		MILES
431293 3MILE	DATE- 79 08 10 0931	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	E16		
		EXP-DPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
431292 3MILE DATE- 79 08 10 0932	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E4		
RAILROAD CROSSING AND RT. 441	AZIMUTH	360		DEG-T
83 1590 043 42 03 82	DISTANCE	1.90		MILES
431291 3MILE DATE- 79 08 10 0933	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E3		
	EXP-OPN	<0.02		MR/HR
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
431290 3MILE DATE- 79 08 10 0934	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E2		
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
431289 3MILE DATE- 79 08 10 0935	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E1		
	EXP-OPN	<0.02		MR/HR
KEENER RD AND RT. 441	AZIMUTH	152		DEG-T
83 1590 043 42 03 82	DISTANCE	2.85		MILES
431318 3MILE DATE- 79 08 10 1337	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E15		
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	140		DEG-T
431317 3MILE DATE- 79 08 10 1338	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E14		
	EXP-OPN	<0.02		MR/HR
FALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
431316 3MILE DATE- 79 08 10 1339	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E13		
ACCESS RD SUBSTATION PARKING AND RT. 441	AZIMUTH	130		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
431312 3MILE DATE- 79 08 10 1340	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E9		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431314 3MILE DATE- 79 08 10 1341	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E11		
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431313 3MILE DATE- 79 08 10 1342	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E10		
	EXP-OPN	<0.02		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431310 3MILE DATE- 79 08 10 1344	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E7		
TMI OBSERVATION CENTER AND RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
431311 3MILE DATE- 79 08 10 1344	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E8		
	EXP-OPN	<0.02		MR/HR
NORTH GATE AND RT. 441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	DISTANCE	0.70		MILES
431308 3MILE DATE- 79 08 10 1345	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E16		
LAUREL RD AND RT. 441	AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
431309 3MILE DATE- 79 08 10 1345	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E6		
	EXP-OPN	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
431307 3MILE DATE- 79 08 10 1346	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E4		
	EXP-OPN	<0.02		MR/HR
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
431306 3MILE DATE- 79 08 10 1347	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E3		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431314 3MILE DATE- 79 08 10 1341	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E11		
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431313 3MILE DATE- 79 08 10 1342	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E10		
	EXP-OPN	<0.02		MR/HR
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431310 3MILE DATE- 79 08 10 1344	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E7		
TMI OBSERVATION CENTER AND RT. 441	AZIMUTH	110		DEG-T
83 1590 043 42 03 82	DISTANCE	0.40		MILES
431311 3MILE DATE- 79 08 10 1344	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E8		
	EXP-OPN	<0.02		MR/HR
NORTH GATE AND RT. 441	AZIMUTH	25		DEG-T
83 1590 043 42 03 82	DISTANCE	0.70		MILES
431308 3MILE DATE- 79 08 10 1345	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E16		
LAUREL RD AND RT. 441	AZIMUTH	58.5		DEG-T
83 1590 043 42 03 82	DISTANCE	0.45		MILES
431309 3MILE DATE- 79 08 10 1345	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E6		
	EXP-OPN	<0.02		MR/HR
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
431307 3MILE DATE- 79 08 10 1346	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E4		
	EXP-OPN	<0.02		MR/HR
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
431306 3MILE DATE- 79 08 10 1347	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E3		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT, 441		AZIMUTH	354		DEG-T
83 1590 043 42 03 82		DISTANCE	2,35		MILES
431305 3MILE	DATE- 79 08 10 1348	EXP-CLD	<0,02		MR/HR
SIZE-		STA,NO,	E2		
		EXP-OPN	<0,02		MR/HR
SOUTH UNION AND RT, 441		AZIMUTH	352		DEG-T
83 1590 043 42 03 82		DISTANCE	2,50		MILES
431304 3MILE	DATE- 79 08 10 1349	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E1		
SOUTH GATE AND RT, 441		AZIMUTH	160		DEG-T
83 1590 043 42 03 82		DISTANCE	1,60		MILES
431315 3MILE	DATE- 79 08 10	EXP-CLD	<0,02		MR/HR
SIZE-		STA,NO,	E12		
		EXP-OPN	<0,02		MR/HR
KEENER RD AND RT, 441		DISTANCE	2,85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
431350 3MILE	DATE- 79 08 11 0915	EXP-CLD	<0,02		MR/HR
SIZE-		STA,NO,	E15		
		EXP-OPN	<0,02		MR/HR
FALMOUTH RD AND RT, 441		DISTANCE	2,30		MILES
83 1590 043 42 03 82		AZIMUTH	162,5		DEG-T
431348 3MILE	DATE- 79 08 11 0916	EXP-CLD	<0,02		MR/HR
SIZE-		STA,NO,	E13		
		EXP-OPN	<0,02		MR/HR
COLLINS RD AND RT, 441		DISTANCE	2,50		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431349 3MILE	DATE- 79 08 11 0916	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E14		
SOUTH GATE AND RT, 441		DISTANCE	1,60		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431347 3MILE	DATE- 79 08 11 0917	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E12		
ENGLE RD AND RT, 441		DISTANCE	1,15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
431346 3MILE	DATE- 79 08 11 0918	EXP-CLD	<0,02		MR/HR
SIZE-		STA,NO,	E11		
		EXP-OPN	<0,02		MR/HR

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIG+A	UNITS
RED HILL PLAZA AND RT, 441	DISTANCE	0,85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431345 3MILE DATE- 79 08 11 0919	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E10		
ACCESS RD SUBSTATION PARKING AND RT, 441	DISTANCE	0,45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431344 3MILE DATE- 79 08 11 0920	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E9		
	EXP-OPN	<0,02		MR/HR
MEADOW LANE AND RT, 441	DISTANCE	0,39		MILES
83 1590 043 42 03 82	AZIMUTH	88,0		DEG-T
431342 3MILE DATE- 79 08 11 0921	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E7		
	EXP-OPN	<0,02		MR/HR
TMI OBSERVATION CENTER AND RT, 441	DISTANCE	0,40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
431343 3MILE DATE- 79 08 11 0921	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E8		
LAUREL RD AND RT, 441	DISTANCE	0,45		MILES
83 1590 043 42 03 82	AZIMUTH	58,5		DEG-T
431341 3MILE DATE- 79 08 11 0922	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E6		
NORTH GATE AND RT, 441	DISTANCE	0,70		MILES
83 1590 043 42 03 82	AZIMUTH	25,0		DEG-T
431340 3MILE DATE- 79 08 11 0923	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E16		
	EXP-OPN	<0,02		MR/HR
RIVERSIDE BOAT SALES AND RT, 441	DISTANCE	1,15		MILES
83 1590 043 42 03 82	AZIMUTH	7,0		DEG-T
431339 3MILE DATE- 79 08 11 0928	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E4		
RAILROAD CROSSING AND RT, 441	DISTANCE	1,90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
431338 3MILE DATE- 79 08 11 0929	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	E3		
	EXP-OPN	<0,02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
431337 3MILE DATE- 79 08 11 0930	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E2		
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
431336 3MILE DATE- 79 08 11 0931	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E1		
	EXP-OPN	<0.02		MR/HR
RT. 262 AND RT. 83	DISTANCE	6.0		MILES
83 1590 043 42 03 82	AZIMUTH	288		DEG-T
431328 3MILE DATE- 79 08 11 1210	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	W10		
RT. 262 AND RT. 83	AZIMUTH	285		DEG-T
83 1590 043 42 03 82	DISTANCE	5.7		MILES
431327 3MILE DATE- 79 08 11 1211	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	W9		
	EXP-OPN	<0.02		MR/HR
RT. 262 AND REINHOWER	DISTANCE	5.0		MILES
83 1590 043 42 03 82	AZIMUTH	283		DEG-T
431326 3MILE DATE- 79 08 11 1212	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	W8		
RT. 262 AND HUSK LANE	DISTANCE	4.4		MILES
83 1590 043 42 03 82	AZIMUTH	289		DEG-T
431325 3MILE DATE- 79 08 11 1213	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	W7		
	EXP-OPN	<0.02		MR/HR
RT. 262-CORN HILL RD.	AZIMUTH	295		DEG-T
83 1590 043 42 03 82	DISTANCE	3.4		MILES
431324 3MILE DATE- 79 08 11 1214	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	W6		
RT. 262/CURVE	AZIMUTH	304		DEG-T
83 1590 043 42 03 82	DISTANCE	2.55		MILES
431323 3MILE DATE- 79 08 11 1218	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	W5		
	EXP-OPN	<0.02		MR/HR

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RT, 262/RT, 392	DISTANCE	2,4		MILES
83 1590 043 42 03 82	AZIMUTH	300		DEG-T
431322 3MILE DATE- 79 08 11 1219	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	W4		
RT, 262/BRIDGE	AZIMUTH	268		DEG-T
83 1590 043 42 03 82	DISTANCE	1,65		MILES
431321 3MILE DATE- 79 08 11 1222	EXP-CLD	<0,02		MP/HR
SIZE-	STA,NO,	W3		
	EXP-OPN	<0,02		MR/HR
CENTER OF GOLDSBORO	AZIMUTH	264		DEG-T
83 1590 043 42 03 82	DISTANCE	1,35		MILES
431320 3MILE DATE- 79 08 11 1223	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	W2		
RIVER AND WINEBAGO-GOLDSBORO	DISTANCE	1,35		MILES
83 1590 043 42 03 82	AZIMUTH	268		DEG-T
431319 3MILE DATE- 79 08 11 1224	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	W1		
	EXP-OPN	<0,02		MR/HR
FRAZER ST, AND RT, 262	AZIMUTH	956		DEG-T
83 1590 043 42 03 82	DISTANCE	1,35		MILES
431329 3MILE DATE- 79 08 11 1225	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	W14		
	EXP-OPN	<0,02		MR/HR
WISLER RD AND RT, 262	AZIMUTH	248		DEG-T
83 1590 043 42 03 82	DISTANCE	1,40		MILES
431330 3MILE DATE- 79 08 11 1348	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	W15		
MIDWAY RD, AND RT, 262	DISTANCE	1,60		MILES
83 1590 043 42 03 82	AZIMUTH	235		DEG-T
431331 3MILE DATE- 79 08 11 1349	EXP-CLD	<0,02		MR/HR
SIZE-	STA,NO,	W16		
	EXP-OPN	<0,02		MR/HR
RIVER RD AND RT, 262	DISTANCE	1,85		MILES
83 1590 043 42 03 82	AZIMUTH	226		DEG-T
431332 3MILE DATE- 79 08 11 1350	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	W17		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RT. 382 AND RT. 262-BEER RD		DISTANCE	2.80		MILES
83 1590 043 42 03 82		AZIMUTH	192		DEG-T
431334 3MILE	DATE- 79 08 11 1353	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	W19		
		EXP-DPN	<0.02		MR/HR
RT. 382 AND RT. 181-YORK HAVEN		DISTANCE	3.15		MILES
83 1590 043 42 03 82		AZIMUTH	171		DEG-T
431335 3MILE	DATE- 79 08 11 1355	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-DPN	<0.02		MR/HR
		STA.NO.	W20		
RT. 295/REESER-HILL RD		DISTANCE	2.2		MILES
83 1590 043 42 03 82		AZIMUTH	197.5		DEG-T
431333 3MILE	DATE- 79 08 11	EXP-CLD	<0.02		MR/HR
SIZE-		STA.NO.	W18		
		EXP-DPN	<0.02		MR/HR
KEENER RD AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
431395 3MILE	DATE- 79 08 12 0925	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-DPN	<0.02		MR/HR
		STA.NO.	E15		
KEENER RD AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
431365 3MILE	DATE- 79 08 12 0951	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-DPN	<0.02		MR/HR
		STA.NO.	E15		
COLLINS RD AND RT. 441		DISTANCE	1.50		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431364 3MILE	DATE- 79 08 12 0952	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-DPN	<0.02		MR/HR
		STA.NO.	E14		
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
431363 3MILE	DATE- 79 08 12 0953	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-DPN	<0.02		MR/HR
		STA.NO.	E13		
SOUTH GATE AND RT. 441		DISTANCE	1.60		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431362 3MILE	DATE- 79 08 12 0954	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-DPN	<0.02		MR/HR
		STA.NO.	E12		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
ENGLE RD AND RT, 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431361 3MILE DATE- 79 08 12 0959	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E11		
RED HILL PLAZA AND RT, 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431360 3MILE DATE- 79 08 12 1000	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E10		
ACCESS RD SUBSTATION PARKING AND RT, 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431359 3MILE DATE- 79 08 12 1001	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E9		
MEADOW LANE AND RT, 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431357 3MILE DATE- 79 08 12 1002	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E7		
TMI OBSERVATION CENTER AND RT, 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
431358 3MILE DATE- 79 08 12 1002	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E8		
LAUREL RD AND RT, 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
431356 3MILE DATE- 79 08 12 1003	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E6		
NORTH GATE AND RT, 441 & RT, 441	DISTANCE	0.70		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
431355 3MILE DATE- 79 08 12 1004	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT, 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
431354 3MILE DATE- 79 08 12 1005	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E4		

TABLE 9-F. NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

		ANALYSIS	RESULT	2SIGMA	UNITS
RAILROAD CROSSING AND RT. 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
431353 3MILE	DATE- 79 08 12 1006	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E3		
SOUTH UNION AND RT. 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
431351 3MILE	DATE- 79 08 12 1007	EXP-OPN	<0.02		MR/HR
SIZE-		STA.NO.	E1		
BURD STREET AND RT. 441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
431352 3MILE	DATE- 79 08 12 1007	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E2		
KEENER RD AND RT. 441		DISTANCE	2.85		MILES
83 1590 043 42 03 82		AZIMUTH	152		DEG-T
431380 3MILE	DATE- 79 08 12 1429	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E15		
FALMOUTH RD AND RT. 441		DISTANCE	2.30		MILES
83 1590 043 42 03 82		AZIMUTH	162.5		DEG-T
431378 3MILE	DATE- 79 08 12 1430	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E13		
COLLINS RD AND RT. 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431379 3MILE	DATE- 79 08 12 1430	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E14		
SOUTH GATE AND RT. 441		DISTANCE	1.60		MILES
83 1590 043 42 03 82		AZIMUTH	160		DEG-T
431377 3MILE	DATE- 79 08 12 1431	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E12		
EAGLE RD AND RT. 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	153		DEG-T
431376 3MILE	DATE- 79 08 12 1432	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E11		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA	REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
RED HILL PLAZA AND RT, 441		DISTANCE	0,85		MILES
83 1590 043 42 03 82		AZIMUTH	127		DEG-T
431375 3MILE	DATE- 79 08 12 1433	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E10		
ACCESS RD SUBSTATION PARKING AND RT, 441		DISTANCE	0,45		MILES
83 1590 043 42 03 82		AZIMUTH	130		DEG-T
431374 3MILE	DATE- 79 08 12 1434	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E9		
TMI OBSERVATION CENTER AND RT, 441		DISTANCE	0,40		MILES
83 1590 043 42 03 82		AZIMUTH	110		DEG-T
431373 3MILE	DATE- 79 08 12 1435	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E8		
MEADOW LANE AND RT, 441		DISTANCE	0,39		MILES
83 1590 043 42 03 82		AZIMUTH	88,0		DEG-T
431372 3MILE	DATE- 79 08 12 1436	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E7		
NORTH GATE AND RT, 441		DISTANCE	0,70		MILES
83 1590 043 42 03 82		AZIMUTH	25,0		DEG-T
431370 3MILE	DATE- 79 08 12 1437	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E16		
LAUREL RD AND RT, 441		DISTANCE	0,45		MILES
83 1590 043 42 03 82		AZIMUTH	58,5		DEG-T
431371 3MILE	DATE- 79 08 12 1437	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E6		
RIVERSIDE BOAT SALES AND RT, 441		DISTANCE	1,15		MILES
83 1590 043 42 03 82		AZIMUTH	7,0		DEG-T
431369 3MILE	DATE- 79 08 12 1438	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E4		
RAILROAD CROSSING AND RT, 441		DISTANCE	1,90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
431368 3MILE	DATE- 79 08 12 1440	EXP-CLD	<0,02		MR/HR
SIZE-		EXP-OPN	<0,02		MR/HR
		STA,NO,	E3		

TABLE 6-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
431367 3MILE DATE- 79 08 12 1441	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E7		
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
431366 3MILE DATE- 79 08 12 1442	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E1		
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431394 3MILE DATE- 79 08 13 0926	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E14		
FALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
431393 3MILE DATE- 79 08 13 0927	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E13		
SOUTH GATE AND RT. 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431392 3MILE DATE- 79 08 13 0928	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E12		
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431391 3MILE DATE- 79 08 13 0933	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E11		
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431390 3MILE DATE- 79 08 13 0934	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E10		
TMI OBSERVATION CENTER AND RT. 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
431388 3MILE DATE- 79 08 13 0935	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E8		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431389 3MILE DATE- 79 08 13 0935	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E9		
LAUREL RD AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
431386 3MILE DATE- 79 08 13 0936	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E6		
MEADOW LANE AND RT. 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431387 3MILE DATE- 79 08 13 0936	EXP-CLD	<0.02		MR/HR
SIZE-	STA.NO.	E7		
	EXP-OPN	<0.02		MR/HR
NORTH GATE AND RT. 441	DISTANCE	0.70		MILES
83 1590 043 42 03 82	AZIMUTH	25		DEG-T
431385 3MILE DATE- 79 08 13 0937	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	7.0		DEG-T
431384 3MILE DATE- 79 08 13 0938	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E4		
RAILROAD CROSSING AND RT. 441	DISTANCE	1.90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
431383 3MILE DATE- 79 08 13 0940	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E3		
BURD STREET AND RT. 441	DISTANCE	2.35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
431382 3MILE DATE- 79 08 13 0941	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E2		
SOUTH UNION AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
431381 3MILE DATE- 79 08 13 0942	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E1		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT. 441	DISTANCE	2.85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
431410 3MILE DATE- 79 08 13 1445	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E15		
PALMOUTH RD AND RT. 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
431408 3MILE DATE- 79 08 13 1446	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E13		
COLLINS RD AND RT. 441	DISTANCE	2.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431409 3MILE DATE- 79 08 13 1446	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E14		
SOUTH GATE AND RT. 441	DISTANCE	1.50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431407 3MILE DATE- 79 08 13 1447	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E12		
ENGLE RD AND RT. 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431406 3MILE DATE- 79 08 13 1448	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E11		
ACCESS RD SUBSTATION PARKING AND RT. 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431404 3MILE DATE- 79 08 13 1449	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E9		
RED HILL PLAZA AND RT. 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431405 3MILE DATE- 79 08 13 1449	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E10		
TMI OBSERVATION CENTER AND RT. 441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
431403 3MILE DATE- 79 08 13 1450	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E8		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16	ANALYSIS	RESULT	2SIGMA	UNITS
KEENER RD AND RT, 441	DISTANCE	2,85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
431410 3MILE DATE- 79 08 13 1445	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E15		
FALMOUTH RD AND RT, 441	DISTANCE	2,30		MILES
83 1590 043 42 03 82	AZIMUTH	162,5		DEG-T
431408 3MILE DATE- 79 08 13 1446	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E13		
COLLINS RD AND RT, 441	DISTANCE	2,50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431409 3MILE DATE- 79 08 13 1446	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E14		
SOUTH GATE AND RT, 441	DISTANCE	1,50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431407 3MILE DATE- 79 08 13 1447	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E12		
ENGLE RD AND RT, 441	DISTANCE	1,15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431406 3MILE DATE- 79 08 13 1448	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E11		
ACCESS RD SUBSTATION PARKING AND RT, 441	DISTANCE	0,45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431404 3MILE DATE- 79 08 13 1449	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E9		
RED HILL PLAZA AND RT, 441	DISTANCE	0,85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431405 3MILE DATE- 79 08 13 1449	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E10		
TMI OBSERVATION CENTER AND RT, 441	DISTANCE	0,40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
431403 3MILE DATE- 79 08 13 1450	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E8		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD AND RT, 441	DISTANCE	0,45		MILES
83 1590 043 42 03 82	AZIMUTH	58,5		DEG-T
431401 3MILE DATE- 79 08 13 1451	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E6		
MEADOW LANE AND RT, 441	DISTANCE	0,39		MILES
83 1590 043 42 03 82	AZIMUTH	89,0		DEG-T
431402 3MILE DATE- 79 08 13 1451	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E7		
NORTH GATE AND RT, 441	DISTANCE	0,70		MILES
83 1590 043 42 03 82	AZIMUTH	25,0		DEG-T
431400 3MILE DATE- 79 08 13 1452	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E16		
RIVERSIDE BOAT SALES AND RT, 441	DISTANCE	1,15		MILES
83 1590 043 42 03 82	AZIMUTH	7,0		DEG-T
431399 3MILE DATE- 79 08 13 1453	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E4		
RAILROAD CROSSING AND RT, 441	DISTANCE	1,90		MILES
83 1590 043 42 03 82	AZIMUTH	360		DEG-T
431398 3MILE DATE- 79 08 13 1454	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E3		
BURD STREET AND RT, 441	DISTANCE	2,35		MILES
83 1590 043 42 03 82	AZIMUTH	354		DEG-T
431397 3MILE DATE- 79 08 13 1455	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E2		
SOUTH UNION AND RT, 441	DISTANCE	2,50		MILES
83 1590 043 42 03 82	AZIMUTH	352		DEG-T
431396 3MILE DATE- 79 08 13 1456	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E1		
KEENER RD AND RT, 441	DISTANCE	2,85		MILES
83 1590 043 42 03 82	AZIMUTH	152		DEG-T
431440 3MILE DATE- 79 08 14 0941	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E15		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
COLLINS RD AND RT, 441	DISTANCE	2,50		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431439 3MILE DATE- 79 08 14 0942	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E14		
FALMOUTH RD AND RT, 441	DISTANCE	2,30		MILES
83 1590 043 42 03 82	AZIMUTH	162,5		DEG-T
431438 3MILE DATE- 79 08 14 0943	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E13		
SOUTH GATE AND RT, 441	DISTANCE	1,60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431437 3MILE DATE- 79 08 14 0945	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E12		
RED HILL PLAZA AND RT, 441	DISTANCE	0,85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431435 3MILE DATE- 79 08 14 0946	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E10		
ENGLE RD AND RT, 441	DISTANCE	1,15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431436 3MILE DATE- 79 08 14 0946	EXP-CLD	<0,02		MP/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E11		
ACCESS RD SUBSTATION PARKING AND RT, 441	DISTANCE	0,45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431434 3MILE DATE- 79 08 14 0947	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E9		
MEADOW LANE AND RT, 441	DISTANCE	0,39		MILES
83 1590 043 42 03 82	AZIMUTH	88,0		DEG-T
431432 3MILE DATE- 79 08 14 0948	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E7		
TMI OBSERVATION CENTER AND RT, 441	DISTANCE	0,40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
431433 3MILE DATE- 79 08 14 0948	EXP-CLD	<0,02		MR/HR
SIZE-	EXP-OPN	<0,02		MR/HR
	STA,NO,	E8		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
LAUREL RD AND RT, 441 83 1590 043 42 03 82 431431 3MILE DATE- 79 08 14 0949 SIZE-	DISTANCE	0.45		MILES
	AZIMUTH	58.5		DEG-T
	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
	STA.NO.	E6		
NORTH GATE AND RT, 441 83 1590 043 42 03 82 431430 3MILE DATE- 79 08 14 0950 SIZE-	DISTANCE	0.70		MILES
	AZIMUTH	25.0		DEG-T
	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
	STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT, 441 83 1590 043 42 03 82 431429 3MILE DATE- 79 08 14 1027 SIZE-	DISTANCE	1.15		MILES
	AZIMUTH	7.0		DEG-T
	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
	STA.NO.	E4		
RAILROAD CROSSING AND RT, 441 83 1590 043 42 03 82 431428 3MILE DATE- 79 08 14 1028 SIZE-	DISTANCE	1.90		MILES
	AZIMUTH	360		DEG-T
	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
	STA.NO.	E3		
SOUTH UNION AND RT, 441 83 1590 043 42 03 82 431426 3MILE DATE- 79 08 14 1030 SIZE-	DISTANCE	2.50		MILES
	AZIMUTH	352		DEG-T
	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
	STA.NO.	E1		
BURD STREET AND RT,441 83 1590 043 42 03 82 431427 3MILE DATE- 79 08 14 1030 SIZE-	DISTANCE	2.35		MILES
	AZIMUTH	354		DEG-T
	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
	STA.NO.	E2		
KEENER RD AND RT, 441 83 1590 043 42 03 82 431425 3MILE DATE- 79 08 14 1423 SIZE-	DISTANCE	2.85		MILES
	AZIMUTH	152		DEG-T
	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
	STA.NO.	E15		
COLLINS RD AND RT, 441 83 1590 043 42 03 82 431424 3MILE DATE- 79 08 14 1424 SIZE-	DISTANCE	2.50		MILES
	AZIMUTH	160		DEG-T
	EXP-CLD	<0.02		MR/HR
	EXP-OPN	<0.02		MR/HR
	STA.NO.	E14		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16

	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH RD AND RT, 441	DISTANCE	2.30		MILES
83 1590 043 42 03 82	AZIMUTH	162.5		DEG-T
431423 3MILE DATE- 79 08 14 1425	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E13		
SOUTH GATE AND RT, 441	DISTANCE	1.60		MILES
83 1590 043 42 03 82	AZIMUTH	160		DEG-T
431422 3MILE DATE- 79 08 14 1426	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E12		
RED MILL PLAZA AND RT, 441	DISTANCE	0.85		MILES
83 1590 043 42 03 82	AZIMUTH	127		DEG-T
431420 3MILE DATE- 79 08 14 1427	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E10		
ENGLE RD AND RT, 441	DISTANCE	1.15		MILES
83 1590 043 42 03 82	AZIMUTH	153		DEG-T
431421 3MILE DATE- 79 08 14 1427	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E11		
ACCESS RD SUBSTATION PARKING AND RT, 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	130		DEG-T
431419 3MILE DATE- 79 08 14 1428	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E9		
MEADOW LANE AND RT, 441	DISTANCE	0.39		MILES
83 1590 043 42 03 82	AZIMUTH	88.0		DEG-T
431417 3MILE DATE- 79 08 14 1429	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E7		
TMI OBSERVATION CENTER AND RT,441	DISTANCE	0.40		MILES
83 1590 043 42 03 82	AZIMUTH	110		DEG-T
431418 3MILE DATE- 79 08 14 1429	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E8		
LAUREL RD AND RT, 441	DISTANCE	0.45		MILES
83 1590 043 42 03 82	AZIMUTH	58.5		DEG-T
431416 3MILE DATE- 79 08 14 1430	EXP-CLD	<0.02		MR/HR
SIZE-	EXP-OPN	<0.02		MR/HR
	STA.NO.	E6		

TABLE 9-F, NRC SURVEY METER RESULTS

PENNSYLVANIA REPORTED 80/10/16				
		ANALYSIS	RESULT	2SIGMA	UNITS
NORTH GATE AND RT, 441		DISTANCE	0.70		MILES
83 1590 043 42 03 82		AZIMUTH	25.0		DEG-T
431415 3MILE	DATE- 79 08 14 1431	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E16		
RIVERSIDE BOAT SALES AND RT, 441		DISTANCE	1.15		MILES
83 1590 043 42 03 82		AZIMUTH	7.0		DEG-T
431414 3MILE	DATE- 79 08 14 1432	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E4		
RAILROAD CROSSING AND RT, 441		DISTANCE	1.90		MILES
83 1590 043 42 03 82		AZIMUTH	360		DEG-T
431413 3MILE	DATE- 79 08 14 1433	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E3		
BURD STREET AND RT, 441		DISTANCE	2.35		MILES
83 1590 043 42 03 82		AZIMUTH	354		DEG-T
431412 3MILE	DATE- 79 08 14 1434	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E2		
SOUTH UNION AND RT, 441		DISTANCE	2.50		MILES
83 1590 043 42 03 82		AZIMUTH	352		DEG-T
431411 3MILE	DATE- 79 08 14 1435	EXP-CLD	<0.02		MR/HR
SIZE-		EXP-OPN	<0.02		MR/HR
		STA.NO.	E1		

ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL MONITORING AND SYSTEMS LABORATORY

LAS VEGAS, NEVADA

80/11/14

TABLE 9-G, NRC TLD RESULTS

NOTE: "NA" INDICATES NO ANALYSIS. "ND" INDICATES NOT DETECTED. WHEN RESULTS ARE GIVEN IN EXPONENTIAL NOTATION THE NUMBER FOLLOWING THE "E" IS THE EXPONENT OF TEN BY WHICH THE PRECEDING NUMBER SHOULD BE MULTIPLIED. A VALUE IN PARENTHESES IS THE ESTIMATED TWO-SIGMA COUNTING ERROR ASSOCIATED WITH THE PRECEDING RESULT. ALL LABELED TWO-SIGMA ERROR TERMS ARE ESTIMATED TWO-SIGMA COUNTING ERRORS. ALL MINIMUM DETECTABLE VALUES INDICATED BY THE SYMBOL "<" FOR SAMPLES COLLECTED PRIOR TO JANUARY 1, 1978, ARE BASED ON A TYPE I ERROR EQUAL TO FIVE PERCENT. ALL MINIMUM DETECTABLE VALUES FOR SAMPLES COLLECTED ON OR AFTER JANUARY 1, 1978 ARE ALSO INDICATED BY "<", BUT ARE BASED ON A TYPE I ERROR EQUAL TO A TYPE II ERROR EQUAL TO FIVE PERCENT (SEE HASL-300 PROCEDURES MANUAL).

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA	REPORTED 80/11/14					
		ANALYSIS	RESULT	2SIGMA	UNITS	
MEADOW LANE		AZIMUTH	90		DEG-T	
83 1590 043 42 03 81		DISTANCE	0.4		MILES	
435830 3MILE	DN- 79 09 04	STA.NO.	E-5			
SIZE-	DFF- 79 09 04	BADGE NOS	200,30053			
		MISSING				
MIDDLETOWN RD.-RT.322		DISTANCE	7.4		MILES	
83 1590 043 42 03 81		AZIMUTH	6		DEG-T	
436300 3MILE	DN- 79 08 01	STA.NO.	N-3			
SIZE-	DFF- 79 09 04	MISSING				
MIDDLETOWN RD.-RT283		DISTANCE	5.1		MILES	
83 1590 043 42 03 81		AZIMUTH	0		DEG-T	
436306 3MILE	DN- 79 08 01	STA.NO.	N-2			
SIZE-	DFF- 79 09 04	MISSING				
W.ROOSEVELT AT GRANDVIEW ELEM SCHOOL		DISTANCE	3.5		MILES	
83 1590 043 42 03 81		AZIMUTH	349		DEG-T	
436319 3MILE	DN- 79 08 01	STA.NO.	N-1E			
SIZE-	DFF- 79 09 04	MISSING				
ANN ST. AT MANSBERGE ELEM SCHOOL		DISTANCE	2.75		MILES	
83 1590 043 42 03 81		STA.NO.	N-1B			
436336 3MILE	DN- 79 08 01 0855	AZIMUTH	346		DEG-T	
SIZE-	DFF- 79 09 04	MISSING				
GRUBB ST, FIRST POLE ON RIGHT		DISTANCE	2.4		MILES	
83 1590 043 42 03 81		AZIMUTH	356		DEG-T	
436342 3MILE	DN- 79 08 01 0829	STA.NO.	N-1A			
SIZE-	DFF- 79 09 04	MISSING				
		BADGE NOS	30135,	30136		
CLY RD, ON TELEPHONE POLE		DISTANCE	2.2		MILES	
83 1590 043 42 03 81		AZIMUTH	200		DEG-T	
436414 3MILE	DN- 79 08 01 1123	STA.NO.	SW-1			
SIZE-	DFF- 79 09 04	MISSING				
		BADGE NOS	30101,	30102		
INTERSECT.OF RIEGERS AND YORK HAVEN RDS.		DISTANCE	2.6		MILES	
83 1590 043 42 03 81		AZIMUTH	203		DEG-T	
436420 3MILE	DN- 79 08 01 1157	STA.NO.	SW-2			
SIZE-	DFF- 79 09 04	MISSING				
		BADGE NOS	60103,	60104		
BUTLER AND BULL RDS-INTERSECT,		AZIMUTH	225		DEG-T	
83 1590 043 42 03 81		DISTANCE	10.4		MILES	
436432 3MILE	DN- 79 08 01 1237	STA.NO.	SW-4			
SIZE-	DFF- 79 09 04	MISSING				
		BADGE NOS	30131,	30132		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
INTERSECT, VALLEY RD, AND YORKTOWN RD,	AZIMUTH	303		DEG-T
83 1590 043 42 03 81	STA.NO.	NW1		
436469 3MILE DN- 79 08 01 1110	DISTANCE	2.6		MILES
SIZE- OFF- 79 09 04	MISSING			
	BADGE NOS	2239,2240		
MEADOW BROOK RD.-SECOND TELE. POLE ON RT	DISTANCE	9.6		MILES
83 1590 043 42 03 81	STA.NO.	NW3		
436486 3MILE DN- 79 08 01 1045	AZIMUTH	306		DEG-T
SIZE- OFF- 79 09 04	MISSING			
ENVIRONMENTAL STATION OFF RT 11	DISTANCE	13.8		MILES
83 1590 043 42 03 81	STA.NO.	NW5		
436492 3MILE DN- 79 08 01 1028	AZIMUTH	312		DEG-T
SIZE- OFF- 79 09 04	MISSING			
TURNPIKE RD. AND BOSSLER RD.	DISTANCE	3.7		MILES
83 1590 42 81	AZIMUTH	101		DEG-T
436498 3MILE DN- 79 08 01 1434	STA.NO.	E-3		
SIZE- OFF- 79 09 04	MISSING			
	BADGE NOS	60109,	60110	
HWY.441-LAUREL RD.	BADGE NOS	75,76		
83 1590 043 42 03 81	DISTANCE	0.5		MILES
435847 3MILE DN- 79 08 01 0916	STA NO.	E-1		
SIZE- OFF- 79 09 04 1000	EXP-NON-P	N/A		
	EXP-P	0.15	0.02	
	AZIMUTH	61		DEG-T
	NON-P=NON-PENETRATING			
	P=PENETRATING			
GEYERS CHURCH RD-RT441	DISTANCE	0.8		MILES
83 1590 043 42 03 81	AZIMUTH	25		DEG-T
435877 3MILE DN- 79 08 01 0820	EXP-P	0.14	0.01	
SIZE- OFF- 79 09 04 1005	BADGE NOS	87,88		
	EXP-NON-P	N/A		
	STA.NO.	NE-1		
	P=PENETRATING			
	NON-P=NONPENETRATING			
HILLSDALE DRIVE	AZIMUTH	19		DEG-T
83 1590 043 42 03 81	BADGE NOS	89,90		
435871 3MILE DN- 79 08 01 0825	DISTANCE	1.8		MILES
SIZE- OFF- 79 09 04 1010	STA.NO.	NE-2		
	EXP-P	0.15	0.01	
	EXP-NON-P	N/A		
	NON-P=NONPENETRATING			
	P=PENETRATING			

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
SUBSTATION ON MILL ST.		EXP-NON-P	N/A		
83 1590 043 42 03 81		DISTANCE	2.6		MILES
436348 3MILE	ON- 79 08 01 0833	EXP-P	0.14	.02	
SIZE-	OFF- 79 09 04 1025	AZIMUTH	358		DEG-T
		STA,NO,	N-1		
		NON-PaNONPENETRATING			
		PaPENETRATING			
		BADGE NOS	198,199		
RACE ST, IN FRONT OF FEASER SCHOOL		EXP-P	0.24	.04	
83 1590 043 42 03 81		DISTANCE	3.0		MILES
436330 3MILE	ON- 79 08 01 0835	EXP-NON-P	N/A		
SIZE-	OFF- 79 09 04 1028	STA,NO,	N-1C		
		AZIMUTH	0		DEG-T
		NON-PaNONPENETRATING			
		PaPENETRATING			
		BADGE NOS	48,49		
N, UNION ST.-MIDDLETOWN N.S.		EXP-P	0.14	.01	
83 1590 043 42 03 81		AZIMUTH	351		DEG-T
436312 3MILE	ON- 79 08 01 0840	EXP-NON-P	N/A		
SIZE-	OFF- 79 09 04 1031	STA,NO,	N-1F		
		DISTANCE	4.0		MILES
		PaPENETRATING			
		NON-PaNONPENETRATING			
		BADGE NOS	30133, 30134		
MEADOW LANE		EXP-NON-P	N/A		
83 1590 043 42 03 81		BADGE NOS	83,84		
435829 3MILE	ON- 79 08 01 1458	STA,NO,	E-5		
SIZE-	OFF- 79 09 04 1045	AZIMUTH	90		DEG-T
		EXP-P	0.24	0.02	
		DISTANCE	0.4		MILES
		NON-PaNONPENETRATING			
		PaPENETRATING			
RED HILLS FARM FRUIT STAND-RT441		BADGE NOS	85,86		
83 1590 043 42 03 81		STA,NO,	E-1		
435823 3MILE	ON- 79 08 01 1425	EXP-NON-P	N/A		
SIZE-	OFF- 79 09 04 1046	AZIMUTH	151		DEG-T
		EXP-P	0.15	0.02	
		DISTANCE	1.0		MILES
		NON-PaNONPENETRATING			
		PaPENETRATING			

TABLE 9-G. NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
MCCANN HOUSE	EXP-NON-P	N/A		
83 1590 043 42 03 81	DISTANCE	1.9		MILES
436360 3MILE ON- 79 08 01 1422	EXP-P	0.21	.02	
SIZE- OFF- 79 09 04 1047	AZIMUTH	162		DEG-T
	STA.NO.	SE-2		
	P=PENETRATING			
	NON-P=NONPENETRATING			
	BADGE NOS	81,82		
PENN STATE PENNSYLVANIA	DISTANCE	3.5		MILES
83 1590 043 42 03 81	STA.NO.	N-1D		
436324 3MILE ON- 79 08 01 0850	EXP-NON-P	N/A		
SIZE- OFF- 79 09 04 1205	AZIMUTH	333		DEG-T
	EXP-P	0.14	.01	
	NON-P=NONPENETRATING			
	P=PENETRATING			
	BADGE NOS	40,50		
RT.230-ACROSS FROM SHADY LANE MOTEL	EXP-NON-P	N/A		
83 1590 043 42 03 81	AZIMUTH	17		DEG-T
435865 3MILE ON- 79 08 01 0901	STA.NO.	NE-3		
SIZE- OFF- 79 09 04 1219	DISTANCE	3.1		MILES
	EXP-P	0.14	0.02	
	BADGE NOS	30115,	30116	
	NON-P=NONPENETRATING			
LONDONDERRY TWP.SCHOOL	AZIMUTH	44		DEG-T
83 1590 043 42 03 81	DISTANCE	3.6		MILES
435859 3MILE ON- 79 08 01 0906	STA NO.	NE-3A		
SIZE- OFF- 79 09 04 1225	BADGE NOS	30149,	30150	
	P=PENETRATING			
	NON-P=NONPENETRATING			
	EXP-P	0.14	0.01	
	STA.NO.	NE-3A		
	EXP-NON-P	N/A		
RT.743-NORTH OF TEXACO STA.	AZIMUTH	47		DEG-T
83 1590 043 42 03 81	STA NO.	NE-4		
435853 3MILE ON- 79 08 01 0917	DISTANCE	7.4		MILES
SIZE- OFF- 79 09 04 1235	EXP-NON-P	N/A		
	EXP-P	0.13	0.01	
	P=PENETRATING			
	NON-P=NONPENETRATING			
	BADGE NOS	72,73		
	STA.NO.	NE-4		

TABLE 9-C, NRC TLD RESULTS

PENNSYLVANIA	REPORTED 80/11/14							
					ANALYSIS	RESULT	2SIGMA	UNITS
MOE RD.-UNION DEPOSIT RD.					EXP-NON-P	N/A		
83 1590 043 42 03 81					DISTANCE	9.3		MILES
435889 3MILE	DN- 79 08 01 0951				STA.NO.	N-4		
SIZE-	OFF- 79 09 04 1304				BADGE NOS	60119,	60120	
					AZIMUTH	0		DEG-T
					EXP-P	0.16	0.03	
					NON-P=NONPENETRATING			
					P=PENETRATING			
RT.39-RT.22					DISTANCE	12.6		MILES
83 1590 043 42 03 81					AZIMUTH	3		DEG-T
435883 3MILE	DN- 79 08 01 1000				EXP-P	0.16	0.01	
SIZE-	OFF- 79 09 04 1313				STA.NO.	N-5		
					EXP-NON-P	N/A		
					BADGE NOS	60101,	60102	
					P=PENETRATING			
					NON-P=NONPENETRATING			
BY SMALL BRIDGE ON OLD YORK RD.					STA.NO.	NW3		
83 1590 043 42 03 81					EXP-P	0.19	.02	
436480 3MILE	DN- 79 08 01 1050				EXP-NON-P	N/A		
SIZE-	OFF- 79 09 04 1417				AZIMUTH	297		DEG-T
					DISTANCE	7.4		MILES
					P=PENETRATING			
					NON-P=NONPENETRATING			
					BADGE NOS	26,39		
MARSH RUN RD. BY TRESSEL					EXP-NON-P	N/A		
83 1590 043 42 03 81					STA.NO.	NW2		
436474 3MILE	DN- 79 08 01 1055				DISTANCE	5.9		MILES
SIZE-	OFF- 79 09 04 1425				EXP-P	0.22	.02	
					AZIMUTH	310		DEG-T
					P=PENETRATING			
					NON-P=NONPENETRATING			
					BADGE NOS	125,155		
GOLDBORO BY RIVER					EXP-NON-P	N/A		
83 1590 043 42 03 81					AZIMUTH	263		DEG-T
436438 3MILE	DN- 79 08 01 1115				EXP-P	0.14	.02	
SIZE-	OFF- 79 09 04 1445				DISTANCE	1.3		MILES
					STA.NO.	N-1		
					P=PENETRATING			
					NON-P=NONPENETRATING			
					BADGE NOS	71,72		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
PINE RD, ON TELEPHONE POLE		EXP-NON-P	N/A		
83 1590 043 42 03 81		STA,NO,	N-3		
436444 3MILE	DN- 79 08 01 1131	AZIMUTH	270		DEG-T
SIZE-	OFF- 79 09 04 1500	DISTANCE	2.9		MILES
		EXP-P	0.15	.02	
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	30143,	30144	
INTERSECT OF 382 N, AND 177 ON TELE POLE		EXP-NON-P	N/A		
83 1590 043 42 03 81		DISTANCE	7.2		MILES
436462 3MILE	DN- 79 08 01 1138	STA,NO,	N-5		
SIZE-	OFF- 79 09 04 1511	EXP-P	0.28	.09	
		AZIMUTH	262		DEG-T
		P=PENETRATING			
		NOTE_BADGE WAS WET			
		NON-P=NONPENETRATING			
		BADGE NOS	60107,	60108	
POTSHILL RD, ON TELEPHONE POLE		EXP-NON-P	N/A		
83 1590 043 42 03 81		EXP-P	0.18	.01	
436456 3MILE	DN- 79 08 01 1144	STA,NO,	N-4		
SIZE-	OFF- 79 09 04 1515	AZIMUTH	247		DEG-T
		DISTANCE	5.9		MILES
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	30117,	30118	
INTERSECT, OF ROXBERRY AND LEWISBERRY RD		EXP-NON-P	N/A		
83 1590 043 42 03 81		DISTANCE	4.4		MILES
436450 3MILE	DN- 79 08 01 1151	AZIMUTH	247		DEG-T
SIZE-	OFF- 79 09 04 1521	STA,NO,	N-3A		
		EXP-P	0.14	.01	
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	30119,	30120	
HAVEN NEWBERRY ELEM SCHOOL		EXP-NON-P	N/A		
83 1590 043 42 03 81		DISTANCE	3.35		MILES
436390 3MILE	DN- 79 08 01 1201	STA,NO,	8-1A		
SIZE-	OFF- 79 09 04 1535	AZIMUTH	173		DEG-T
		EXP-P	0.13	.02	
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	1522,1533		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA	REPORTED 80/11/14				
	ANALYSIS	RESULT	2SIGMA	UNITS	
BY YORK HAVEN OFFICE ON TELEPHONE POLE	EXP-NON-P	N/A			
83 1590 043 42 03 81	DISTANCE	3.2		MILES	
436384 3MILE ON- 79 08 01 1202	EXP-P	0.14	.01		
SIZE- OFF- 79 09 04 1536	AZIMUTH	169		DEG-T	
	STA.NO.	S-1			
	P=PENETRATING				
	NON-P=NONPENETRATING				
	BADGE NOS	66,60115			
GEORGE ST. AT MEETING HOUSE	EXP-NON-P	N/A			
83 1590 043 42 03 81	AZIMUTH	178		DEG-T	
436396 3MILE ON- 79 08 01 1210	EXP-P	0.15	.01		
SIZE- OFF- 79 09 04 1541	DISTANCE	5.3		MILES	
	STA.NO.	S-2			
	NON-P=NONPENETRATING				
	P=PENETRATING				
	BADGE NOS	30109,	30110		
BY TURNOFF RT 238N, ON TELEPHONE POLE	STA.NO.	S-3			
83 1590 043 42 03 81	AZIMUTH	191		DEG-T	
436402 3MILE ON- 79 08 01 1218	EXP-NON-P	N/A			
SIZE- OFF- 79 09 04 1550	DISTANCE	9.0		MILES	
	EXP-P	0.15	.01		
	P=PENETRATING				
	NON-P=NONPENETRATING				
	BADGE NOS	30145,	30146		
LEWISBERRY AND BUTLER RD.	EXP-P	0.15	.01		
83 1590 043 42 03 81	DISTANCE	8.3		MILES	
436426 3MILE ON- 79 08 01 1253	EXP-NON-P	N/A			
SIZE- OFF- 79 09 04 1602	AZIMUTH	225		DEG-T	
	STA.NO.	SW-3			
	NON-P=NONPENETRATING				
	P=PENETRATING				
	BADGE NOS	60114,	60113		
INTERSECTION OF 441N.-VINEGAR FERRY RD.	EXP-NON-P	N/A			
83 1590 043 42 03 81	DISTANCE	7.0		MILES	
436378 3MILE ON- 79 08 01 1405	EXP-P	0.14	.01		
SIZE- OFF- 79 09 04 1656	AZIMUTH	135		DEG-T	
	STA.NO.	SE-5			
	P=PENETRATING				
	NON-P=NONPENETRATING				
	BADGE NOS	30139,	30140		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
BAINBRIDGE ELEM SCHOOL		STA.NO.	SE-4A		
83 1590 043 42 03 81		DISTANCE	5.0		MILES
436372 3MILE	ON- 79 08 01 1412	EXP-P	0.14	.01	
SIZE-	OFF- 79 09 04 1704	AZIMUTH	146		DEG-T
		EXP-NON-P	N/A		
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	30125,	30126	
BY FRUIT STAND ON TELEPHONE POLE		STA.NO.	SE-4		
83 1590 043 42 03 81		DISTANCE	4.2		MILES
436366 3MILE	ON- 79 08 01 1415	EXP-P	0.13	.01	
SIZE-	OFF- 79 09 04 1705	AZIMUTH	137		DEG-T
		EXP-NON-P	N/A		
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	35,36		
YORK POWER STATION--4 IN. ABOVE CONCRETE		EXP-NON-P	N/A		
83 1590 043 42 03 81		DISTANCE	12.0		MILES
436408 3MILE	ON- 79 08 01 1415	EXP-P	0.13	.03	
SIZE-	OFF- 79 09 04 1705	STA.NO.	S-4		
		AZIMUTH	184		DEG-T
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	35,36		
WET ED COLLINS SUBSTATION ON FENCE		EXP-NON-P	N/A		
83 1590 043 42 03 81		DISTANCE	2.3		MILES
436354 3MILE	ON- 79 08 01 1419	EXP-P	0.11	.01	
SIZE-	OFF- 79 09 04 1710	AZIMUTH	160		DEG-T
		STA.NO.	SF-3		
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	30123,	30124	
W.HIGH ST-MOSORIE RD.		AZIMUTH	94		DEG-T
83 1590 043 42 03 81		BADGE NOS	30147,	30148	
435835 3MILE	ON- 79 08 01 1439	DISTANCE	7.0		MILES
SIZE-	OFF- 79 09 04 1725	EXP-NON-P	N/A		
		STA.NO.	E-4		
		EXP-P	0.16	0.01	
		NON-P=NONPENETRATING			
		P=PENETRATING			

TABLE 9-C, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
LEWISBERRY AND BUTLER RD.	EXP-NON-P	N/A		
83 1590 043 42 03 81	DISTANCE	8.3		MILES
436427 3MILE DN- 79 09 04 1602	EXP-P	0.12	.01	
SIZE- DFF- 79 10 11 1440	STA.NO.	SW-3		
	AZIMUTH	225		DEG-T
	NON-P=NONPENETRATING			
	P=PENETRATING			
	BADGE NOS	81,100		
N.ROOSEVELT AT GRANDVIEW ELEM SCHOOL	DISTANCE	3.5		MILES
83 1590 043 42 03 81	AZIMUTH	349		DEG-T
436319 3MILE DN- 79 09 04	STA.NO.	N-1E		
SIZE- DFF- 79 10 16	MISSING			
PENN STATE PENNSYLVANIA	DISTANCE	3.8		MILES
83 1590 043 42 03 81	STA.NO.	N-1D		
436325 3MILE DN- 79 09 04 1205	AZIMUTH	333		DEG-T
SIZE- DFF- 79 10 16	MISSING			
GRUBB ST, FIRST POLE ON RIGHT	AZIMUTH	356		DEG-T
83 1590 043 42 03 81	DISTANCE	2.4		MILES
436343 3MILE DN- 79 09 04 1014	STA.NO.	N-1A		
SIZE- DFF- 79 10 16	MISSING			
INTERSECT.OF RIEGERS AND YORK HAVEN RDS.	DISTANCE	2.6		MILES
83 1590 043 42 03 81	STA.NO.	SW-2		
436421 3MILE DN- 79 09 04 1530	AZIMUTH	203		DEG-T
SIZE- DFF- 79 10 16	MISSING			
	BADGE NOS	65,66		
ANN ST. AT MANSBERGE ELEM SCHOOL	EXP-P	0.12	.01	
83 1590 043 42 03 81	STA.NO.	N-1B		
436337 3MILE DN- 79 09 04	EXP-NON-P	N/A		
SIZE- DFF- 79 10 16 0857	DISTANCE	2.75		MILES
	AZIMUTH	346		DEG-T
	P=PENETRATING			
	NON-P=NONPENETRATING			
	BADGE NOS	53,30057		
HWY.441-LAUREL RD.	EXP-NON-P	N/A		
83 1590 043 42 03 81	AZIMUTH	61		DEG-T
435848 3MILE DN- 79 09 04 1000	DISTANCE	0.5		MILES
SIZE- DFF- 79 10 16 0940	STA NO.	E-1		
	EXP-P	0.14	0.02	
	BADGE NOS	7,2455		
	NON-P=NON-PENETRATING			
	P=PENETRATING			

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
HILLSDALE DRIVE	DISTANCE	1.8		MILES
83 1590 043 42 03 81	BADGE NOS	14,1289		
435872 3MILE ON- 79 09 04 1010	EXP-P	0.13	0.01	
SIZE- OFF- 79 10 16 0948	EXP-NON-P	N/A		
	STA.NO.	NE-2		
	AZIMUTH	19		DEG-T
	P=PENETRATING			
	NON-P=NONPENETRATING			
GEYERS CHURCH RD-RT441	DISTANCE	0.8		MILES
83 1590 043 42 03 81	AZIMUTH	25		DEG-T
435878 3MILE ON- 79 09 04 1005	EXP-P	0.14	0.03	
SIZE- OFF- 79 10 16 0948	EXP-NON-P	N/A		
	STA.NO.	NE-1		
	BADGE NOS	13,2212		
	P=PENETRATING			
	NON-P=NONPENETRATING			
SUBSTATION ON MILL ST.	EXP-P	0.13	.03	
83 1590 043 42 03 81	AZIMUTH	358		DEG-T
436349 3MILE ON- 79 09 04 1025	EXP-NON-P	N/A		
SIZE- OFF- 79 10 16 0955	DISTANCE	2.6		MILES
	STA.NO.	N-1		
	NON-P=NONPENETRATING			
	P=PENETRATING			
	BADGE NOS	16,1287		
RACE ST. IN FRONT OF FEASER SCHOOL	EXP-P	0.14	.01	
83 1590 043 42 03 81	STA.NO.	N-1C		
436331 3MILE ON- 79 09 04 1028	EXP-NON-P	N/A		
SIZE- OFF- 79 10 16 1000	DISTANCE	3.0		MILES
	AZIMUTH	0		DEG-T
	P=PENETRATING			
	NON-P=NONPENETRATING			
	BADGE NOS	29,33		
N. UNION ST.-MIDDLETOWN N.S.	DISTANCE	4.0		MILES
83 1590 043 42 03 81	AZIMUTH	351		DEG-T
436313 3MILE ON- 79 09 04 1031	EXP-NON-P	N/A		
SIZE- OFF- 79 10 16 1006	STA.NO.	N-1F		
	EXP-P	0.17	.05	
	NON-P=NONPENETRATING			
	P=PENETRATING			
	BADGE NOS	30051,41		

TABLE 9-G. NRC TLD RESULTS

```
PENNSYLVANIA          REPORTED  80/11/14
---------------------------------------ANALYSIS---RESULT----2SIGMA---UNITS--

RT,230-ACROSS FROM SHADY LANE MOTEL        AZIMUTH     17                   DEG-T
83 1590 043 42 03 81                       EXP-NON-P   N/A
435866 3MILE          ON- 79 09 04 1219    EXP-P       0.13        0.02
  SIZE-               OFF- 79 10 16 1029   DISTANCE    3.1                  MILES
                                           STA.NO.     NE-3
                                           BADGE NOS   30058,      30066
                                           P=PENETRATING
                                           NON-P=NONPENETRATING

RT,743-NORTH OF TEXACO STA.                STA NO.     NE-4
83 1590 043 42 03 81                       BADGE NOS   30070,71
435854 3MILE          ON- 79 09 04 1235    EXP-P       0.14        0.02
  SIZE-               OFF- 79 10 16 1033   DISTANCE    7.4                  MILES
                                           AZIMUTH     47                   DEG-T
                                           EXP-NON-P   N/A
                                           P=PENETRATING
                                           NON-P=NONPENETRATING
                                           STA.NO.     NE-4

LONDONDERRY TWP.SCHOOL                     STA NO.     NE-3A
83 1590 043 42 03 81                       BADGE NOS   30069,70
435860 3MILE          ON- 79 10 16 1033    EXP-P       0.12        0.06
  SIZE-               OFF- 79 10 16 1033   EXP-NON-P   N/A
                                           AZIMUTH     44                   DEG-T
                                           DISTANCE    3.6                  MILES
                                           NON-P=NON-PENETRATING
                                           P=PENETRATING

LONDONDERRY TWP.SCHOOL                     DISTANCE    3.6                  MILES
83 1590 043 42 03 81                       STA NO.     NE-3A
435861 3MILE          ON-    10 16 1033    AZIMUTH     44                   DEG-T
  SIZE-               OFF- 79 10 16 1033   BADGE NOS   15,16
                                           STA.NO.     NE-3A
                                           MISSING

MIDDLETOWN RD,-RT283                       EXP-P       0.14        0.01
83 1590 043 42 03 81                       AZIMUTH     0                    DEG-T
436307 3MILE          ON- 79 09 04 1247    DISTANCE    5.1                  MILES
  SIZE-               OFF- 79 10 16 1057   STA.NO.     N-2
                                           EXP-NON-P   N/A
                                           NON-P=NONPENETRATING
                                           P=PENETRATING
                                           BADGE NOS   30081,      30082
```

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
HOE RD.-UNION DEPOSIT RD.		AZIMUTH	0		DEG-T
83 1590 043 42 03 81		DISTANCE	9.3		MILES
435890 3MILE	ON- 79 09 04 1304	EXP-P	0.12	0.01	
SIZE-	OFF- 79 10 16 1134	EXP-NON-P	N/A		
		STA.NO.	N=4		
		BADGE NOS	88,30093		
		P=PENETRATING			
		NON-P=NONPENETRATING			
MIDDLETOWN RD.-RT.322		EXP-P	0.14	0.01	
83 1590 043 42 03 81		AZIMUTH	6		DEG-T
436301 3MILE	ON- 79 09 04 1304	DISTANCE	7.4		MILES
SIZE-	OFF- 79 10 16 1134	STA.NO.	N=3		
		EXP-NON-P	N/A		
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	30083,	30084	
RT.39-RT.22		DISTANCE	12.6		MILES
83 1590 043 42 03 81		AZIMUTH	3		DEG-T
435884 3MILE	ON- 79 09 04 1313	EXP-P	0.16	0.01	
SIZE-	OFF- 79 10 16 1140	EXP-NON-P	N/A		
		BADGE NOS	94,30094		
		STA.NO.	N=5		
		P=PENETRATING			
		NON-P=NONPENETRATING			
ENVIRONMENTAL STATION OFF RT 11		DISTANCE	13.8		MILES
83 1590 043 42 03 81		STA.NO.	NW5		
436493 3MILE	ON- 79 09 04 1355	EXP-P	0.15	.01	
SIZE-	OFF- 79 10 16 1216	EXP-NON-P	N/A		
		AZIMUTH	312		DEG-T
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	96,101		
MEADOW BROOK RD.-SECOND TELE. POLE ON RT		AZIMUTH	306		DEG-T
83 1590 043 42 03 81		STA.NO.	NW4		
436487 3MILE	ON- 79 09 04 1411	EXP-NON-P	N/A		
SIZE-	OFF- 79 10 16 1240	EXP-P	0.15	.01	
		DISTANCE	9.6		MILES
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	107,109		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA	REPORTED 80/11/14				
	ANALYSIS	RESULT	2SIGMA	UNITS	
BY SMALL BRIDGE ON OLD YORK RD,	DISTANCE	7.4		MILES	
83 1590 043 42 03 81	STA,NO,	NW3			
436481 3MILE DN- 79 09 04 1417	AZIMUTH	297		DEG-T	
SIZE- OFF- 79 10 16 1245	EXP-P	0.15	.02		
	EXP-NON-P	N/A			
	NON-P=NONPENETRATING				
	P=PENETRATING				
	BADGE NOS	110,113			
MARSH RUN RD, BY TRESSEL	DISTANCE	5.9		MILES	
83 1590 043 42 03 81	STA,NO,	NW2			
436475 3MILE DN- 79 09 04 1421	EXP-P	0.15	.02		
SIZE- OFF- 79 10 16 1251	AZIMUTH	310		DEG-T	
	EXP-NON-P	N/A			
	P=PENETRATING				
	NON-P=NONPENETRATING				
	BADGE NOS	118,131			
INTERSECT, VALLEY RD, AND YOCUMTOWN RD,	EXP-NON-P	N/A			
83 1590 043 42 03 81	DISTANCE	2.6		MILES	
436469 3MILE DN- 79 09 04 1439	STA,NO,	NW1			
SIZE- OFF- 79 10 16 1310	AZIMUTH	303		DEG-T	
	EXP-P	0.19	.01		
	NON-P=NONPENETRATING				
	P=PENETRATING				
	BADGE 1284 WAS LOST				
	BADGE NOS	133,1284			
GOLSBORO BY RIVER	EXP-P	0.13	.02		
83 1590 043 42 03 81	DISTANCE	1.3		MILES	
436439 3MILE DN- 79 09 04 1445	EXP-NON-P	N/A			
SIZE- OFF- 79 10 16 1315	STA,NO,	W-1			
	AZIMUTH	263		DEG-T	
	NON-P=NONPENETRATING				
	P=PENETRATING				
	BADGE NOS	142,1274			
CLY RD, ON TELEPHONE POLE	EXP-P	0.11	.01		
83 1590 043 42 03 81	DISTANCE	2.2		MILES	
436415 3MILE DN- 79 09 04 1451	EXP-NON-P	N/A			
SIZE- OFF- 79 10 16 1324	AZIMUTH	200		DEG-T	
	STA,NO,	SW-1			
	P=PENETRATING				
	NON-P=NONPENETRATING				
	BADGE NOS	145,147			

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14		ANALYSIS	RESULT	2SIGMA	UNITS
PINE RD, ON TELEPHONE POLE		EXP=NON=P	N/A		
83 1590 043 42 03 81		DISTANCE	3,9		MILES
436445 3MILE	DN= 79 09 04 1500	STA,NO,	W=3		
SIZE=	DFF= 79 10 16 1333	AZIMUTH	270		DEG=T
		EXP=P	0,15	,02	
		P=PENETRATING			
		NON=P=NONPENETRATING			
		BADGE NOS	148,153		
INTERSECT OF 382 N, AND 177 ON TELE POLE		EXP=NON=P	N/A		
83 1590 043 42 03 81		DISTANCE	7,2		MILES
436463 3MILE	DN= 79 09 04 1511	STA,NO,	W=5		
SIZE=	DFF= 79 10 16 1343	EXP=P	0,17	,04	
		AZIMUTH	262		DEG=T
		NON=P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	157,158		
POTSHILL RD, ON TELEPHONE POLE		EXP=NON=P	N/A		
83 1590 043 42 03 81		DISTANCE	5,9		MILES
436457 3MILE	DN= 79 09 04 1515	STA,NO,	W=4		
SIZE=	DFF= 79 10 16 1349	AZIMUTH	272		DEG=T
		EXP=P	0,20	,01	
		NON=P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	175,190		
INTERSECT, OF ROXBERRY AND LEWISBERRY RD		DISTANCE	4,4		MILES
83 1590 043 42 03 81		STA,NO,	W=3A		
436451 3MILE	DN= 79 09 04 1521	AZIMUTH	247		DEG=T
SIZE=	DFF= 79 10 16 1355	MISSING			
		BADGE NOS	63,64		
HAVEN NEWBERRY ELEM SCHOOL		STA,NO,	S=1A		
83 1590 043 42 03 81		AZIMUTH	173		DEG=T
436391 3MILE	DN= 79 09 04 1535	EXP=NON=P	N/A		
SIZE=	DFF= 79 10 16 1410	DISTANCE	3,35		MILES
		EXP=P	0,13	,01	
		NON=P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	67,68		
BY YORK HAVEN OFFICE ON TELEPHONE POLE		STA,NO,	S=1		
83 1590 043 42 03 81		DISTANCE	3,2		MILES
436385 3MILE	DN= 79 09 04 1536	EXP=NON=P	N/A		
SIZE=	DFF= 79 10 16 1413	AZIMUTH	169		DEG=T
		EXP=P	0,13	,01	
		NON=P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	69,72		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14		ANALYSIS	RESULT	2SIGMA	UNITS
GEORGE ST, AT MEETING HOUSE		EXP=NON=P	N/A		
83 1590 043 42 03 81		DISTANCE	5,3		MILES
436397 3MILE	DN= 79 09 04 1541	EXP=P	0,13	,01	
SIZE=	DFF= 79 10 16 1420	AZIMUTH	178		DEG=T
		STA,NO,	S=2		
		WON=P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	75,78		
BY TURNOFF RT 238N, ON TELEPHONE POLE		EXP=P	0,19	,02	
83 1590 043 42 03 81		DISTANCE	9,0		MILES
436403 3MILE	DN= 79 09 04 1550	EXP=NON=P	N/A		
SIZE=	DFF= 79 10 16 1428	AZIMUTH	181		DEG=T
		STA,NO,	S=3		
		NON=P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	79,80		
BUTLER AND BULL RDS-INTERSECT,		EXP=NON=P	N/A		
83 1590 043 42 03 81		DISTANCE	10,4		MILES
436433 3MILE	DN= 79 09 04 1608	EXP=P	0,20	,07	
SIZE=	DFF= 79 10 16 1445	STA,NO,	S=4		
		AZIMUTH	225		DEG=T
		P=PENETRATING			
		NON=P=NONPENETRATING			
		BADGE NOS	104,105		
YORK POWER STATION--4 IN, ABOVE CONCRETE		EXP=NON=P	N/A		
83 1590 043 42 03 81		DISTANCE	12,0		MILES
436409 3MILE	DN= 79 09 04 1625	EXP=P	0,12	,02	
SIZE=	DFF= 79 10 16 1500	STA,NO,	S=4		
		AZIMUTH	184		DEG=T
		P=PENETRATING			
		NON=P=NONPENETRATING			
		BADGE NOS	106,112		
INTERSECTION OF 441K,-VINIGAR FERRY RD,		STA,NO,	SE=5		
83 1590 043 42 03 81		AZIMUTH	135		DEG=T
436378 3MILE	DN= 79 09 04 1656	EXP=NON=P	N/A		
SIZE=	DFF= 79 10 16 1530	DISTANCE	7,0		MILES
		EXP=P	0,14	,01	
		NON=P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	126,128		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14		ANALYSIS	RESULT	2SIGMA	UNITS
BAINBRIDGE ELEM SCHOOL		EXP=NON=P	N/A		
83 1590 043 42 03 81		AZIMUTH	146		DEG=T
436373 3MILE	DN= 79 09 04 1704	STA,NO,	SE=4A		
SIZE=	DFF= 79 10 16 1538	DISTANCE	5,0		MILES
		EXP=P	0,12	,01	
		P=PENETRATING			
		NON=P=NONPENETRATING			
		BADGE NOS	130,134		
BY FRUIT STAND ON TELEPHONE POLE		EXP=NON=P	N/A		
83 1590 043 42 03 81		AZIMUTH	137		DEG=T
436367 3MILE	DN= 79 09 04 1705	EXP=P	0,14	,01	
SIZE=	DFF= 79 10 16 1540	DISTANCE	4,6		MILES
		STA,NO,	SE=4		
		NON=P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	135,136		
MET ED COLLINS SUBSTATION ON FENCE		EXP=NON=P	N/A		
83 1590 043 42 03 81		STA,NO,	SE=3		
436355 3MILE	DN= 79 09 04 1710	EXP=P	0,11	,01	
SIZE=	DFF= 79 10 16 1545	DISTANCE	2,3		MILES
		AZIMUTH	160		DEG=T
		P=PENETRATING			
		NON=P=NONPENETRATING			
		BADGE NOS	51,137		
MCCANN HOUSE		STA,NO,	SE=2		
83 1590 043 42 03 81		AZIMUTH	162		DEG=T
436361 3MILE	DN= 79 09 04 1124	EXP=NON=P	N/A		
SIZE=	DFF= 79 10 16 1550	DISTANCE	1,9		MILES
		EXP=P	0,13	,02	
		NON=P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	61,1290		
RED HILLS FARM FRUIT STAND-RT441		BADGE NOS	120,1277		
83 1590 043 42 03 81		AZIMUTH	181		DEG=T
435824 3MILE	DN= 79 09 04 1128	DISTANCE	1,0		MILES
SIZE=	DFF= 79 10 16 1554	STA,NO,	SE=1		
		EXP=NON=P	N/A		
		EXP=P	0,14	0,02	
		NON=P=NONPENETRATING			
		P=PENETRATING			

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA	REPORTED 80/11/14					
		ANALYSIS	RESULT	2SIGMA	UNITS
TURNPIKE RD. AND BOSSLER ROAD		DISTANCE	3.7		MILES
83 1590 043 42 03 81		STA.NO.	E-3		
436499 3MILE	ON- 79 09 04 1719	EXP-NON-P	N/A		
SIZE-	OFF- 79 10 16 1646	EXP-P	0.21	.03	
		AZIMUTH	101		DEG-T
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	193,194		
W.HIGH ST-MOSORIE RD.		EXP-P	0.17	0.1	
83 1590 043 42 03 81		EXP-NON-P	N/A		
435836 3MILE	ON- 79 09 04 1725	STA.NO.	E-4		
SIZE-	OFF- 79 10 16 1652	AZIMUTH	94		DEG-T
		BADGE NOS	195,196		
		DISTANCE	7.0		MILES
		P=PENETRATING			
		NON-P=NONPENETRATING			
ENVIRONMENTAL STATION OFF RT 11		EXP-NON-P	N/A		
83 1590 043 42 03 81		DISTANCE	13.8		MILES
436494 3MILE	ON- 79 10 16 1218	STA.NO.	NW5		
SIZE-	OFF- 79 10 29 0840	EXP-P	0.19	.05	
		AZIMUTH	312		DEG-T
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	73,111		
MARSH RUN RD. BY TRESSEL		EXP-NON-P	N/A		
83 1590 043 42 03 81		DISTANCE	5.9		MILES
436476 3MILE	ON- 79 10 16 1251	STA.NO.	NW2		
SIZE-	OFF- 79 10 29 0914	EXP-P	0.14	.01	
		AZIMUTH	310		DEG-T
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	166,167		
SUBSTATION ON MILL ST.		EXP-P	0.16	.05	
83 1590 043 42 03 81		AZIMUTH	358		DEG-T
436350 3MILE	ON- 79 10 16 0955	EXP-NON-P	N/A		
SIZE-	OFF- 79 11 12 1200	DISTANCE	2.6		MILES
		STA.NO.	N-1		
		P=PENETRATING			
		NON-P=NONPENETRATING			
		RETURNED BY MAIL			
		BADGE NOS	660,661		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
GRUBB ST, FIRST POLE ON RIGHT		EXP-P	0.13	.01	
83 1590 043 42 03 81		AZIMUTH	356		DEG-T
436344 3MILE	ON- 79 10 16 0952	EXP-NON-P	N/A		
SIZE-	OFF- 79 11 28	DISTANCE	2.4		MILES
		STA.NO.	N-1A		
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	1,2		
HWY.441-LAUREL RD.		DISTANCE	0.5		MILES
83 1590 043 42 03 81		EXP-P	0.16	0.03	
435849 3MILE	ON- 79 10 16 0940	BADGE NOS	654,655		
SIZE-	OFF- 79 11 28 1035	EXP-NON-P	N/A		
		AZIMUTH	61		DEG-T
		STA NO.	E-1		
		P=PENETRATING			
		NON-P=NON-PENETRATING			
GEYERS CHURCH RD-RT441		BADGE NOS	656,657		
83 1590 043 42 03 81		AZIMUTH	25		DEG-T
435879 3MILE	ON- 79 10 16 0948	EXP-NON-P	N/A		
SIZE-	OFF- 79 11 28 1040	STA.NO.	NE-1		
		DISTANCE	0.8		MILES
		EXP-P	0.16	0.02	
		NON-P=NONPENETRATING			
		P=PENETRATING			
HILLSDALE DRIVE		DISTANCE	1.8		MILES
83 1590 043 42 03 81		EXP-P	0.15	0.01	
435873 3MILE	ON- 79 10 16 0948	EXP-NON-P	N/A		
SIZE-	OFF- 79 11 28 1047	AZIMUTH	19		DEG-T
		BADGE NOS	658,659		
		STA.NO.	NE-2		
		P=PENETRATING			
		NON-P=NONPENETRATING			
RACE ST. IN FRONT OF FEASER SCHOOL		EXP-P	0.15	.01	
83 1590 043 42 03 81		STA.NO.	N-1C		
436332 3MILE	ON- 79 10 16 1000	EXP-NON-P	N/A		
SIZE-	OFF- 79 11 28 1103	DISTANCE	3.0		MILES
		AZIMUTH	0		DEG-T
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	3,4		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
N. UNION ST.-MIDDLETOWN N.S.		DISTANCE	4.0		MILES
83 1590 043 42 03 81		AZIMUTH	351		DEG-T
436314 3MILE	DN- 79 10 16 1006	EXP-P	0.13	.01	
SIZE-	DFF- 79 11 28 1110	STA.NO.	N-1F		
		EXP-NON-P	N/A		
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	5,6		
W.ROOSEVELT AT GRANDVIEW ELEM SCHOOL		DISTANCE	3.5		MILES
83 1590 043 42 03 81		AZIMUTH	349		DEG-T
436320 3MILE	DN- 79 10 16 1011	EXP-NON-P	N/A		
SIZE-	DFF- 79 11 28 1118	STA.NO.	N-1E		
		EXP-P	0.12	.01	
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	7,8		
PENN STATE PENNSYLVANIA		EXP-NON-P	N/A		
83 1590 043 42 03 81		STA.NO.	N-1D		
436326 3MILE	DN- 79 10 16 1017	EXP-P	0.16	.01	
SIZE-	DFF- 79 11 28 1126	DISTANCE	3.5		MILES
		AZIMUTH	333		DEG-T
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	9,10		
ANN ST. AT MANSBERGE ELEM SCHOOL		EXP-NON-P	N/A		
83 1590 043 42 03 81		STA.NO.	N-1P		
436330 3MILE	DN- 79 10 16 0957	EXP-P	0.13	.01	
SIZE-	DFF- 79 11 28 1135	DISTANCE	2.75		MILES
		AZIMUTH	346		DEG-T
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	11,12		
RT.230-ACROSS FROM SHADY LANE MOTEL		EXP-NON-P	N/A		
83 1590 043 42 03 81		EXP-P	0.14	0.01	
435867 3MILE	DN- 79 10 16 1028	DISTANCE	3.1		MILES
SIZE-	DFF- 79 11 28 1143	AZIMUTH	17		DEG-T
		BADGE NOS	13,14		
		STA.NO.	NE-3		
		P=PENETRATING			
		NON-P=NONPENETRATING			

TABLE 9-G. NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
RT.743-NORTH OF TEXACO STA.		STA NO.	NE-4		
83 1590 043 42 03 81		EXP-NON-P	N/A		
435855 3MILE	ON- 79 10 16 1044	AZIMUTH	47		DEG-T
SIZE-	OFF- 79 11 28 1208	EXP-P	0.13	0.01	
		BADGE NOS	17,19		
		DISTANCE	7.4		MILES
		P=PENETRATING			
		NON-P=NON-PENETRATING			
MIDDLETOWN RD.-RT283		EXP-P	0.14	0.01	
83 1590 043 42 03 81		AZIMUTH	0		DEG-T
436308 3MILE	ON- 79 10 16 1057	EXP-NON-P	N/A		
SIZE-	OFF- 79 11 28 1220	STA.NO.	N-2		
		DISTANCE	5.1		MILES
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	31,33		
MIDDLETOWN RD.-RT.322		DISTANCE	7.4		MILES
83 1590 043 42 03 81		AZIMUTH	6		DEG-T
436302 3MILE	ON- 79 10 16 1134	EXP-NON-P	N/A		
SIZE-	OFF- 79 11 28 1238	STA.NO.	N-3		
		EXP-P	0.15	0.01	
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	34,37		
HOE RD.-UNION DEPOSIT RD.		DISTANCE	9.3		MILES
83 1590 043 42 03 81		EXP-P	0.16	0.01	
435891 3MILE	ON- 79 10 16 1134	BADGE NOS	40,50		
SIZE-	OFF- 79 11 28 1322	AZIMUTH	0		DEG-T
		EXP-NON-P	N/A		
		STA.NO.	N-4		
		P=PENETRATING			
		NON-P=NONPENETRATING			
RT.39-RT.22		EXP-NON-P	N/A		
83 1590 043 42 03 81		BADGE NOS	58,72		
435885 3MILE	ON- 79 10 06 1140	AZIMUTH	3		DEG-T
SIZE-	OFF- 79 11 28 1335	EXP-P	0.19	0.05	
		STA.NO.	N-5		
		DISTANCE	12.6		MILES
		NON-P=NONPENETRATING			
		P=PENETRATING			

TABLE 9-G. NRC TLD RESULTS

PENNSYLVANIA	REPORTED 80/11/14					
		ANALYSIS	RESULT	2SIGMA	UNITS	
MEADOW LANE		DISTANCE	0.4		MILES	
83 1590 043 42 03 81		EXP-P	0.16	0.027		
435831 3MILE	ON- 79 10 16 1557	AZIMUTH	90		DEG-T	
SIZE-	OFF- 79 11 28 1425	STA,NO.	E-5			
		EXP-NON-P	N/A			
		BADGE NOS	672,673			
		NON-P=NONPENETRATING				
		P=PENETRATING				
RED HILLS FARM FRUIT STAND-RT441		AZIMUTH	151		DEG-T	
83 1590 043 42 03 81		BADGE NOS	670,671			
435825 3MILE	ON- 79 10 16 1554	STA,NO.	SE-1			
SIZE-	OFF- 79 11 28 1429	EXP-NON-P	N/A			
		EXP-P	0.18	0.039		
		DISTANCE	1.0		MILES	
		NON-P=NONPENETRATING				
		P=PENETRATING				
MCCANN HOUSE		EXP-NON-P	N/A			
83 1590 043 42 03 81		AZIMUTH	162		DEG-T	
436362 3MILE	ON- 79 10 16 1550	STA,NO.	SE-3			
SIZE-	OFF- 79 11 28 1615	DISTANCE	1.9		MILES	
		EXP-P	0.16	.04		
		P=PENETRATING				
		NON-P=NONPENETRATING				
		BADGE NOS	668,669			
NET ED COLLINS SUBSTATION ON FENCE		STA,NO.	SE-3			
83 1590 043 42 03 81		AZIMUTH	160		DEG-T	
436356 3MILE	ON- 79 10 16 1545	EXP-P	0.12	.01		
SIZE-	OFF- 79 11 28 1620	DISTANCE	2.3		MILES	
		EXP-NON-P	N/A			
		P=PENETRATING				
		NON-P=NONPENETRATING				
		BADGE NOS	30177,	30178		
BY FRUIT STAND ON TELEPHONE POLE		EXP-NON-P	N/A			
83 1590 043 42 03 81		AZIMUTH	137		DEG-T	
436368 3MILE	ON- 79 10 16 1540	EXP-P	0.14	.01		
SIZE-	OFF- 79 11 28 1622	DISTANCE	4.6		MILES	
		STA,NO.	SE-4			
		P=PENETRATING				
		NON-P=NONPENETRATING				
		BADGE NOS	30168,	30171		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
BAINBRIDGE ELEM SCHOOL		STA.NO.	SE-4A		
83 1590 043 42 03 81		AZIMUTH	146		DEG-T
436374 3MILE	DN- 79 10 16 1538	EXP-P	0.13	.01	
SIZE-	OFF- 79 11 28 1633	DISTANCE	5.0		MILES
		EXP-NON-P	N/A		
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	30166,	30167	
INTERSECTION OF 441N.-VINIGAR FERRY RD.		EXP-NON-P	N/A		
83 1590 043 42 03 81		AZIMUTH	135		DEG-T
436380 3MILE	DN- 79 10 16 1530	STA.NO.	SE-5		
SIZE-	OFF- 79 11 28 1640	DISTANCE	7.0		MILES
		EXP-P	0.14	.01	
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	30160,	30165	
TURNPIKE RD. AND BOSSLER ROAD		STA.NO.	E-3		
83 1590 043 42 03 81		DISTANCE	3.7		MILES
436500 3MILE	DN- 79 10 16 1646	EXP-NON-P	N/A		
SIZE-	OFF- 79 11 28 1703	AZIMUTH	101		DEG-T
		EXP-P	0.13	.02	
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	30185,	30186	
W.HIGH ST-MOSORIE RD.		STA.NO.	E-4		
83 1590 043 42 03 81		BADGE NOS	30189,	60101	
435837 3MILE	DN- 79 10 16 1652	DISTANCE	7.0		MILES
SIZE-	OFF- 79 11 28 1711	AZIMUTH	94		DEG-T
		EXP-P	0.14	0.01	
		EXP-NON-P	N/A		
		P=PENETRATING			
		NON-P=NONPENETRATING			
MEADOW BROOK RD.-SECOND TELE. POLE ON RT		STA.NO.	NW4		
83 1590 043 42 03 81		AZIMUTH	306		DEG-T
436488 3MILE	DN- 79 10 16 1240	EXP-P	0.15	.01	
SIZE-	OFF- 79 11 29 0900	EXP-NON-P	N/A		
		DISTANCE	9.6		MILES
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	129,153		

TABLE 9-C. NRC TLD RESULTS

PENNSYLVANIA	REPORTED 80/11/14				
		ANALYSIS	RESULT	2SIGMA	UNITS
BY SMALL BRIDGE ON OLD YORK RD.		AZIMUTH	297		DEG-T
83 1590 043 42 03 81		DISTANCE	7.4		MILES
436482 3MILE	DN- 79 10 16 1245	STA.NO.	NW3		
SIZE-	OFF- 79 11 29 0905	EXP-P	0.16	.01	
		EXP-NON-P	N/A		
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	156,159		
INTERSECT. VALLEY RD. AND YOCUMTOWN RD.		EXP-NON-P	N/A		
83 1590 043 42 03 81		STA.NO.	NW1		
436470 3MILE	DN- 79 10 16 1310	DISTANCE	2.6		MILES
SIZE-	OFF- 79 11 29 0933	EXP-P	0.18	.03	
		AZIMUTH	303		DEG-T
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	662,663		
GOLSBORO RY RIVER		EXP-NON-P	N/A		
83 1590 043 42 03 81		STA.NO.	N-1		
436440 3MILE	DN- 79 10 16 1315	EXP-P	0.14	.04	
SIZE-	OFF- 79 11 29 0942	DISTANCE	1.3		MILES
		AZIMUTH	263		DEG-T
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	664,665		
CLY RD. ON TELEPHONE POLE		EXP-NON-P	N/A		
83 1590 043 42 03 81		AZIMUTH	200		DEG-T
436416 3MILE	DN- 79 10 16 1324	EXP-P	0.12	.01	
SIZE-	OFF- 79 11 29 0958	DISTANCE	2.2		MILES
		STA.NO.	SW-1		
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	169,173		
INTERSECT.OF RIEGERS AND YORK HAVEN RDS.		EXP-P	0.13	.01	
83 1590 043 42 03 81		AZIMUTH	203		DEG-T
436422 3MILE	DN- 79 10 16 1405	EXP-NON-P	N/A		
SIZE-	OFF- 79 11 29 1003	DISTANCE	2.6		MILES
		STA.NO.	SW-2		
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	199,199A		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA	REPORTED 80/11/14				
		ANALYSIS	RESULT	2SIGMA	UNITS
PINE RD, ON TELEPHONE POLE		EXP-NON-P	N/A		
83 1590 043 42 03 81		AZIMUTH	270		DEG-T
436446 3MILE	ON- 79 10 16 1333	DISTANCE	2.9		MILES
SIZE-	OFF- 79 11 29 1010	STA.NO.	N-3		
		EXP-P	0.17	.01	
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	174,176		
INTERSECT OF 382 W, AND 177 ON TELE POLE		EXP-NON-P	N/A		
83 1590 043 42 03 81		STA.NO.	N-5		
436464 3MILE	ON- 79 10 16 1343	DISTANCE	7.4		MILES
SIZE-	OFF- 79 11 29 1021	EXP-P	0.16	.01	
		AZIMUTH	262		DEG-T
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	177,178		
POTSHILL RD, ON TELEPHONE POLE		EXP-NON-P	N/A		
83 1590 043 42 03 81		STA.NO.	N-4		
436458 3MILE	ON- 79 10 16 1349	DISTANCE	5.9		MILES
SIZE-	OFF- 79 11 29 1035	EXP-P	0.19	.01	
		AZIMUTH	272		DEG-T
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	182,183		
INTERSECT, OF ROXBERRY AND LEWISBERRY RD		EXP-NON-P	N/A		
83 1590 043 42 03 81		AZIMUTH	247		DEG-T
436452 3MILE	ON- 79 10 16 1355	DISTANCE	4.4		MILES
SIZE-	OFF- 79 11 29 1043	STA.NO.	N-3A		
		EXP-P	0.13	.01	
		NON-P=NONPENETRATING			
		P=PENETRATING			
		BADGE NOS	197,198		
HAVEN NEWBERRY ELEM SCHOOL		BADGE NOS	30111,	30113	
83 1590 043 42 03 81		DISTANCE	3.35		MILES
436392 3MILE	ON- 79 10 16 1410	EXP-NON-P	N/A		
SIZE-	OFF- 79 11 29 1053	AZIMUTH	173		DEG-T
		EXP-P	0.12	.01	
		STA.NO.	S-1A		
		NON-P=NONPENETRATING			
		P=PENETRATING			

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA	REPORTED 80/11/14					
		ANALYSIS	RESULT	2SIGMA	UNITS	
BY YORK HAVEN OFFICE ON TELEPHONE POLE		STA.NO.	S-1			
83 1590 043 42 03 81		AZIMUTH	169		DEG-T	
436386 3MILE	ON- 79 10 16 1413	EXP-NON-P	N/A			
SIZE-	OFF- 79 11 29 1100	DISTANCE	3.2		MILES	
		EXP-P	0.12	.01		
		NON-P=NONPENETRATING				
		P=PENETRATING				
		BADGE NOS	30115,	30116		
GEORGE ST. AT MEETING HOUSE		EXP-NON-P	N/A			
83 1590 043 42 03 81		AZIMUTH	178		DEG-T	
436398 3MILE	ON- 79 10 16 1420	EXP-P	0.13	.01		
SIZE-	OFF- 79 11 29 1110	DISTANCE	5.3		MILES	
		STA.NO.	S-2			
		NON-P=NONPENETRATING				
		P=PENETRATING				
		BADGE NOS	30117,	30118		
BY TURNOFF RT 238N, ON TELEPHONE POLE		EXP-NON-P	N/A			
83 1590 043 42 03 81		STA.NO.	S-3			
436404 3MILE	ON- 79 10 16 1428	EXP-P	0.18	.01		
SIZE-	OFF- 79 11 29 1117	DISTANCE	9.0		MILES	
		AZIMUTH	181		DEG-T	
		P=PENETRATING				
		NON-P=NONPENETRATING				
		BADGE NOS	30119,	30120		
LEWISBERRY AND BUTLER RD.		EXP-P	0.12	.01		
83 1590 043 42 03 81		STA.NO.	SW-3			
436428 3MILE	ON- 79 10 16 1440	EXP-NON-P	N/A			
SIZE-	OFF- 79 11 29 1133	AZIMUTH	225		DEG-T	
		DISTANCE	8.3		MILES	
		P=PENETRATING				
		NON-P=NONPENETRATING				
		BADGE NOS	30133,	30134		
BUTLER AND BULL RDS-INTERSECT.		EXP-P	0.12	.01		
83 1590 043 42 03 81		STA.NO.	SW-4			
436434 3MILE	ON- 79 10 16 1445	EXP-NON-P	N/A			
SIZE-	OFF- 79 11 29 1140	DISTANCE	10.4		MILES	
		AZIMUTH	225		DEG-T	
		NON-P=NONPENETRATING				
		P=PENETRATING				
		BADGE NOS	30143,	30144		

TABLE 9-G, NRC TLD RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
YORK POWER STATION--4 IN. ABOVE CONCRETE		EXP-NON-P	N/A		
83 1590 043 42 03 81		STA.NO.	5-4		
436410 3MILE	ON- 79 10 16 1500	EXP-P	0.13	.02	
SIZE-	OFF- 79 11 29 1150	AZIMUTH	184		DEG-T
		DISTANCE	12.0		MILES
		P=PENETRATING			
		NON-P=NONPENETRATING			
		BADGE NOS	30158,	30159	
GRUBB ST, FIRST POLE ON RIGHT		EXP-P	0.15	.06	
83 1490 043 42 03 81		AZIMUTH	356		DEG-T
436345 3MILE	ON- 79 11 28 1049	EXP-NON-P	N/A		
SIZE-	OFF- 79 12 10 1200	DISTANCE	2.4		MILES
		STA.NO.	N-1A		
		NON-P=NONPENETRATING			
		RETURNED BY U.S. MAIL			
		P=PENETRATING			
		BADGE NOS	1,2		

ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL MONITORING AND SYSTEMS LABORATORY

LAS VEGAS, NEVADA

80/10/30

TABLE 11-A, DOE AIR RESULTS

NOTE: "NA" INDICATES NO ANALYSIS. "ND" INDICATES NOT DETECTED. WHEN RESULTS ARE GIVEN IN EXPONENTIAL NOTATION THE NUMBER FOLLOWING THE "E" IS THE EXPONENT OF TEN BY WHICH THE PRECEDING NUMBER SHOULD BE MULTIPLIED. A VALUE IN PARENTHESES IS THE ESTIMATED TWO-SIGMA COUNTING ERROR ASSOCIATED WITH THE PRECEDING RESULT. ALL LABELED TWO-SIGMA ERROR TERMS ARE ESTIMATED TWO-SIGMA COUNTING ERRORS. ALL MINIMUM DETECTABLE VALUES INDICATED BY THE SYMBOL "<" FOR SAMPLES COLLECTED PRIOR TO JANUARY 1, 1978, ARE BASED ON A TYPE I ERROR EQUAL TO FIVE PERCENT. ALL MINIMUM DETECTABLE VALUES FOR SAMPLES COLLECTED ON OR AFTER JANUARY 1, 1978 ARE ALSO INDICATED BY "<", BUT ARE BASED ON A TYPE I ERROR EQUAL TO A TYPE II ERROR EQUAL TO FIVE PERCENT (SEE HASL-300 PROCEDURES MANUAL).

TABLE 11-A, DOE AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

		ANALYSIS	RESULT	2SIGMA	UNITS
SITE-A NEAR TMI		DISTANCE	5.4		KM
81 1590 043 42 03 30		AZIMUTH	NNW		
404567 3MILE	DATE- 79 11 06 1400	TYPE	GE-LI		
SIZE-		134CS	<0.6		UCI/KM2
SITE-B NEAR TMI		DISTANCE	2.9		KM
81 1590 043 42 03 30		AZIMUTH	SSE		
404568 3MILE	DATE- 79 11 06 1545	TYPE	GE-LI		
SIZE-		134CS	<0.6		UCI/KM2
SITE-C NEAR TMI		DISTANCE	4.0		KM
81 1590 043 42 03 30		AZIMUTH	ESE		
404569 3MILE	DATE- 79 11 06 1800	TYPE	GE-LI		
SIZE-		134CS	<0.5		UCI/KM2
SITE-H NEAR TMI		TYPE	GE-LI		
81 1590 043 42 03 30		AZIMUTH	W		
404574 3MILE	DATE- 79 11 07 0930	134CS	<0.6		UCI/KM2
SIZE-		DISTANCE	4.9		KM
SITE-G NEAR TMI		TYPE	GE-LI		
81 1590 043 42 03 30		AZIMUTH	NW		
404573 3MILE	DATE- 79 11 07 1050	134CS	<0.6		UCI/KM2
SIZE-		DISTANCE	3.9		KM
SITE-E NEAR TMI		DISTANCE	5.9		KM
81 1590 043 42 03 30		AZIMUTH	S		
404571 3MILE	DATE- 79 11 07 1220	TYPE	GE-LI		
SIZE-		134CS	<0.5		UCI/KM2
SITE-F NEAR TMI		DISTANCE	4.0		KM
81 1590 043 42 03 30		AZIMUTH	S		
404572 3MILE	DATE- 79 11 07 1505	TYPE	GE-LI		
SIZE-		134CS	<0.7		UCI/KM2
SITE-D NEAR TMI		DISTANCE	7.2		KM
81 1590 043 42 03 30		AZIMUTH	ESE		
404570 3MILE	DATE- 79 11 07 1715	TYPE	GE-LI		
SIZE-		134CS	<0.7		UCI/KM2

TABLE 11-A. DOE AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

		ANALYSIS	RESULT	2SIGMA	UNITS
SITE-A NEAR TMI		DISTANCE	5.4		KM
81 1590 043 42 03 30		AZIMUTH	NNW		
436798 3MILE	DATE- 79 05 29 1515	TYPE	GE-LI		
SIZE-		131I	<0.9		UCI/KM2
SITE-B NEAR TMI		DISTANCE	2.9		KM
81 1590 043 42 03 30		AZIMUTH	SSE		
436799 3MILE	DATE- 79 05 29 1700	TYPE	GE-LI		
SIZE-		131I	<1.3		UCI/KM2
SITE-C NEAR TMI		DISTANCE	4.0		KM
81 1590 043 42 03 30		AZIMUTH	ESE		
436800 3MILE	DATE- 79 05 29 1800	TYPE	GE-LI		
SIZE-		131I	<1.1		UCI/KM2
SITE-D NEAR TMI		DISTANCE	7.2		KM
81 1590 043 42 03 30		AZIMUTH	ESE		
436801 3MILE	DATE- 79 05 29 1900	TYPE	GE-LI		
SIZE-		131I	<1.4		UCI/KM2
SITE-G NEAR TMI		TYPE	GE-LI		
81 1590 043 42 03 30		DISTANCE	3.9		KM
436804 3MILE	DATE- 79 05 30 0950	131I	<1.5		UCI/KM2
SIZE-		AZIMUTH	NW		
SITE-F NEAR TMI		TYPE	GE-LI		
81 1590 043 42 03 30		DISTANCE	4.0		KM
436803 3MILE	DATE- 79 05 30 1100	131I	<1.4		UCI/KM2
SIZE-		AZIMUTH	S		
SITE-E NEAR TMI		TYPE	GE-LI		
81 1590 043 42 03 30		DISTANCE	5.9		KM
436802 3MILE	DATE- 79 05 30 1330	AZIMUTH	S		
SIZE-		131I	<1.5		UCI/KM2

ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL MONITORING AND SYSTEMS LABORATORY

LAS VEGAS, NEVADA

80/11/04

TABLE 11-B, DOE TLD AND SURVEY METER (GROUND AND HELICOPTER) RESULTS

NOTE: "NA" INDICATES NO ANALYSIS. "ND" INDICATES NOT DETECTED. WHEN RESULTS ARE GIVEN IN EXPONENTIAL NOTATION THE NUMBER FOLLOWING THE "E" IS THE EXPONENT OF TEN BY WHICH THE PRECEDING NUMBER SHOULD BE MULTIPLIED. A VALUE IN PARENTHESES IS THE ESTIMATED TWO-SIGMA COUNTING ERROR ASSOCIATED WITH THE PRECEDING RESULT. ALL LABELED TWO-SIGMA ERROR TERMS ARE ESTIMATED TWO-SIGMA COUNTING ERRORS. ALL MINIMUM DETECTABLE VALUES INDICATED BY THE SYMBOL "<" FOR SAMPLES COLLECTED PRIOR TO JANUARY 1, 1978, ARE BASED ON A TYPE I ERROR EQUAL TO FIVE PERCENT. ALL MINIMUM DETECTABLE VALUES FOR SAMPLES COLLECTED ON OR AFTER JANUARY 1, 1978 ARE ALSO INDICATED BY "<", BUT ARE BASED ON A TYPE I ERROR EQUAL TO A TYPE II ERROR EQUAL TO FIVE PERCENT (SEE HASL-300 PROCEDURES MANUAL).

TABLE 11-8. DOE TLD AND SURVEY METER (GROUND AND HELICOPTER) RESULTS

PENNSYLVANIA	REPORTED 80/11/04					
			ANALYSIS	RESULT	2SIGMA	UNITS
SITE-3			AZIMUTH	S		
81 1590 043 42 03 81			EXP.	21.53	0.90	MR
406177 3MILE	ON- 77 10 04		DISTANCE	2.0		MILES
SIZE-	OFF- 78 01 05		GROUP	3		
SITE-4			AZIMUTH	W		
81 1590 043 42 03 81			EXP.	23.73	2.41	MR
406178 3MILE	ON- 77 10 04		DISTANCE	1.0		MILES
SIZE-	OFF- 78 01 05		GROUP	4		
TLD CONTROL			EXP.	15.33	1.32	MR
81 1590 043 42 03 81			AZIMUTH	NONE		
406195 3MILE	ON- 77 10 04		GROUP	5		
SIZE-	OFF- 78 01 05		DISTANCE	NONE		
SITE-2			AZIMUTH	E		
81 1590 043 42 03 81			EXP.	25.70	1.04	MR
406176 3MILE	ON- 77 10 04		DISTANCE	0.25		MILES
SIZE-	OFF- 78 01 05		GROUP	2		
SITE-1			AZIMUTH	N		
81 1590 043 42 03 81			EXP.	21.49	0.95	MR
406155 3MILE	ON- 78 10 04		DISTANCE	2.0		MILES
SIZE-	OFF- 79 01 03		GROUP	1		
SITE-2			AZIMUTH	E		
81 1590 043 42 03 81			EXP.	24.94	1.16	MR
406156 3MILE	ON- 78 10 04		DISTANCE	0.25		MILES
SIZE-	OFF- 79 01 03		GROUP	2		
SITE-3			AZIMUTH	S		
81 1590 043 42 03 81			EXP.	20.73	1.37	MR
406157 3MILE	ON- 78 10 04		DISTANCE	2.0		MILES
SIZE-	OFF- 79 01 03		GROUP	3		
SITE-4			AZIMUTH	W		
81 1590 043 42 03 81			EXP.	22.18	1.13	MR
406158 3MILE	ON- 78 10 04		DISTANCE	1.0		MILES
SIZE-	OFF- 79 01 03		GROUP	4		
TLD CONTROL			AZIMUTH	NONE		
81 1590 043 42 03 81			EXP.	14.84	1.13	MR
406159 3MILE	ON- 78 10 04		DISTANCE	NONE		
SIZE-	OFF- 79 01 03		GROUP	5		

ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL MONITORING AND SYSTEMS LABORATORY

LAS VEGAS, NEVADA

80/11/14

TABLE 11-F, DOE MILK RESULTS

NOTE: "NA" INDICATES NO ANALYSIS. "ND" INDICATES NOT DETECTED. WHEN RESULTS ARE GIVEN IN EXPONENTIAL NOTATION THE NUMBER FOLLOWING THE "E" IS THE EXPONENT OF TEN BY WHICH THE PRECEDING NUMBER SHOULD BE MULTIPLIED. A VALUE IN PARENTHESES IS THE ESTIMATED TWO-SIGMA COUNTING ERROR ASSOCIATED WITH THE PRECEDING RESULT. ALL LABELED TWO-SIGMA ERROR TERMS ARE ESTIMATED TWO-SIGMA COUNTING ERRORS. ALL MINIMUM DETECTABLE VALUES INDICATED BY THE SYMBOL "<" FOR SAMPLES COLLECTED PRIOR TO JANUARY 1, 1978, ARE BASED ON A TYPE I ERROR EQUAL TO FIVE PERCENT. ALL MINIMUM DETECTABLE VALUES FOR SAMPLES COLLECTED ON OR AFTER JANUARY 1, 1978 ARE ALSO INDICATED BY "<", BUT ARE BASED ON A TYPE I ERROR EQUAL TO A TYPE II ERROR EQUAL TO FIVE PERCENT (SEE HASL-300 PROCEDURES MANUAL).

TABLE 11-F, DOE MILK RESULTS

PENNSYLVANIA	REPORTED 80/11/14			
		ANALYSIS	RESULT	2SIGMA	UNITS
DOE		AZIMUTH	291.7		DEG-T
81 1590 043 42 03 10		DISTANCE	10.3		MILES
412253 3MILE	DATE- 79 03 31 1255	131I	<2.1E-08		UCI/ML
SIZE-		TYPE	MILK		
		SAMP. NO.	183		
DOE		AZIMUTH	291.7		DEG-T
81 1590 043 42 03 10		DISTANCE	10.3		MILES
412254 3MILE	DATE- 79 03 31 1255	131I	<1.6E-06		UCI/ML
SIZE-		TYPE	MILK		
		SAMP. NO.	183		
DOE		AZIMUTH	290.3		DEG-T
81 1590 043 42 03 10		DISTANCE	10.6		MILES
413377 3MILE	DATE- 79 04 02 1130	131I	<1.89E-07		UCI/ML
SIZE-		TYPE	MILK		
		SAMP. NO.	489		
DOE		TYPE	MILK		
81 1590 043 42 03 10		AZIMUTH	290.3		DEG-T
413381 3MILE	DATE- 79 04 02 1130	DISTANCE	10.6		MILES
SIZE-		131I	<1.9E-07		UCI/ML
		SAMP. NO.	392		

ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL MONITORING AND SYSTEMS LABORATORY

LAS VEGAS, NEVADA

80/10/30

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

NOTE: "NA" INDICATES NO ANALYSIS. "ND" INDICATES NOT DETECTED. WHEN RESULTS ARE GIVEN IN EXPONENTIAL NOTATION THE NUMBER FOLLOWING THE "E" IS THE EXPONENT OF TEN BY WHICH THE PRECEDING NUMBER SHOULD BE MULTIPLIED. A VALUE IN PARENTHESES IS THE ESTIMATED TWO-SIGMA COUNTING ERROR ASSOCIATED WITH THE PRECEDING RESULT. ALL LABELED TWO-SIGMA ERROR TERMS ARE ESTIMATED TWO-SIGMA COUNTING ERRORS. ALL MINIMUM DETECTABLE VALUES INDICATED BY THE SYMBOL "<" FOR SAMPLES COLLECTED PRIOR TO JANUARY 1, 1978, ARE BASED ON A TYPE I ERROR EQUAL TO FIVE PERCENT. ALL MINIMUM DETECTABLE VALUES FOR SAMPLES COLLECTED ON OR AFTER JANUARY 1, 1978 ARE ALSO INDICATED BY "<", BUT ARE BASED ON A TYPE I ERROR EQUAL TO A TYPE II ERROR EQUAL TO FIVE PERCENT (SEE HASL-300 PROCEDURES MANUAL).

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30	ANALYSIS	RESULT	2SIGMA	UNITS
GOLDSBORO BOAT STORAGE	ID, NO	TOWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434105 3MILE DATE- 79 01 02	AZIMUTH	264		DEG-T
SIZE-	BETA	13.7	0.6	UCI/ML
	ALPHA	11.6	1.0	UCI/ML
	131I	<4		UCI/ML
TMI OBSERVATION BLDG.	ID, NO	TOWP-1		
T 80 1590 043 42 03 30	DISTANCE	0.25		MILES
434091 3MILE DATE- 79 01 03	AZIMUTH	90		DEG-T
SIZE-				
ROOF-EVAN PRESS BLDG-HBG PA	TYPE	RAW		
80 1590 043 42 03 32	BETA	1.58E+00		PCI/M3
415460 3MILE ON- 79 03 31 0845	STA, NO,	203		
SIZE- OFF- 79 04 01 0830	PERIOD	1		DAYS
	AZIMUTH	316		DEG-T
	131I	<90.0E-15		UCI/ML
	DISTANCE	13		
EVAN, PRESS BUILDING-HARRISBURG PA	131I	<1.1E-13		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438327 3MILE DATE- 79 04 02	DISTANCE	9.9		MILES
SIZE-	ID NO,	HDWP		
EVAN, PRESS BUILDING-HARRISBURG PA	ALPHA	N.A.		
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438326 3MILE DATE- 79 04 02	DISTANCE	9.9		MILES
SIZE-	BETA	N.A.		
	ID NO,	HDWP		
EVAN, PRESS BUILDING-HARRISBURG PA	131I	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438329 3MILE DATE- 79 04 06	DISTANCE	9.9		MILES
SIZE-	ID NO,	HDWP		
EVAN, PRESS BUILDING-HARRISBURG PA	BETA	4.2	0.6	UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438328 3MILE DATE- 79 04 06	DISTANCE	9.9		MILES
SIZE-	ALPHA	2.5	0.6	UCI/ML
	ID NO,	HDWP		

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA	REPORTED 80/10/30	ANALYSIS	RESULT	2SIGMA	UNITS
ROOF-EVAN PRESS BLDG-NBS PA		DISTANCE	13		
80 1590 043 42 03 32		STA. NO.	203		
415538 3MILE	ON- 79 04 08 0830	TYPE	RAN		
SIZE-	OFF- 79 04 09 0830	AZIMUTH	316		DEG-T
		131I	<3.3E-15		UCI/ML
		PERIOD	1		DAYS
		BETA	1.06E+00		PCI/M3
THI OBSERVATION BUILDING-HARRISBURG PA		ID NO.	TOWP		
80 1590 043 42 03 31		AZIMUTH	90		DEG-T
438302 3MILE	DATE- 79 04 10	131I	1.5E-12		UCI/ML
SIZE-		DISTANCE	0.5		MILES
THI OBSERVATION BUILDING-HARRISBURG PA		ID NO.	TOWP		
80 1590 043 42 03 32		AZIMUTH	90		DEG-T
438301 3MILE	DATE- 79 04 10	ALPHA	1.8	0.4	UCI/ML
SIZE-		DISTANCE	0.5		MILES
		BETA	9.3	0.6	UCI/ML
ROOF-EVAN PRESS BLDG-NBS PA		131I	<3.0E-15		UCI/ML
80 1590 043 42 03 32		BETA	0.24E+00		PCI/M3
415539 3MILE	ON- 79 04 09 0830	STA. NO.	203		
SIZE-	OFF- 79 04 10 0830	AZIMUTH	316		DEG-T
		TYPE	RAN		
		DISTANCE	13		MILES
		PERIOD	1		DAYS
THI OBSERVATION CTR-RT 441		AZIMUTH	115		DEG-T
80 1590 043 42 03 31		DISTANCE	0.5		MILES
415470 3MILE	ON- 79 04 02 0800	131I	1.5E-12		PCI/M3
SIZE-	OFF- 79 04 10 1340	SAMPLE NO	TOWI	041079	
		PERIOD	8.24		DAYS
THI OBSERVATION CTR-RT 441		PERIOD	8.24		DAYS
80 1590 043 42 03 32		DISTANCE	0.5		MILES
415467 3MILE	ON- 79 04 02 0800	BETA	9.3E+00	0.3E+00	PCI/M3
SIZE-	OFF- 79 04 10 1340	ALPHA	1.8E+00	0.2E+00	PCI/M3
		SAMPLE NO	TOWP	041079	
		AZIMUTH	115		DEG-T

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30		ANALYSIS	RESULT	2SIGMA	UNITS
ROOF-EVAN PRESS BLDG-HBG PA		PERIOD	1		DAYS
80 1590 043 42 03 32		STA. NO.	203		
415540 3MILE	ON- 79 04 10 0830	TYPE	RAN		
SIZE-	OFF- 79 04 11 0830	AZIMUTH	316		DEG-T
		131I	<5.0E-15		UCI/ML
		DISTANCE	13		MILES
		BETA	0.63E+00		PCI/M3
ROOF-EVAN PRESS BLDG-HBG PA		131I	<3.5E-15		UCI/ML
80 1590 043 42 03 32		AZIMUTH	316		DEG-T
415541 3MILE	ON- 79 04 11 0830	TYPE	RAN		
SIZE-	OFF- 79 04 12 0845	DISTANCE	13		MILES
		PERIOD	1		DAYS
		STA. NO.	203		
		BETA	1.74E+00		PCI/M3
EVAN, PRESS BUILDING-HARRISBURG PA		131I	<4		UCI/ML
80 1590 043 42 03 31		AZIMUTH	312		DEG-T
438331 3MILE	DATE- 79 04 13	DISTANCE	9.9		MILES
SIZE-		ID NO.	HDWP		
EVAN, PRESS BUILDING-HARRISBURG PA		ALPHA	6.0	0.8	UCI/ML
80 1590 043 42 03 32		AZIMUTH	312		DEG-T
438330 3MILE	DATE- 79 04 13	DISTANCE	9.9		MILES
SIZE-		BETA	9.8	0.6	UCI/ML
		ID NO.	HDWP		
TMI BACKGROUND-HBG PA-AIR SAMPLING		DISTANCE	NONE		
80 1590 043 42 03 31		131I	<4.0E-14		PCI/M3
415479 3MILE	ON- 79 04 06 1015	AZIMUTH	NONE		
SIZE-	OFF- 79 04 13 0830	PERIOD	7		DAYS
		SAMPLE NO	HDWI	041379	
TMI BACKGROUND-HBG PA-AIR SAMPLING		BETA	9.8E+00	0.3E+00	PCI/M3
80 1590 043 42 03 32		ALPHA	6.0E+00	0.4E+00	PCI/M3
415474 3MILE	ON- 79 04 05 1015	PERIOD	7		DAYS
SIZE-	OFF- 79 04 13 0830	SAMPLE NO	HDWP	041379	
		DISTANCE	NONE		
		AZIMUTH	NONE		
ROOF-EVAN PRESS BLDG-HBG PA		TYPE	RAN		
80 1590 043 42 03 32		AZIMUTH	316		DEG-T
415542 3MILE	ON- 79 04 12 0845	131I	<2.7E-15		UCI/ML
SIZE-	OFF- 79 04 13 0830	DISTANCE	13		MILES
		STA. NO.	203		
		BETA	0.79E+00		PCI/M3
		PERIOD	1		DAYS

TABLE 13-A. COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA	REPORTED 80/10/30				
		ANALYSIS	RESULT	2SIGMA	UNITS
EVAN. PRESS BUILDING-HARRISBURG PA		131I	1.4E-13		UCI/ML
80 1590 043 42 03 31		AZIMUTH	312		DEG-T
438333 3MILE	DATE- 79 04 16	ID NO.	HDWP		
SIZE-		DISTANCE	9.9		MILES
EVAN. PRESS BUILDING-HARRISBURG PA		BETA	N.A.		
80 1590 043 42 03 32		AZIMUTH	312		DEG-T
438332 3MILE	DATE- 79 04 16	ID NO.	HDWP		
SIZE-		ALPHA	N.A.		
		DISTANCE	9.9		MILES
TMI BACKGROUND-HBG PA-AIR SAMPLING		PERIOD	3		DAYS
80 1590 043 42 03 31		131I	<1.4E-13		PCI/M3
415480 3MILE	ON- 79 04 13 0830	SAMPLE NO	HDWI	041679	
SIZE-	OFF- 79 04 16 0830	AZIMUTH	NONE		
		DISTANCE	NONE		
ROOF-EVAN PRESS BLDG-HBG PA		DISTANCE	13		MILES
80 1590 043 42 03 32		PERIOD	3		DAYS
415543 3MILE	ON- 79 04 13 0830	AZIMUTH	316		DEG-T
SIZE-	OFF- 79 04 16 0830	BETA	0.13E+00		PCI/M3
		131I	<2.0E-15		UCI/ML
		STA. NO.	203		
		TYPE	RAN		
TMI OBSERVATION BUILDING-HARRISBURG PA		ID NO.	TOWP		
80 1590 043 42 03 31		AZIMUTH	90		DEG-T
438304 3MILE	DATE- 79 04 18	131I	3.7E-12		UCI/ML
SIZE-		DISTANCE	0.5		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA		ID NO.	TOWP		
80 1590 043 42 03 32		AZIMUTH	90		DEG-T
438303 3MILE	DATE- 79 04 18	ALPHA	1.9	0.4	UCI/ML
SIZE-		DISTANCE	0.5		MILES
		BETA	4.1	0.4	UCI/ML
TMI OBSERVATION CTR-RT 441		PERIOD	8		DAYS
80 1590 043 42 03 31		DISTANCE	0.5		MILES
415471 3MILE	ON- 79 04 10 1340	SAMPLE NO	TOWI	041879	
SIZE-	OFF- 79 04 18 1230	131I	3.7E-12		PCI/M3
		AZIMUTH	115		DEG-T

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION CTR-RT 441	DISTANCE	0.5		MILES
80 1590 043 42 03 32	SAMPLE NO	TDWP	041879	
415468 3MILE DN- 79 04 10 1340	AZIMUTH	115		DEG-T
SIZE- OFF- 79 04 18 1230	ALPHA	1.9E+00	0.2E+00	PCI/M3
	BETA	4.1E+00	0.2E+00	PCI/M3
	PERIOD	8		DAYS
EVAN, PRESS BUILDING-HARRISBURG PA	1311	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438335 3MILE DATE- 79 04 19	ID NO,	HDWP		
SIZE-	DISTANCE	9.9		MILES
EVAN, PRESS BUILDING-HARRISBURG PA	ALPHA	3.4	0.6	UCI/ML
80 1590 043 42 03 32	ID NO,	HDWP		
438334 3MILE DATE- 79 04 19	BETA	6.9	0.6	UCI/ML
SIZE-	DISTANCE	9.9		MILES
TMI BACKGROUND-HBG PA-AIR SAMPLING	DISTANCE	NONE		
80 1590 043 42 03 32	BETA	6.9E+00	0.3E+00	PCI/M3
415475 3MILE DN- 79 04 13 0830	AZIMUTH	NONE		
SIZE- OFF- 79 04 19 0830	PERIOD	6		DAYS
	ALPHA	3.4E+00	0.3E+00	PCI/M3
	SAMPLE NO	HDWP	041979	
EVAN, PRESS BUILDING-HARRISBURG PA	1311	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438337 3MILE DATE- 79 04 23	ID NO,	HDWP		
SIZE-	DISTANCE	9.9		MILES
EVAN, PRESS BUILDING-HARRISBURG PA	BETA	N.A.		
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438336 3MILE DATE- 79 04 23	ID NO,	HDWP		
SIZE-	ALPHA	N.A.		
	DISTANCE	9.9		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO,	TDWP		
80 1590 043 42 03 31	AZIMUTH	90		DEG-T
438306 3MILE DATE- 79 04 26	1311	7E-14		UCI/ML
SIZE-	DISTANCE	0.5		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO,	TDWP		
80 1590 043 42 03 32	AZIMUTH	90		DEG-T
438305 3MILE DATE- 79 04 26	BETA	19.7	0.6	UCI/ML
SIZE-	DISTANCE	0.5		MILES
	ALPHA	12.1	0.8	UCI/ML

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

	ANALYSIS	RESULT	2SIGMA	UNITS
EVAN, PRESS BUILDING-HARRISBURG PA	131I	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438339 3MILE DATE- 79 04 27	ID NO.	MDWP		
SIZE-	DISTANCE	9.9		MILES
EVAN, PRESS BUILDING-HARRISBURG PA	ALPHA	3.0	0.6	UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438338 3MILE DATE- 79 04 27	ID NO.	MDWP		
SIZE-	BETA	8.5	0.4	UCI/ML
	DISTANCE	9.9		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 31	AZIMUTH	90		DEG-T
438308 3MILE DATE- 79 05 03	131I	1.2E-13		UCI/ML
SIZE-	DISTANCE	0.5		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 32	AZIMUTH	90		DEG-T
438307 3MILE DATE- 79 05 03	ALPHA	25.7	1.6	UCI/ML
SIZE-	DISTANCE	0.5		MILES
	BETA	32.5	1.2	UCI/ML
EVAN, PRESS BUILDING-HARRISBURG PA	131I	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438341 3MILE DATE- 79 05 04	ID NO.	MDWP		
SIZE-	DISTANCE	9.9		MILES
EVAN, PRESS BUILDING-HARRISBURG PA	BETA	19.2	1.2	UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438340 3MILE DATE- 79 05 04	ID NO.	MDWP		
SIZE-	ALPHA	11.8	1.6	UCI/ML
	DISTANCE	9.9		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 31	AZIMUTH	90		DEG-T
438310 3MILE DATE- 79 05 10	131I	<4		UCI/ML
SIZE-	DISTANCE	0.5		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 32	AZIMUTH	90		DEG-T
438309 3MILE DATE- 79 05 10	BETA	21.1	1.0	UCI/ML
SIZE-	DISTANCE	0.5		MILES
	ALPHA	15.0	1.2	UCI/ML
EVAN, PRESS BUILDING-HARRISBURG PA	131I	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438343 3MILE DATE- 79 05 11	ID NO.	MDWP		
SIZE-	DISTANCE	9.9		MILES

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

	ANALYSIS	RESULT	2SIGMA	UNITS
EVAN, PRESS BUILDING-HARRISBURG PA	ALPHA	5.9	0.8	UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438342 3MILE DATE- 79 05 11	ID NO.	MDWP		
SIZE-	BETA	11.1	0.8	UCI/ML
	DISTANCE	9.9		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TOWP		
80 1590 043 42 03 31	AZIMUTH	90		DEG-T
438312 3MILE DATE- 79 05 17	131I	<4		UCI/ML
SIZE-	DISTANCE	0.5		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TOWP		
80 1590 043 42 03 32	AZIMUTH	90		DEG-T
438311 3MILE DATE- 79 05 17	ALPHA	7.9	1.0	UCI/ML
SIZE-	DISTANCE	0.5		MILES
	BETA	11.1	0.8	UCI/ML
EVAN, PRESS BUILDING-HARRISBURG PA	131I	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438345 3MILE DATE- 79 05 18	ID NO.	MDWP		
SIZE-	DISTANCE	9.9		MILES
EVAN, PRESS BUILDING-HARRISBURG PA	BETA	8.3	0.6	UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438344 3MILE DATE- 79 05 18	ID NO.	MDWP		
SIZE-	ALPHA	5.1	0.8	UCI/ML
	DISTANCE	9.9		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TOWP		
80 1590 043 42 03 31	DISTANCE	0.5		MILES
438314 3MILE DATE- 79 05 25	131I	<4		UCI/ML
SIZE-	AZIMUTH	90		DEG-T
EVAN, PRESS BUILDING-HARRISBURG PA	131I	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438347 3MILE DATE- 79 05 25	ID NO.	MDWP		
SIZE-	DISTANCE	9.9		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TOWP		
80 1590 043 42 03 32	AZIMUTH	90		DEG-T
438313 3MILE DATE- 79 05 25	BETA	4.7	0.4	UCI/ML
SIZE-	DISTANCE	0.5		MILES
	ALPHA	1.9	0.4	UCI/ML
EVAN, PRESS BUILDING-HARRISBURG PA	ALPHA	1.4	0.4	UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438346 3MILE DATE- 79 05 25	ID NO.	MDWP		
SIZE-	BETA	3.9	0.6	UCI/ML
	DISTANCE	9.9		MILES

TABLE 13-A. COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 31	DISTANCE	0.5		MILES
438316 3MILE DATE- 79 05 30	131I	<4		UCI/ML
SIZE-	AZIMUTH	90		DEG-T
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 32	DISTANCE	0.5		MILES
438315 3MILE DATE- 79 05 30	ALPHA	7.6	1.0	UCI/ML
SIZE-	AZIMUTH	90		DEG-T
	BETA	10.8	0.8	UCI/ML
EVAN. PRESS BUILDING-HARRISBURG PA	131I	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438349 3MILE DATE- 79 06 01	ID NO.	HDWP		
SIZE-	DISTANCE	9.9		MILES
EVAN. PRESS BUILDING-HARRISBURG PA	BETA	7.8	0.4	UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438348 3MILE DATE- 79 06 01	ID NO.	HDWP		
SIZE-	ALPHA	4.2	0.4	UCI/ML
	DISTANCE	9.9		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 31	DISTANCE	0.5		MILES
438318 3MILE DATE- 79 06 06	131I	<4		UCI/ML
SIZE-	AZIMUTH	90		DEG-T
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 32	DISTANCE	0.5		MILES
438317 3MILE DATE- 79 06 06	BETA	16.8	0.8	UCI/ML
SIZE-	AZIMUTH	90		DEG-T
	ALPHA	11.9	1.2	UCI/ML
EVAN. PRESS BUILDING-HARRISBURG PA	131I	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438351 3MILE DATE- 79 06 08	ID NO.	HDWP		
SIZE-	DISTANCE	9.9		MILES
EVAN. PRESS BUILDING-HARRISBURG PA	ALPHA	VOID		
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438350 3MILE DATE- 79 06 08	ID NO.	HDWP		
SIZE-	BETA	VOID		
	DISTANCE	9.9		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 31	AZIMUTH	90		DEG-T
438320 3MILE DATE- 79 06 12	131I	<4		UCI/ML
SIZE-	DISTANCE	0.5		MILES

TABLE 13-A. COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 32	DISTANCE	0.5		MILES
438319 3MILE DATE- 79 06 12	ALPHA	3.1	0.6	UCI/ML
SIZE-	AZIMUTH	90		DEG-T
	BETA	7.3	0.6	UCI/ML
EVAN. PRESS BUILDING-HARRISBURG PA	1311	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438353 3MILE DATE- 79 06 15	ID NO.	NDWP		
SIZE-	DISTANCE	9.9		MILES
EVAN. PRESS BUILDING-HARRISBURG PA	BETA	13.1	0.6	UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438352 3MILE DATE- 79 06 15	ID NO.	NDWP		
SIZE-	ALPHA	7.2	0.6	UCI/ML
	DISTANCE	9.9		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 31	AZIMUTH	90		DEG-T
438322 3MILE DATE- 79 06 19	1311	<4		UCI/ML
SIZE-	DISTANCE	0.5		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 32	AZIMUTH	90		DEG-T
438321 3MILE DATE- 79 06 19	BETA	9.4	0.6	UCI/ML
SIZE-	DISTANCE	0.5		MILES
	ALPHA	5.6	0.8	UCI/ML
EVAN. PRESS BUILDING-HARRISBURG PA	1311	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438355 3MILE DATE- 79 06 22	ID NO.	NDWP		
SIZE-	DISTANCE	9.9		MILES
EVAN. PRESS BUILDING-HARRISBURG PA	ALPHA	6.3		UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438354 3MILE DATE- 79 06 22	ID NO.	NDWP		
SIZE-	BETA	10.9	0.6	UCI/ML
	DISTANCE	9.9		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 31	AZIMUTH	90		DEG-T
438324 3MILE DATE- 79 06 26	1311	<4		UCI/ML
SIZE-	DISTANCE	0.5		MILES
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TDWP		
80 1590 043 42 03 32	AZIMUTH	90		DEG-T
438323 3MILE DATE- 79 06 26	ALPHA	24.6	1.6	UCI/ML
SIZE-	DISTANCE	0.5		MILES
	BETA	30.6	1.2	UCI/ML

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION BUILDING-HARRISBURG PA	ID NO.	TOWP		
80 1590 043 42 03 32	AZIMUTH	90		DEG-T
438325 3MILE DATE- 79 06 26	90SR	6E-16	4E-16	UCI/ML
SIZE-	DISTANCE	0.5		MILES
EVAN. PRESS BUILDING-HARRISBURG PA	131I	<4		UCI/ML
80 1590 043 42 03 31	AZIMUTH	312		DEG-T
438357 3MILE DATE- 79 06 29	ID NO.	NDWP		
SIZE-	DISTANCE	0.9		MILES
EVAN. PRESS BUILDING-HARRISBURG PA	BETA	14.5	0.6	UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438356 3MILE DATE- 79 06 29	ID NO.	NDWP		
SIZE-	ALPHA	9.0	0.6	UCI/ML
	DISTANCE	0.9		MILES
EVAN. PRESS BUILDING-HARRISBURG PA	90SR	<7E-16		UCI/ML
80 1590 043 42 03 32	AZIMUTH	312		DEG-T
438358 3MILE DATE- 79 06 29	ID NO.	NDWP		
SIZE-	DISTANCE	0.9		MILES
TMI OBSERVATION BLDG.	ID. NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434079 3MILE DATE- 79 07 05	AZIMUTH	90		DEG-T
SIZE-	ALPHA	3.6	0.4	UCI/ML
	131I	<4		UCI/ML
	BETA	7.1	0.4	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID. NO	NDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434119 3MILE DATE- 79 07 06	AZIMUTH	315		DEG-T
SIZE-	BETA	8.8	0.4	UCI/ML
	ALPHA	5.1	0.6	UCI/ML
	131I	<4		UCI/ML
TMI OBSERVATION BLDG.	ID. NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434080 3MILE DATE- 79 07 11	AZIMUTH	90		DEG-T
SIZE-	BETA	31.0	1.2	UCI/ML
	ALPHA	24.8	1.0	UCI/ML
	131I	<4		UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID. NO	NDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434120 3MILE DATE- 79 07 13	AZIMUTH	315		DEG-T
SIZE-	ALPHA	5.1	0.6	UCI/ML
	131I	<4		UCI/ML
	BETA	10.3	0.6	UCI/ML

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION BLDG,	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434081 3MILE DATE- 79 07 17	AZIMUTH	90		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	2.9	0.6	UCI/ML
	BETA	12.9	0.8	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB,	ID, NO	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434121 3MILE DATE- 79 07 20	AZIMUTH	315		DEG-T
SIZE-	BETA	9.7	0.4	UCI/ML
	ALPHA	6.7	0.6	UCI/ML
	131I	<4		UCI/ML
TMI OBSERVATION BLDG,	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434082 3MILE DATE- 79 07 25	AZIMUTH	90		DEG-T
SIZE-	BETA	15.9	0.8	UCI/ML
	ALPHA	11.8	1.0	UCI/ML
	131I	<4		UCI/ML
HARRISBURG-RADIATION PROTECTION LAB,	ID, NO	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434122 3MILE DATE- 79 07 27	AZIMUTH	315		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	1.8	0.4	UCI/ML
	BETA	4.7	0.4	UCI/ML
TMI OBSERVATION BLDG,	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434083 3MILE DATE- 79 07 31	AZIMUTH	90		DEG-T
SIZE-	ALPHA	16.0	1.4	UCI/ML
	131I	<4		UCI/ML
	BETA	17.2	1.0	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB,	ID, NO	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434123 3MILE DATE- 79 08 03	AZIMUTH	315		DEG-T
SIZE-	BETA	7.1	0.6	UCI/ML
	ALPHA	4.8	0.6	UCI/ML
	131I	<4		UCI/ML
TMI OBSERVATION BLDG,	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434084 3MILE DATE- 79 08 09	AZIMUTH	90		DEG-T
SIZE-	BETA	9.9	0.4	UCI/ML
	ALPHA	6.3	0.6	UCI/ML
	131I	<4		UCI/ML

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30	ANALYSIS	RESULT	2SIGMA	UNITS
HARRISBURG-RADIATION PROTECTION LAB.	ID. NO	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434124 3MILE DATE- 79 08 10	AZIMUTH	315		DEG-T
SIZE-	ALPHA	5.0	0.6	UCI/ML
	131I	<4		UCI/ML
	BETA	8.2	0.4	UCI/ML
TMI OBSERVATION BLDG.	ID. NO	TDWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434085 3MILE DATE- 79 08 15	AZIMUTH	90		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	3.8	0.6	UCI/ML
	BETA	7.4	0.6	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID. NO	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434125 3MILE DATE- 79 08 17	AZIMUTH	315		DEG-T
SIZE-	BETA	9.3	0.4	UCI/ML
	ALPHA	6.0	0.6	UCI/ML
	131I	<4		UCI/ML
TMI OBSERVATION BLDG.	ID. NO	TDWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434086 3MILE DATE- 79 08 22	AZIMUTH	90		DEG-T
SIZE-	BETA	21.0	1.0	UCI/ML
	ALPHA	18.1	1.4	UCI/ML
	131I	<4		UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID. NO	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434126 3MILE DATE- 79 08 24	AZIMUTH	315		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	3.4	0.4	UCI/ML
	BETA	6.8	0.4	UCI/ML
TMI OBSERVATION BLDG.	ID. NO	TDWP-1		
80 1590 043 42 03 30	ALPHA	4.9	0.6	UCI/ML
434087 3MILE DATE- 79 08 29	AZIMUTH	90		DEG-T
SIZE-	DISTANCE	0.25		MILES
	131I	<4		UCI/ML
	BETA	7.8	0.4	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID. NO	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434127 3MILE DATE- 79 08 31	AZIMUTH	315		DEG-T
SIZE-	BETA	8.5	0.4	UCI/ML
	ALPHA	5.7	0.4	UCI/ML
	131I	<4		UCI/ML

TABLE 13-A. COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION BLDG.	ID, ND	TDWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434088 3MILE DATE- 79 09 05	AZIMUTH	90		DEG-T
SIZE-	BETA	26.1	1.0	UCI/ML
	ALPHA	21.6	1.6	UCI/ML
	131I	<4		UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID, ND	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434128 3MILE DATE- 79 09 07	AZIMUTH	315		DEG-T
SIZE-	ALPHA	3.0	0.4	UCI/ML
	131I	<4		UCI/ML
	BETA	6.2	0.4	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID, ND	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434129 3MILE DATE- 79 09 14	AZIMUTH	315		DEG-T
SIZE-	BETA	7.4	0.4	UCI/ML
	ALPHA	4.6	0.6	UCI/ML
	131I	<4		UCI/ML
GOLDSBORO BOAT STORAGE	ID, ND	TDWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434106 3MILE DATE- 79 09 18	AZIMUTH	264		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	22.0	1.6	UCI/ML
	BETA	26.2	1.2	UCI/ML
TMI OBSERVATION BLDG.	ID, ND	TDWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434089 3MILE DATE- 79 09 20	AZIMUTH	90		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	15.8	1.4	UCI/ML
	BETA	18.9	1.0	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	131I	<4		UCI/ML
80 1590 043 42 03 30	AZIMUTH	315		DEG-T
434130 3MILE DATE- 79 09 21	ID, ND	HDWP		
SIZE-	ALPHA	9.9	0.8	UCI/ML
	DISTANCE	12.0		MILES
	BETA	13.8	0.6	UCI/ML
GOLDSBORO BOAT STORAGE	ID, ND	TDWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434107 3MILE DATE- 79 09 25	AZIMUTH	264		DEG-T
SIZE-	BETA	11.2	0.8	UCI/ML
	ALPHA	8.7	1.0	UCI/ML
	131I	<4		UCI/ML

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION BLDG.	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434090 3MILE DATE- 79 09 26	AZIMUTH	90		DEG-T
SIZE-	BETA	21.5	1.0	UCI/ML
	ALPHA	19.2	1.6	UCI/ML
	131I	<4		UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	BETA	11.3	0.6	UCI/ML
80 1590 043 42 03 30	AZIMUTH	315		DEG-T
434131 3MILE DATE- 79 09 28	ID, NO	NOWP		
SIZE-	DISTANCE	12.0		MILES
	ALPHA	8.7	0.8	UCI/ML
	131I	<4		UCI/ML
TMI OBSERVATION BLDG.	ID, NO.	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434067 3MILE DATE- 79 10 04 79	AZIMUTH	90		DEG-T
SIZE-	ALPHA	2.6	0.4	UCI/ML
	131I	<4		UCI/ML
	BETA	5.1	0.2	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID, NO	NOWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434108 3MILE DATE- 79 10 05	AZIMUTH	315		DEG-T
SIZE-	ALPHA	1.7	0.4	UCI/ML
	131I	<4		UCI/ML
	BETA	3.6	0.4	UCI/ML
GOLDSBORO BOAT STORAGE	ID, NO	TOWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434093 3MILE DATE- 79 10 09	AZIMUTH	264		DEG-T
SIZE-	BETA	4.4	0.6	UCI/ML
	ALPHA	2.7	0.6	UCI/ML
	131I	<4		UCI/ML
TMI OBSERVATION BLDG.	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434068 3MILE DATE- 79 10 10	AZIMUTH	90		DEG-T
SIZE-	BETA	4.2	0.6	UCI/ML
	ALPHA	2.1	0.6	UCI/ML
	131I	<4		UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID, NO	NOWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434109 3MILE DATE- 79 10 12	AZIMUTH	315		DEG-T
SIZE-	BETA	3.0	0.4	UCI/ML
	ALPHA	1.7	0.4	UCI/ML
	131I	<4		UCI/ML

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

	ANALYSIS	RESULT	2SIGMA	UNITS
GOLDSBORO BOAT STORAGE	ID, NO	TOWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434094 3MILE DATE- 79 10 16	AZIMUTH	264		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	10.4	1.0	UCI/ML
	BETA	11.3	0.8	UCI/ML
TMI OBSERVATION BLDG,	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434069 3MILE DATE- 79 10 18	AZIMUTH	90		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	12.9	0.8	UCI/ML
	BETA	16.1	0.6	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB,	ID, NO	NOWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434110 3MILE DATE- 79 10 19	AZIMUTH	315		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	5.8	0.6	UCI/ML
	BETA	8.3	0.4	UCI/ML
GOLDSBORO BOAT STORAGE	ID, NO	TOWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434095 3MILE DATE- 79 10 23	AZIMUTH	264		DEG-T
SIZE-	BETA	15.2	0.6	UCI/ML
	ALPHA	10.1	0.8	UCI/ML
	131I	<4		UCI/ML
TMI OBSERVATION BLDG,	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434070 3MILE DATE- 79 10 25	AZIMUTH	90		DEG-T
SIZE-	BETA	5.3	0.4	UCI/ML
	ALPHA	2.0	0.4	UCI/ML
	131I	<4		UCI/ML
HARRISBURG-RADIATION PROTECTION LAB,	ID, NO	NOWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434111 3MILE DATE- 79 10 26	AZIMUTH	315		DEG-T
SIZE-	BETA	5.5	0.6	UCI/ML
	ALPHA	3.2	0.6	UCI/ML
	131I	<4		UCI/ML
GOLDSBORO BOAT STORAGE	ID, NO	TOWP-2		
80 1590 043 42 03 30	ALPHA	3.7	0.4	UCI/ML
434092 3MILE DATE- 79 10 27	AZIMUTH	264		DEG-T
SIZE-	DISTANCE	1.0		MILES
	131I	<4		UCI/ML
	BETA	6.9	0.4	UCI/ML

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

		ANALYSIS	RESULT	2SIGMA	UNITS
GOLDSBORO BOAT STORAGE		ID, NO	TOWP-2		
80 1590 043 42 03 30		DISTANCE	1.0		MILES
434096 3MILE	DATE- 79 10 30	AZIMUTH	264		DEG-T
SIZE-		ALPHA	11.6	1.2	UCI/ML
		131I	<4		UCI/ML
		BETA	13.6	0.8	UCI/ML
TMI OBSERVATION BLDG.		ID, NO	TOWP-1		
80 1590 043 42 03 30		DISTANCE	0.25		MILES
434071 3MILE	DATE- 79 11 01	AZIMUTH	90		DEG-T
SIZE-		ALPHA	6.6	0.6	UCI/ML
		131I	<4		UCI/ML
		BETA	9.8	0.4	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.		ID, NO	HDWP		
80 1590 043 42 03 30		DISTANCE	12.0		MILES
434112 3MILE	DATE- 79 11 02	AZIMUTH	315		DEG-T
SIZE-		ALPHA	3.5	0.4	UCI/ML
		131I	<4		UCI/ML
		BETA	5.7	0.4	UCI/ML
GOLDSBORO BOAT STORAGE		ID, NO	TOWP-2		
80 1590 043 42 03 30		DISTANCE	1.0		MILES
434097 3MILE	DATE- 79 11 05	AZIMUTH	264		DEG-T
SIZE-		BETA	11.4	0.6	UCI/ML
		ALPHA	7.6	0.6	UCI/ML
		131I	<4		UCI/ML
TMI OBSERVATION BLDG.		ID, NO	TOWP-1		
80 1590 043 42 03 30		DISTANCE	0.25		MILES
434072 3MILE	DATE- 79 11 07	AZIMUTH	90		DEG-T
SIZE-		BETA	9.9	0.8	UCI/ML
		ALPHA	7.8	1.0	UCI/ML
		131I	<4		UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.		ID, NO	HDWP		
80 1590 043 42 03 30		DISTANCE	12.0		MILES
434113 3MILE	DATE- 79 11 09	AZIMUTH	315		DEG-T
SIZE-		BETA	8.4	0.6	UCI/ML
		ALPHA	5.4	0.6	UCI/ML
		131I	<4		UCI/ML
GOLDSBORO BOAT STORAGE		ID, NO	TOWP-2		
80 1590 043 42 03 30		DISTANCE	1.0		MILES
434098 3MILE	DATE- 79 11 13	AZIMUTH	264		DEG-T
SIZE-		131I	<4		UCI/ML
		ALPHA	3.5	0.6	UCI/ML
		BETA	6.0	0.6	UCI/ML

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION BLDG.	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434073 3MILE DATE- 79 11 15	AZIMUTH	90		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	1.6	0.2	UCI/ML
	BETA	4.0	0.4	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID, NO	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434114 3MILE DATE- 79 11 16	AZIMUTH	315		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	2.0	0.4	UCI/ML
	BETA	4.6	0.4	UCI/ML
GOLDSBORO BOAT STORAGE	ID, NO	TOWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434099 3MILE DATE- 79 11 20	AZIMUTH	264		DEG-T
SIZE-	BETA	28.5	0.8	UCI/ML
	ALPHA	23.5	1.2	UCI/ML
	131I	<4		UCI/ML
GOLDSBORO BOAT STORAGE	ID, NO	TOWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434100 3MILE DATE- 79 11 27	AZIMUTH	264		DEG-T
SIZE-	ALPHA	3.4	0.6	UCI/ML
	131I	<4		UCI/ML
	BETA	7.1	0.6	UCI/ML
TMI OBSERVATION BLDG.	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434074 3MILE DATE- 79 11 29	AZIMUTH	90		DEG-T
SIZE-	BETA	5.3	0.4	UCI/ML
	ALPHA	2.3	0.4	UCI/ML
	131I	<4		UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID, NO	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434115 3MILE DATE- 79 11 30	AZIMUTH	315		DEG-T
SIZE-	BETA	4.8	0.4	UCI/ML
	ALPHA	2.2	0.4	UCI/ML
	131I	<4		UCI/ML
GOLDSBORO BOAT STORAGE	ID, NO	TOWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434101 3MILE DATE- 79 12 04	AZIMUTH	264		DEG-T
SIZE-	BETA	8.3	0.6	UCI/ML
	ALPHA	6.1	0.8	UCI/ML
	131I	<4		UCI/ML

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

	ANALYSIS	RESULT	2SIGMA	UNITS
TMI OBSERVATION BLDG.	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434075 3MILE DATE- 79 12 06	AZIMUTH	90		DEG-T
SIZE-	ALPHA	14.7	0.8	UCI/ML
	131I	<4		UCI/ML
	BETA	18.6	0.6	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID, NO	NOWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434116 3MILE DATE- 79 12 07	AZIMUTH	315		DEG-T
SIZE-	ALPHA	5.9	0.6	UCI/ML
	131I	<4		UCI/ML
	BETA	9.3	0.4	UCI/ML
GOLDSBORO BOAT STORAGE	ID, NO	TOWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434102 3MILE DATE- 79 12 11	AZIMUTH	264		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	17.2	1.4	UCI/ML
	BETA	19.7	1.0	UCI/ML
TMI OBSERVATION BLDG.	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434076 3MILE DATE- 79 12 12	AZIMUTH	90		DEG-T
SIZE-	BETA	22.6	1.0	UCI/ML
	ALPHA	19.9	1.6	UCI/ML
	131I	<4		UCI/ML
GOLDSBORO BOAT STORAGE	ID, NO	TOWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434103 3MILE DATE- 79 12 18	AZIMUTH	264		DEG-T
SIZE-	BETA	4.4	0.6	UCI/ML
	ALPHA	2.3	0.6	UCI/ML
	131I	<4		UCI/ML
TMI OBSERVATION BLDG.	ID, NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434077 3MILE DATE- 79 12 20	AZIMUTH	90		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	2.3	0.4	UCI/ML
	BETA	4.8	0.4	UCI/ML
HARRISBURG-RADIATION PROTECTION LAB.	ID, NO	NOWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434117 3MILE DATE- 79 12 21	AZIMUTH	315		DEG-T
SIZE-	BETA	4.3	0.4	UCI/ML
	ALPHA	1.9	0.4	UCI/ML
	131I	<4		UCI/ML

TABLE 13-A, COMMONWEALTH OF PENNSYLVANIA AIR RESULTS

PENNSYLVANIA REPORTED 80/10/30

	ANALYSIS	RESULT	2SIGMA	UNITS
GOLDSBORO BOAT STORAGE	ID. NO	TOWP-2		
80 1590 043 42 03 30	DISTANCE	1.0		MILES
434104 3MILE DATE- 79 12 24	AZIMUTH	264		DEG-T
SIZE-	ALPHA	20.8	1.2	UCI/ML
	131I	<4		UCI/ML
	BETA	26.0	0.8	UCI/ML
TMI OBSERVATION BLDG.	ID. NO	TOWP-1		
80 1590 043 42 03 30	DISTANCE	0.25		MILES
434078 3MILE DATE- 79 12 27	AZIMUTH	90		DEG-T
SIZE-	BETA	3.6	0.4	UCI/ML
	ALPHA	1.4	0.2	UCI/ML
	131I	<4		UCI/ML
HARRISBURG-RADIATTON PROTECTION LAB.	ID. NO	HDWP		
80 1590 043 42 03 30	DISTANCE	12.0		MILES
434118 3MILE DATE- 79 12 28	AZIMUTH	315		DEG-T
SIZE-	131I	<4		UCI/ML
	ALPHA	0.8	0.2	UCI/ML
	BETA	2.8	0.4	UCI/ML

ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL MONITORING AND SYSTEMS LABORATORY

LAS VEGAS, NEVADA

80/11/14

TABLE 13-B, COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

NOTE: "NA" INDICATES NO ANALYSIS. "ND" INDICATES NOT DETECTED. WHEN RESULTS ARE GIVEN IN EXPONENTIAL NOTATION THE NUMBER FOLLOWING THE "E" IS THE EXPONENT OF TEN BY WHICH THE PRECEDING NUMBER SHOULD BE MULTIPLIED. A VALUE IN PARENTHESES IS THE ESTIMATED TWO-SIGMA COUNTING ERROR ASSOCIATED WITH THE PRECEDING RESULT. ALL LABELED TWO-SIGMA ERROR TERMS ARE ESTIMATED TWO-SIGMA COUNTING ERRORS. ALL MINIMUM DETECTABLE VALUES INDICATED BY THE SYMBOL "<" FOR SAMPLES COLLECTED PRIOR TO JANUARY 1, 1978, ARE BASED ON A TYPE I ERROR EQUAL TO FIVE PERCENT. ALL MINIMUM DETECTABLE VALUES FOR SAMPLES COLLECTED ON OR AFTER JANUARY 1, 1978 ARE ALSO INDICATED BY "<", BUT ARE BASED ON A TYPE I ERROR EQUAL TO A TYPE II ERROR EQUAL TO FIVE PERCENT (SEE HASL-300 PROCEDURES MANUAL).

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA	REPORTED 80/11/14			
		ANALYSIS	RESULT ± 2SIGMA	UNITS
ALWINE DAIRY FARM-MIDDLETOWN PA		DISTANCE	1.0	MILES
80 1590 043 42 03 10		AZIMUTH	85	DEG-T
438109 3MILE	DATE- 79 04 23	131I	<10	PCI/L
SIZE-		140BA	<10	PCI/L
		137CS	14	PCI/L
		NAI DETECTOR-40 MIN		
CARL ZEAGER DAIRY-BAINBRIDGE PA		131I	<5.0	PCI/L
80 1590 043 42 03 10		137CS	<5.0	PCI/L
438110 3MILE	DATE- 79 04 23	DISTANCE	2.3	MILES
SIZE-		AZIMUTH	97	DEG-T
		GELI DETECTOR-965 MIN		
TURKEY HILL DAIRY-CONESTOGA PA		DISTANCE	25.3	MILES
80 1590 043 42 03 10		AZIMUTH	126.5	DEG-T
438111 3MILE	DATE- 79 04 23	137CS	<13	PCI/L
SIZE-		131I	<14	PCI/L
		GELI DETECTOR-195 MIN		
MASONIC HOMES-ELIZABETHTOWN PA		137CS	12	PCI/L
80 1590 043 42 03 10		AZIMUTH	85	DEG-T
438112 3MILE	DATE- 79 04 23	DISTANCE	2.0	MILES
SIZE-		140BA	<10	PCI/L
		131I	<10	PCI/L
		GELI DETECTOR-950 MIN		
HARRISBURG DAIRIES-HARRISBURG PA		DISTANCE	11.3	MILES
80 1590 043 42 03 10		131I	<13	PCI/L
438113 3MILE	DATE- 79 04 23	137CS	<15	PCI/L
SIZE-		AZIMUTH	324	DEG-T
		GELI DETECTOR-150 MIN		
BROOKWOOD FARMS DAIRY-HARRISBURG PA		DISTANCE	10.4	MILES
80 1590 043 42 03 10		AZIMUTH	316	DEG-T
438114 3MILE	DATE- 79 04 23	131I	<12	PCI/L
SIZE-		140BA	<12	PCI/L
		137CS	<10	PCI/L
		NAI DETECTOR-60 MIN		
LEROY MARTIN DAIRY FARM-ELIZABETHTOWN PA		131I	13	PCI/L
80 1590 043 42 03 10		140BA	<10	PCI/L
438115 3MILE	DATE- 79 04 23	DISTANCE	2.5	MILES
SIZE-		AZIMUTH	111	DEG-T
		137CS	18	PCI/L
		NAI DETECTOR-40 MIN		
GREEN'S DAIRY-YORK PA		AZIMUTH	190	DEG-T
80 1590 043 42 03 10		137CS	13	PCI/L
438116 3MILE	DATE- 79 04 24	140BA	10	PCI/L
SIZE-		131I	<10	PCI/L
		NAI DETECTOR-40 MIN		

Reproduced from best available copy.

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
LEROY MARTIN DAIRY FARM-ELIZABETHTOWN PA	DISTANCE	2.5		MILES
80 1590 043 42 03 10	AZIMUTH	111		DEG-T
438117 3MILE DATE- 79 04 24	137CS	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN			
RUTTER'S DAIRY-YORK PA	DISTANCE	11.9		MILES
80 1590 043 42 03 10	131I	<12		PCI/L
438118 3MILE DATE- 79 04 24	137CS	<12		PCI/L
SIZE-	AZIMUTH	184		DEG-T
	GALI DETECTOR-180 MIN			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	140BA	<11		PCI/L
438119 3MILE DATE- 79 04 24	137CS	<10		PCI/L
SIZE-	AZIMUTH	324		DEG-T
	131I	<11		PCI/L
	NAI DETECTOR-930 MIN			
LEROY MARTIN DAIRY FARM-ELIZABETHTOWN PA	137CS	<10		PCI/L
80 1590 043 42 03 10	AZIMUTH	111		DEG-T
438120 3MILE DATE- 79 04 25	DISTANCE	2.5		MILES
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN			
PENN DAIRIES-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
438121 3MILE DATE- 79 04 25	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	AZIMUTH	104		DEG-T
	NAI DETECTOR-40 MIN			
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
438122 3MILE DATE- 79 04 25	140BA	<10		PCI/L
SIZE-	137CS	11		PCI/L
	AZIMUTH	126.5		DEG-T
	NAI DETECTOR-40 MIN			
HARRISBURG DAIRIES-HARRISBURG PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
438123 3MILE DATE- 79 04 25	DISTANCE	11.3		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	324		DEG-T
	NAI DETECTOR-50 MIN			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
LEROY MARTIN DAIRY FARM-ELIZABETHTOWN PA	131I	15		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
438124 3MILE DATE- 79 04 26	DISTANCE	2.5		MILES
SIZE-	140BA	<10		PCI/L
	AZIMUTH	111		DEG-T
	NAI DETECTOR-40 MIN			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	AZIMUTH	324		DEG-T
438125 3MILE DATE- 79 04 26	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN			
RUTTER'S DAIRY-YORK PA	137CS	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
438126 3MILE DATE- 79 04 26	131I	<10		PCI/L
SIZE-	AZIMUTH	184		DEG-T
	DISTANCE	11.9		MILES
	NAI DETECTOR-40 MIN			
TURKEY HILL DAIRY-CONESTOGA PA	140BA	<10		PCI/L
80 1590 043 42 03 10	AZIMUTH	126.5		DEG-T
438127 3MILE DATE- 79 04 26	DISTANCE	25.3		MILES
SIZE-	137CS	11		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	AZIMUTH	316		DEG-T
438128 3MILE DATE- 79 04 26	DISTANCE	10.4		MILES
SIZE-	140BA	<13		PCI/L
	131I	<15		PCI/L
	NAI DETECTOR-1000 MIN			
HARRISBURG DAIRIES-HARRISBURG PA	AZIMUTH	324		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438129 3MILE DATE- 79 04 27	DISTANCE	11.3		MILES
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN			
LEROY MARTIN DAIRY FARM-ELIZABETHTOWN PA	AZIMUTH	111		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
438130 3MILE DATE- 79 04 27	DISTANCE	2.5		MILES
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN			

TABLE 13-P COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
BROOKWOOD FARMS DAIRY-HARRISBURG PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
438131 3MILE DATE- 79 04 27	DISTANCE	10.4		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	316		DEG-T
	NAI DETECTOR-1000 MIN			
PENN DAIRIES-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	140BA	<12		PCI/L
438132 3MILE DATE- 79 04 27	131I	<14		PCI/L
SIZE-	AZIMUTH	104		DEG-T
	137CS	<10		PCI/L
	NAI DETECTOR-75 MIN			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	DISTANCE	10.4		MILES
80 1590 043 42 03 10	137CS	<18		PCI/L
438133 3MILE DATE- 79 04 30	AZIMUTH	316		DEG-T
SIZE-	131I	<13		PCI/L
	GELI DETECTOR-120 MIN			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	131I	<5		PCI/L
438134 3MILE DATE- 79 04 30	137CS	<6		PCI/L
SIZE-	AZIMUTH	324		DEG-T
	GELI DETECTOR-880 MIN			
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	131I	<11		PCI/L
438135 3MILE DATE- 79 04 30	AZIMUTH	126.5		DEG-T
SIZE-	140BA	<11		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-50 MIN			
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
438136 3MILE DATE- 79 05 01	AZIMUTH	126.5		DEG-T
SIZE-	131I	<10		PCI/L
	137CS	14		
	NAI DETECTOR-50 MIN			
	POSSIBL INTERF IN 137CS RESULT			
GREEN'S DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	140BA	<11		PCI/L
438137 3MILE DATE- 79 05 01	131I	<11		PCI/L
SIZE-	137CS	<10		PCI/L
	AZIMUTH	190		DEG-T
	NAI DETECTOR-40 MIN			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA	REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
RUTTER'S DAIRY-YORK PA		DISTANCE	11.9		MILES
80 1590 043 42 03 10		131I	<10		PCI/L
438138 3MILE	DATE- 79 05 01	AZIMUTH	184		DEG-T
SIZE-		140BA	<10		PCI/L
		137CS	<9		PCI/L
		NAI DETECTOR=40	MIN		
HARRISBURG DAIRIES-HARRISBURG PA		DISTANCE	11.9		MILES
80 1590 043 42 03 10		137CS	13		PCI/L
438139 3MILE	DATE- 79 05 02	140BA	<10		PCI/L
SIZE-		131I	<10		PCI/L
		AZIMUTH	184		DEG-T
		NAI DETECTOR=40	MIN		
PENN DAIRIES-LANCASTER PA		DISTANCE	23.9		MILES
80 1590 043 42 03 10		137CS	15		PCI/L
438140 3MILE	DATE- 79 05 02	131I	<10		PCI/L
SIZE-		140BA	<10		PCI/L
		AZIMUTH	104		DEG-T
		POSSIBL INTERF IN 137CS RESUL			
		NAI DETECTOR=40	MIN		
TURKEY HILL DAIRY-CONESTOGA PA		DISTANCE	25.3		MILES
80 1590 043 42 03 10		140BA	<10		PCI/L
438141 3MILE	DATE- 79 05 03	AZIMUTH	126.5		DEG-T
SIZE-		131I	<10		PCI/L
		137CS	11		PCI/L
		NAI DETECTOR=40	MIN		
GREEN'S DAIRY-YORK PA		DISTANCE	14.2		MILES
80 1590 043 42 03 10		140BA	<10		PCI/L
438142 3MILE	DATE- 79 05 03	131I	<10		PCI/L
SIZE-		137CS	<10		PCI/L
		AZIMUTH	190		DEG-T
		NAI DETECTOR=40	MIN		
RUTTER'S DAIRY-YORK PA		DISTANCE	11.9		MILES
80 1590 043 42 03 10		140BA	<10		PCI/L
438143 3MILE	DATE- 79 05 03	AZIMUTH	184		DEG-T
SIZE-		137CS	<10		PCI/L
		131I	<10		PCI/L
		NAI DETECTOR=40	MIN		
HARRISBURG DAIRIES-HARRISBURG PA		DISTANCE	11.3		MILES
80 1590 043 42 03 10		131I	<10		PCI/L
438144 3MILE	DATE- 79 05 04	137CS	<10		PCI/L
SIZE-		140BA	<10		PCI/L
		AZIMUTH	324		DEG-T
		NAI DETECTOR=40	MIN		

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14				
	ANALYSIS	RESULT	2SIGMA	UNITS
BROOKWOOD FARMS DAIRY-HARRISBURG PA	DISTANCE	10.4		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
438145 3MILE DATE- 79 05 04	AZIMUTH	316		DEG-T
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR=40	MIN		
PENN DAIRIES-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
438146 3MILE DATE- 79 05 04	AZIMUTH	104		DEG-T
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR=40	MIN		
HARRISBURG DAIRIES-HARRISBURG PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
438147 3MILE DATE- 79 05 07	AZIMUTH	11.3		DEG-T
SIZE-	131I	<10		PCI/L
	DISTANCE	324		MILES
	NAI DETECTOR=40	MIN		
PENN DAIRIES-LANCASTER PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
438148 3MILE DATE- 79 05 07	DISTANCE	23.9		MILES
SIZE-	AZIMUTH	104		DEG-T
	137CS	<10		PCI/L
	NAI DETECTOR=40	MIN		
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
438149 3MILE DATE- 79 05 08	AZIMUTH	126.5		DEG-T
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR=40	MIN		
GREEN'S DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
438150 3MILE DATE- 79 05 08	131I	<10		PCI/L
SIZE-	137CS	13		PCI/L
	AZIMUTH	190		DEG-T
	NAI DETECTOR=40	MIN		
RUTTER'S DAIRY-YORK PA	AZIMUTH	184		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438151 3MILE DATE- 79 05 08	DISTANCE	11.9		MILES
SIZE-	137CS	11		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR=40	MIN		

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
HARRISBURG DAIRIES-HARRISBURG PA	AZIMUTH	11.3		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438152 3MILE DATE- 79 05 09	137CS	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	DISTANCE	324		MILES
	NAI DETECTOR-40	MIN		
BROOKWOOD FARMS DAIRY-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
438153 3MILE DATE- 79 05 09	AZIMUTH	316		DEG-T
SIZE-	140BA	<10		PCI/L
	DISTANCE	10.4		MILES
	NAI DETECTOR-40	MIN		
PENN DAIRIES-LANCASTER PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
438154 3MILE DATE- 79 05 09	DISTANCE	23.9		MILES
SIZE-	137CS	<10		PCI/L
	AZIMUTH	104		DEG-T
	NAI DETECTOR-40	MIN		
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
438155 3MILE DATE- 79 05 10	AZIMUTH	126.5		DEG-T
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-50	MIN		
GREEN'S DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
438156 3MILE DATE- 79 05 10	AZIMUTH	190		DEG-T
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-925	MIN		
RUTTER'S DAIRY-YORK PA	DISTANCE	11.9		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
438157 3MILE DATE- 79 05 10	AZIMUTH	184		DEG-T
SIZE-	140BA	<10		PCI/L
	137CS	11		PCI/L
	NAI DETECTOR-50	MIN		
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	137CS	13		PCI/L
438158 3MILE DATE- 79 05 11	AZIMUTH	324		DEG-T
SIZE-	131I	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-40	MIN		

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
BROOKWOOD FARMS DAIRY-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
438159 3MILE DATE- 79 05 11	140BA	<10		PCI/L
SIZE-	DISTANCE	10.4		MILES
	AZIMUTH	316		DEG-T
	NAI DETECTOR-1000 MIN			
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
438160 3MILE DATE- 79 05 11	131I	<11		PCI/L
SIZE-	137CS	11		PCI/L
	DISTANCE	23.9		MILES
	NAI DETECTOR-60 MIN			
HARRISBURG DAIRIES-HARRISBURG PA	AZIMUTH	324		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438161 3MILE DATE- 79 05 14	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR-40 MIN			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	DISTANCE	10.4		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
438162 3MILE DATE- 79 05 14	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	AZIMUTH	316		DEG-T
	NAI DETECTOR-40 MIN			
TURKEY HILL DAIRY CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	131I	<5		PCI/L
438163 3MILE DATE- 79 05 16	140BA	24		PCI/L
SIZE-	137CS	<6		PCI/L
	AZIMUTH	126.5		DEG-T
	NaI Detector 40 min. count			
	GeLi Detector 1000 min. count			
	Elevated value due to naturally occurring isotopes.			
GREEN'S DAIRY-YORK PA	AZIMUTH	190		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438164 3MILE DATE- 79 05 16	DISTANCE	14.2		MILES
SIZE-	140BA	<10		PCI/L
	137CS	11		PCI/L
RUTTER'S DAIRY-YORK PA	AZIMUTH	184		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
438165 3MILE DATE- 79 05 16	DISTANCE	11.9		MILES
SIZE-	131I	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-950 MIN			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
HARRISBURG DAIRIES-HARRISBURG PA	AZIMUTH	324		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438166 3MILE DATE- 79 05 17	DISTANCE	11.3		MILES
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN			
BROOKWOOD FARMS DAIRIES-HARRISBURG PA	137CS	10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
438167 3MILE DATE- 79 05 17	DISTANCE	10.4		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	316		DEG-T
	NAI DETECTOR-40 MIN			
PENN DAIRIES-LANCASTER PA	131I	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
438168 3MILE DATE- 79 05 17	AZIMUTH	104		DEG-T
SIZE-	140BA	<10		PCI/L
	DISTANCE	23.9		MILES
	NAI DETECTOR-950 MIN			
TURKEY HILL DAIRY-CONESTOGA PA	AZIMUTH	126.5		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
438169 3MILE DATE- 79 05 18	DISTANCE	25.3		MILES
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN			
GREEN'S DAIRY-YORK PA	AZIMUTH	190		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
438170 3MILE DATE- 79 05 18	DISTANCE	14.2		MILES
SIZE-	131I	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-40 MIN			
RUTTER'S DAIRY-YORK PA	AZIMUTH	184		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438171 3MILE DATE- 79 05 18	137CS	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.9		MILES
	NAI DETECTOR-40 MIN			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
438172 3MILE DATE- 79 05 22	AZIMUTH	324		DEG-T
SIZE-	137CS	11		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN			

TABLE 13-8 COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
BROOKWOOD FARMS DAIRY-HARRISBURG PA	DISTANCE	10.4		MILES
80 1590 043 42 03 10	137CS	11		PCI/L
438173 3MILE DATE- 79 05 22	AZIMUTH	316		DEG-T
SIZE-	131I	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR=40	MIN		
TURKEY HILL DAIRY-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
438174 3MILE DATE- 79 05 23	140BA	<10		PCI/L
SIZE-	137CS	12		PCI/L
	NAI DETECTOR=50	MIN		
GREEN'S DAIRY-YORK PA	137CS	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
438175 3MILE DATE- 79 05 23	DISTANCE	14.2		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	190		DEG-T
	NAI DETECTOR=40	MIN		
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
438176 3MILE DATE- 79 05 24	131I	<10		PCI/L
SIZE-	AZIMUTH	324		DEG-T
	140BA	<10		PCI/L
	NAI DETECTOR=40	MIN		
BROOKWOOD FARMS DAIRY-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
438177 3MILE DATE- 79 05 24	AZIMUTH	316		DEG-T
SIZE-	140BA	<10		PCI/L
	DISTANCE	10.4		MILES
	NAI DETECTOR=40	MIN		
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
438178 3MILE DATE- 79 05 24	131I	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	DISTANCE	23.9		MILES
	NAI DETECTOR=40	MIN		
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	137CS	<11		PCI/L
438179 3MILE DATE- 79 05 25	AZIMUTH	126.5		DEG-T
SIZE-	140BA	<11		PCI/L
	131I	<11		PCI/L
	NAI DETECTOR=40	MIN		

TABLE 13-8 COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
GREEN'S DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	140BA	<11		PCI/L
438180 3MILE DATE- 79 05 25	AZIMUTH	190		DEG-T
SIZE-	137CS	<11		PCI/L
	131I	<11		PCI/L
	NAI DETECTOR-40	MIN		
RUTTER'S DAIRY-YORK PA	AZIMUTH	184		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
438181 3MILE DATE- 79 05 25	DISTANCE	11.9		MILES
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-75	MIN		
HARRISBURG DAIRIES-HARRISBURG PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
438182 3MILE DATE- 79 05 29	AZIMUTH	324		DEG-T
SIZE-	131I	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR-40	MIN		
BROOKWOOD FARMS DAIRY-HARRISBURG PA	DISTANCE	10.4		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
438183 3MILE DATE- 79 05 29	AZIMUTH	316		DEG-T
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-1000	MIN		
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
438184 3MILE DATE- 79 05 30	AZIMUTH	126.5		DEG-T
SIZE-	131I	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-40	MIN		
GREEN'S DAIRY-YORK PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
438185 3MILE DATE- 79 05 30	AZIMUTH	184		DEG-T
SIZE-	140BA	<10		PCI/L
	DISTANCE	14.2		MILES
	NAI DETECTOR-50	MIN		
RUTTER'S DAIRY-YORK PA	AZIMUTH	184		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
438186 3MILE DATE- 79 05 30	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.9		MILES
	NAI DETECTOR-40	MIN		

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA	REPORTED 80/11/14				
		ANALYSIS	RESULT	2SIGMA	UNITS
HARRISBURG DAIRIES-HARRISBURG PA		AZIMUTH	324		DEG-T
80 1590 043 42 03 10		131I	<10		PCI/L
438187 3MILE	DATE- 79 05 31	DISTANCE	11.3		MILES
SIZE-		137CS	<10		PCI/L
		140BA	<10		PCI/L
		NAI DETECTOR=40	MIN		
BROOKWOOD FARMS DAIRY-HARRISBURG PA		AZIMUTH	316		DEG-T
80 1590 043 42 03 10		140BA	<10		PCI/L
438188 3MILE	DATE- 79 05 31	DISTANCE	10.4		MILES
SIZE-		131I	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR=40	MIN		
PENN DAIRIES-LANCASTER PA		AZIMUTH	104		DEG-T
80 1590 043 42 03 10		131I	<10		PCI/L
438189 3MILE	DATE- 79 05 31	140BA	<10		PCI/L
SIZE-		137CS	<10		PCI/L
		DISTANCE	23.9		MILES
		NAI DETECTOR=40	MIN		
TURKEY HILL DAIRY-CONESTOGA PA		DISTANCE	25.3		MILES
80 1590 043 42 03 10		137CS	13		PCI/L
438190 3MILE	DATE- 79 06 01	AZIMUTH	126.5		DEG-T
SIZE-		140BA	<10		PCI/L
		131I	<10		PCI/L
		NAI DETECTOR=40	MIN		
GREEN'S DAIRY-YORK PA		DISTANCE	14.2		MILES
80 1590 043 42 03 10		131I	<10		PCI/L
438191 3MILE	DATE- 79 06 01	137CS	<10		PCI/L
SIZE-		140BA	<10		PCI/L
		AZIMUTH	190		DEG-T
		NAI DETECTOR=40	MIN		
RUTTER'S DAIRY-YORK PA		131I	<10		PCI/L
80 1590 043 42 03 10		140BA	<10		PCI/L
438192 3MILE	DATE- 79 06 01	AZIMUTH	194		DEG-T
SIZE-		137CS	16		PCI/L
		DISTANCE	11.9		MILES
		NAI DETECTOR=40	MIN		
HARRISBURG DAIRIES-HARRISBURG PA		AZIMUTH	324		DEG-T
80 1590 043 42 03 10		140BA	<10		PCI/L
438193 3MILE	DATE- 79 06 04	137CS	<10		PCI/L
SIZE-		131I	<10		PCI/L
		DISTANCE	11.3		MILES
		NAI DETECTOR=40	MIN		

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14				
	ANALYSIS	RESULT	2SIGMA	UNITS
BROOKWOOD FARMS DAIRY-HARRISBURG PA	AZIMUTH	316		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
438194 3MILE DATE- 79 06 04	DISTANCE	10.4		MILES
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN			
TURKEY HILL DAIRY-CONESTOGA PA	AZIMUTH	126.5		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
438195 3MILE DATE- 79 06 04	DISTANCE	25.3		MILES
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-1000 MIN			
GREEN'S DAIRY-YORK PA	AZIMUTH	190		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438196 3MILE DATE- 79 06 04	DISTANCE	14.2		MILES
SIZE-	137CS	11		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-40 MIN			
PENN DAIRIES-LANCASTER PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
438197 3MILE DATE- 79 06 04	DISTANCE	23.9		MILES
SIZE-	137CS	<10		PCI/L
	AZIMUTH	104		DEG-T
	NAI DETECTOR-40 MIN			
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
438198 3MILE DATE- 79 06 07	AZIMUTH	126.5		DEG-T
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN			
GREEN'S DAIRY-YORK PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
438199 3MILE DATE- 79 06 07	137CS	<10		PCI/L
SIZE-	DISTANCE	14.2		MILES
	AZIMUTH	190		DEG-T
	NAI DETECTOR-40 MIN			
RUTTER'S DAIRY-YORK PA	DISTANCE	11.9		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
438200 3MILE DATE- 79 06 07	131I	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	AZIMUTH	184		DEG-T
	NAI DETECTOR-40 MIN			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
HARRISBURG DAIRIES-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
438201 3MILE DATE- 79 06 08	AZIMUTH	324		DEG-T
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR-40	MIN		
BROOKWOOD FARMS DAIRY-HARRISBURG PA	AZIMUTH	316		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
438202 3MILE DATE- 79 06 08	DISTANCE	10.4		MILES
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40	MIN		
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
438203 3MILE DATE- 79 06 08	DISTANCE	23.9		MILES
SIZE-	131I	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-40	MIN		
HARRISBURG DAIRIES-HARRISBURG PA	AZIMUTH	324		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
438204 3MILE DATE- 79 06 11	DISTANCE	11.3		MILES
SIZE-	137CS	<10		PCI/L
	131I	<5		PCI/L
	GELI DETECTOR-1000	MIN FOR	13	
	NAI DETECTOR-40	MIN FOR	40	
BROOKWOOD FARMS DAIRY-HARRISBURG PA	AZIMUTH	316		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438205 3MILE DATE- 79 06 11	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR-40	MIN		
PENN DAIRIES-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
438206 3MILE DATE- 79 06 11	AZIMUTH	104		DEG-T
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40	MIN		
TURKEY HILL DAIRY-CONESTOGA PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
438207 3MILE DATE- 79 06 12	137CS	<10		PCI/L
SIZE-	DISTANCE	25.3		MILES
	AZIMUTH	126.5		DEG-T
	NAI DETECTOR-40	MIN		

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
HARRISBURG DAIRIES-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
438201 3MILE DATE- 79 06 08	AZIMUTH	324		DEG-T
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR-40	MIN		
BROOKWOOD FARMS DAIRY-HARRISBURG PA	AZIMUTH	316		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
438202 3MILE DATE- 79 06 08	DISTANCE	10.4		MILES
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40	MIN		
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
438203 3MILE DATE- 79 06 08	DISTANCE	23.9		MILES
SIZE-	131I	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-40	MIN		
HARRISBURG DAIRIES-HARRISBURG PA	AZIMUTH	324		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
438204 3MILE DATE- 79 06 11	DISTANCE	11.3		MILES
SIZE-	137CS	<10		PCI/L
	131I	<5		PCI/L
	GELI DETECTOR-1000 MIN FOR 13			
	NAI DETECTOR-40 MIN FOR 40			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	AZIMUTH	316		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438205 3MILE DATE- 79 06 11	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR-40	MIN		
PENN DAIRIES-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
438206 3MILE DATE- 79 06 11	AZIMUTH	104		DEG-T
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40	MIN		
TURKEY HILL DAIRY-CONESTOGA PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
438207 3MILE DATE- 79 06 12	137CS	<10		PCI/L
SIZE-	DISTANCE	25.3		MILES
	AZIMUTH	126.5		DEG-T
	NAI DETECTOR-40	MIN		

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA	REPORTED 80/11/14			
		ANALYSIS	RESULT ± 2SIGMA	UNITS
GREEN'S DAIRY-YORK PA		AZIMUTH	190	DEG-T
80 1590 043 42 03 10		131I	<11	PCI/L
438208 3MILE	DATE- 79 06 12	DISTANCE	14.2	MILES
SIZE-		140BA	<11	PCI/L
		137CS	<10	PCI/L
		NAI DETECTOR-60	MIN	
RUTTER'S DAIRY-YORK PA		AZIMUTH	184	DEG-T
80 1590 043 42 03 10		131I	<10	PCI/L
438209 3MILE	DATE- 79 06 12	137CS	<10	PCI/L
SIZE-		140BA	<10	PCI/L
		DISTANCE	11.9	MILES
		NAI DETECTOR-40	MIN	
HARRISBURG DAIRIES-HARRISBURG PA		AZIMUTH	324	DEG-T
80 1590 043 42 03 10		140BA	<10	PCI/L
438210 3MILE	DATE- 79 06 13	DISTANCE	11.3	MILES
SIZE-		131I	<10	PCI/L
		137CS	<10	PCI/L
		NAI DETECTOR-1000	MIN	
BROOKWOOD FARMS DAIRY-HARRISBURG PA		137CS	<10	PCI/L
80 1590 043 42 03 10		131I	<10	PCI/L
438211 3MILE	DATE- 79 06 13	DISTANCE	10.4	MILES
SIZE-		140BA	<10	PCI/L
		AZIMUTH	316	DEG-T
		NAI DETECTOR-40	MIN	
PENN DAIRIES-LANCASTER PA		DISTANCE	23.9	MILES
80 1590 043 42 03 10		137CS	<10	PCI/L
438212 3MILE	DATE- 79 06 13	AZIMUTH	104	DEG-T
SIZE-		131I	<10	PCI/L
		140BA	<10	PCI/L
		NAI DETECTOR-40	MIN	
TURKEY HILL DAIRY-CONESTOGA PA		140BA	<10	PCI/L
80 1590 043 42 03 10		131I	<10	PCI/L
438213 3MILE	DATE- 79 06 15	AZIMUTH	126.5	DEG-T
SIZE-		137CS	<10	PCI/L
		DISTANCE	25.3	MILES
		NAI DETECTOR-40	MIN	
GREEN'S DAIRY-YORK PA		131I	<10	PCI/L
80 1590 043 42 03 10		137CS	<10	PCI/L
438214 3MILE	DATE- 79 06 15	DISTANCE	14.2	MILES
SIZE-		140BA	<10	PCI/L
		AZIMUTH	190	DEG-T
		NAI DETECTOR-40	MIN	

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
RUTTER'S DAIRY-YORK PA	137CS	<11		PCI/L
80 1590 043 42 03 10	AZIMUTH	184		DEG-T
438215 3MILE DATE- 79 06 15	131I	<9		PCI/L
SIZE-	DISTANCE	11.9		MILES
	NAI DETECTOR-240 MIN			
HARRISBURG DAIRIES-HARRISBURG PA	AZIMUTH	324		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
438216 3MILE DATE- 79 06 18	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR-40 MIN			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
438217 3MILE DATE- 79 06 18	DISTANCE	10.4		MILES
SIZE-	140BA	<10		PCI/L
	AZIMUTH	316		DEG-T
	NAI DETECTOR-40 MIN			
PENN DAIRIES-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
438218 3MILE DATE- 79 06 18	137CS	<10		PCI/L
SIZE-	131I	<10		PCI/L
	AZIMUTH	104		DEG-T
	NAI DETECTOR-50 MIN			
TURKEY HILL DAIRY-CONESTOGA PA	137CS	<6		PCI/L
80 1590 043 42 03 10	131I	<5		PCI/L
438219 3MILE DATE- 79 06 21	DISTANCE	25.3		MILES
SIZE-	140BA	<10		PCI/L
	AZIMUTH	126.5		DEG-T
	GELI DETECTOR-1000 MIN FOR 13			
	NAI DETECTOR-40 MIN FOR 140			
GREEN'S DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
438220 3MILE DATE- 79 06 21	AZIMUTH	190		DEG-T
SIZE-	131I	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-40 MIN			
RUTTER'S DAIRY-YORK PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<8		PCI/L
438221 3MILE DATE- 79 06 21	AZIMUTH	184		DEG-T
SIZE-	137CS	<10		PCI/L
	DISTANCE	11.9		MILES
	NAI DETECTOR-300 MIN			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
HARRISBURG DAIRIES-HARRISBURG PA	AZIMUTH	324		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
438222 3MILE DATE- 79 06 25	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR-40 MIN			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	AZIMUTH	316		DEG-T
80 1590 043 42 03 10	131I	<9		PCI/L
438223 3MILE DATE- 79 06 25	137CS	<10		PCI/L
SIZE-	DISTANCE	10.4		MILES
	GELI DETECTOR-300 MIN			
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
438224 3MILE DATE- 79 06 25	DISTANCE	23.9		MILES
SIZE-	137CS	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-40 MIN			
TURKEY HILL DAIRIES-CONESTOGA PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<8		PCI/L
438225 3MILE DATE- 79 06 28	DISTANCE	25.3		MILES
SIZE-	AZIMUTH	126.5		DEG-T
	GELI DETECTOR-300 MIN			
GREEN'S DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
438226 3MILE DATE- 79 06 28	AZIMUTH	190		DEG-T
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-50 MIN			
RUTTER'S DAIRY-YORK PA	DISTANCE	11.9		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
438227 3MILE DATE- 79 06 28	AZIMUTH	184		DEG-T
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN			
HARRISBURG DAIRIES-HARRISBURG PA	131I	<10		PCI/L
80 1590 043 42 03 10	DISTANCE	11.3		MILES
434132 3MILE DATE- 79 07 02	137CS	<10		PCI/L
SIZE-	AZIMUTH	324		DEG-T
	140BA	<10		PCI/L
	NAI DETECTOR-40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
HARRISBURG DAIRIES-HARRISBURG PA		AZIMUTH	324		DEG-T
80 1590 043 42 03 10		137CS	<10		PCI/L
438222 3MILE	DATE- 79 06 25	131I	<10		PCI/L
SIZE-		140BA	<10		PCI/L
		DISTANCE	11.3		MILES
		NAI DETECTOR-40 MIN			
BROOKWOOD FARMS DAIRY-HARRISBURG PA		AZIMUTH	316		DEG-T
80 1590 043 42 03 10		131I	<9		PCI/L
438223 3MILE	DATE- 79 06 25	137CS	<10		PCI/L
SIZE-		DISTANCE	10.4		MILES
		GELI DETECTOR-300 MIN			
PENN DAIRIES-LANCASTER PA		AZIMUTH	104		DEG-T
80 1590 043 42 03 10		131I	<10		PCI/L
438224 3MILE	DATE- 79 06 25	DISTANCE	23.9		MILES
SIZE-		137CS	<10		PCI/L
		140BA	<10		PCI/L
		NAI DETECTOR-40 MIN			
TURKEY HILL DAIRIES-CONESTOGA PA		137CS	<10		PCI/L
80 1590 043 42 03 10		131I	<8		PCI/L
438225 3MILE	DATE- 79 06 28	DISTANCE	25.3		MILES
SIZE-		AZIMUTH	126.5		DEG-T
		GELI DETECTOR-300 MIN			
GREEN'S DAIRY-YORK PA		DISTANCE	14.2		MILES
80 1590 043 42 03 10		140BA	<10		PCI/L
438226 3MILE	DATE- 79 06 28	AZIMUTH	190		DEG-T
SIZE-		137CS	<10		PCI/L
		131I	<10		PCI/L
		NAI DETECTOR-50 MIN			
RUTTER'S DAIRY-YORK PA		DISTANCE	11.9		MILES
80 1590 043 42 03 10		137CS	<10		PCI/L
438227 3MILE	DATE- 79 06 28	AZIMUTH	184		DEG-T
SIZE-		140BA	<10		PCI/L
		131I	<10		PCI/L
		NAI DETECTOR-40 MIN			
HARRISBURG DAIRIES-HARRISBURG PA		131I	<10		PCI/L
80 1590 043 42 03 10		DISTANCE	11.3		MILES
434132 3MILE	DATE- 79 07 02	137CS	<10		PCI/L
SIZE-		AZIMUTH	324		DEG-T
		140BA	<10		PCI/L
		NAI DETECTOR-40 MIN.			

TABLE 13-P COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
BROOKWOOD FARMS DAIRY-HARRISBURG PA	131I	<5		PCI/L
80 1590 043 42 03 10	DISTANCE	11.4		MILES
434133 3MILE DATE- 79 07 02	137CS	<6		PCI/L
SIZE-	AZIMUTH	316		DEG-T
	140BA	<10		PCI/L
	NAI DETECTOR=40 MIN.			
	GELIDETECTOR=1000 MIN.			
PENN DAIRIES-LANCASTER PA	140BA	<10		PCI/L
80 1590 043 42 03 10	DISTANCE	23.9		MILES
434134 3MILE DATE- 79 07 02	131I	<10		PCI/L
SIZE-	AZIMUTH	104		DEG-T
	137CS	<10		PCI/L
	NAI DETECTOR=40 MIN.			
TURKEY HILL DAIRY-CONESTOGA PA	131I	<10		PCI/L
80 1590 043 42 03 10	DISTANCE	25.3		MILES
434135 3MILE DATE- 79 07 05	140BA	<11		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	137CS	<10		PCI/L
	NAI DETECTOR=40 MIN.			
GREENS DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	AZIMUTH	190		DEG-T
434136 3MILE DATE- 79 07 05	131I	<10		PCI/L
SIZE-	140BA	<11		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR=40 MIN.			
RUTTERS DAIRY-YORK PA	DISTANCE	11.9		MILES
80 1590 043 42 03 10	AZIMUTH	184		DEG-T
434137 3MILE DATE- 79 07 05	140BA	<11		PCI/L
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR=40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	AZIMUTH	324		DEG-T
434138 3MILE DATE- 79 07 09	137CS	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR=40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	DISTANCE	11.4		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434139 3MILE DATE- 79 07 09	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	AZIMUTH	316		DEG-T
	NAI DETECTOR=40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
PENN DAIRIES-LANCASTER PA		DISTANCE	23.9		MILES
80 1590 043 42 03 10		AZIMUTH	104		DEG-T
434140 3MILE	DATE- 79 07 09	NAI DETECTOR-40 MIN,			
SIZE-		140BA	<10		PCI/L
		137CS	<10		PCI/L
		131I	<10		PCI/L
TURKEY HILL DAIRY-CONESTOGA PA		DISTANCE	25.3		MILES
80 1590 043 42 03 10		131I	<5		PCI/L
434141 3MILE	DATE- 79 07 12	140BA	<10		PCI/L
SIZE-		137CS	<6		PCI/L
		AZIMUTH	126		DEG-T
		NAI DETECTOR-40 MIN			
		GELIDETECTOR-1000 MIN,			
GREENS DAIRY-YORK PA		DISTANCE	14.2		MILES
80 1590 043 42 03 10		AZIMUTH	190		DEG-T
434142 3MILE	DATE- 79 07 12	140BA	<10		PCI/L
SIZE-		131I	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR-40 MIN,			
RUTTERS DAIRY-YORK PA		DISTANCE	11.9		MILES
80 1590 043 42 03 10		AZIMUTH	184		DEG-T
434143 3MILE	DATE- 79 07 12	131I	<10		PCI/L
SIZE-		140BA	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR-40 MIN,			
HARRISBURG DAIRIES-HARRISBURG PA		DISTANCE	11.3		MILES
80 1590 043 42 03 10		AZIMUTH	324		DEG-T
434144 3MILE	DATE- 79 07 16	131I	<10		PCI/L
SIZE-		140BA	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR-40 MIN,			
BROOKWOOD FARMS DAIRY-HARRISBURG PA		131I	<6		PCI/L
80 1590 043 42 03 10		140BA	<10		PCI/L
434145 3MILE	DATE- 79 07 16	DISTANCE	11.4		MILES
SIZE-		AZIMUTH	316		DEG-T
		137CS	<6		PCI/L
		NAI DETECTOR-40 MIN,			
		GELIDETECTOR-1000 MIN,			
PENN DAIRIES-LANCASTER PA		DISTANCE	23.9		MILES
80 1590 043 42 03 10		AZIMUTH	104		DEG-T
434146 3MILE	DATE- 79 07 16	131I	<10		PCI/L
SIZE-		140BA	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR-40 MIN,			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
TURKEY HILL DAIRY-CONESTOGA PA	137CS	<10		PCI/L
80 1590 043 42 03 10	AZIMUTH	126		DEG-T
434147 3MILE DATE- 79 07 19	DISTANCE	25.3		MILES
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
GREENS DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434148 3MILE DATE- 79 07 19	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	AZIMUTH	190		DEG-T
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434149 3MILE DATE- 79 07 19	DISTANCE	11.9		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	184		DEG-T
	NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	137CS	<6		PCI/L
434150 3MILE DATE- 79 07 23	131I	<5		PCI/L
SIZE-	140BA	<10		PCI/L
	AZIMUTH	324		DEG-T
	NAI DETECTOR-40 MIN.			
	GELIDETECTOR-1000 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	DISTANCE	11.4		MILES
80 1590 043 42 03 10	AZIMUTH	316		DEG-T
434151 3MILE DATE- 79 07 23	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
PENN DAIRIES-LANCASTER PA	137CS	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434152 3MILE DATE- 79 07 23	DISTANCE	23.9		MILES
SIZE-	AZIMUTH	104		DEG-T
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
TURKEY HILL -CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
434153 3MILE DATE- 79 07 26	137CS	<10		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
GREENS DAIRY-YORK PA	137CS	<10		PCI/L
80 1590 043 42 03 10	AZIMUTH	190		DEG-T
434154 3MILE DATE- 79 07 26	DISTANCE	14.2		MILES
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<5		PCI/L
434155 3MILE DATE- 79 07 26	DISTANCE	11.9		MILES
SIZE-	137CS	<6		PCI/L
	AZIMUTH	184		DEG-T
	NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	AZIMUTH	324		DEG-T
434156 3MILE DATE- 79 07 30	137CS	<6		PCI/L
SIZE-	131I	<5		PCI/L
	GELIDETECTOR-1000 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	AZIMUTH	316		DEG-T
434157 3MILE DATE- 79 07 30	DISTANCE	11.4		MILES
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
PENN DAIRIES-LANCASTER-PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434158 3MILE DATE- 79 07 30	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	AZIMUTH	104		DEG-T
	NAI DETECTOR-40 MIN.			
FALMOUTH PA DAVID MILLER DAIRY	DISTANCE	3.2		MILES
80 1590 043 42 03 10	AZIMUTH	105		DEG-T
438041 3MILE DATE- 79 07 30 1100	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
NEW CUMBERLAND PA BESHORE FARMS DAIRY	SAMPLE NO	12-8982		
80 1590 043 42 03 10	AZIMUTH	296		DEG-T
438042 3MILE DATE- 79 07 31	DISTANCE	6.8		MILES
SIZE- 3.5 L	NO.COWS			
	GAMMA-SPECTRUM-NEGLIGIBLE			
BACINAW PA LEROY HERTZLER DAIRY	SAMPLE NO	12-7742		
80 1590 043 42 03 10	AZIMUTH	160		DEG-T
438043 3MILE DATE- 79 07 31	DISTANCE	6.4		MILES
SIZE- 3.5 L	GAMMA-SPECTRUM-NEGLIGIBLE			
	NO.COWS 27			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	AZIMUTH	126		DEG-T
434159 3MILE DATE- 79 08 02	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
GREENS DAIRY-YORK PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434160 3MILE DATE- 79 08 02	DISTANCE	14.2		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	190		DEG-T
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	131I	<5		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434161 3MILE DATE- 79 08 02	DISTANCE	11.9		MILES
SIZE-	AZIMUTH	184		DEG-T
	137CS	<6		PCI/L
	NAI DETECTOR-40 MIN			
	GELIDETECTOR-1000 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	AZIMUTH	324		DEG-T
434162 3MILE DATE- 79 08 06	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434163 3MILE DATE- 79 08 06	DISTANCE	11.4		MILES
SIZE-	137CS	<10		PCI/L
	AZIMUTH	316		DEG-T
	NAI DETECTOR-40 MIN.			
PENN DAIRIES-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434164 3MILE DATE- 79 08 06	137CS	<10		PCI/L
SIZE-	AZIMUTH	104		DEG-T
	140BA	<10		PCI/L
	NAI DETECTOR-40 MIN.			
FALMOUTH PA DAVID MILLER DAIRY	DISTANCE	105		MILES
80 1590 043 42 03 10	AZIMUTH	3.2		DEG-T
438044 3MILE DATE- 79 08 06	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN PA A.W. HOFFER DAIRY	DISTANCE	355		MILES
80 1590 043 42 03 10	AZIMUTH	6.1		DEG-T
438045 3MILE DATE- 79 08 06	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
NEW CUMBERLAND PA BEHORE FARMS DAIRY	DISTANCE	6.8		MILES
80 1590 043 42 03 10	AZIMUTH	296		DEG-T
438046 3MILE DATE- 79 08 07	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
SAGINAW PA LEROY HERTZLER DAIRY	DISTANCE	160		MILES
80 1590 043 42 03 10	AZIMUTH	6.4		DEG-T
438047 3MILE DATE- 79 08 07	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
TURKEY HILL DAIRY-CONESTOGA PA	137CS	<6		PCI/L
80 1590 043 42 03 10	AZIMUTH	126		DEG-T
434165 3MILE DATE- 79 08 08	DISTANCE	25.3		MILES
SIZE-	40BA	<10		PCI/L
	131I	<5		PCI/L
	NAI DETECTOR-40 MIN.			
	GELIDETECTOR-1000 MIN.			
GREENS DAIRY-YORK PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434166 3MILE DATE- 79 08 08	DISTANCE	14.2		MILES
SIZE-	137CS	<10		PCI/L
	AZIMUTH	190		DEG-T
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	DISTANCE	11.9		MILES
80 1590 043 42 03 10	AZIMUTH	184		DEG-T
434167 3MILE DATE- 79 08 08	140BA	<10		PCI/L
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434168 3MILE DATE- 79 08 13	DISTANCE	11.3		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	326		DEG-T
	NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	DISTANCE	11.4		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
434169 3MILE DATE- 79 08 13	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	AZIMUTH	316		DEG-T
	NAI DETECTOR-40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
PENN DAIRIES-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	AZIMUTH	104		DEG-T
434170 3MILE DATE- 79 08 13	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
MIDDLETOWN PA A.W. HOFFER DAIRY	SAMPLE NO	12-8762		
80 1590 043 42 03 10	AZIMUTH	6.1		DEG-T
438048 3MILE DATE- 79 08 13	DISTANCE	355		MILES
SIZE- 3.5 L	NO.COWS 37			
	GAMMA-SPECTRUM-NEGLIGIBLE			
BAINBRIDGE PA DAVID G. MILLER DAIRY	SAMPLE NO	12-2942		
80 1590 043 42 03 10	AZIMUTH	105		DEG-T
438049 3MILE DATE- 79 08 13	DISTANCE	3.2		MILES
SIZE- 3.5 L	GAMMA-SPECTRUM-NEGLIGIBLE			
NEW CUMBERLAND PA BEAHORE FARMS DAIRY	DISTANCE	296		MILES
80 1590 043 42 03 10	AZIMUTH	6.8		DEG-T
438050 3MILE DATE- 79 08 14	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
SAGINAW PA LEROY HERTZLER DAIRY	SAMPLE NO	12-7742		
80 1590 043 42 03 10	AZIMUTH	6.4		DEG-T
438051 3MILE DATE- 79 08 14	DISTANCE	160		MILES
SIZE- 3.5 L	NO.COWS 27			
	GAMMA-SPECTRUM-NEGLIGIBLE			
TURKEY HILL DAIRY-CONESTOGA PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434171 3MILE DATE- 79 08 15	DISTANCE	25.3		MILES
SIZE-	AZIMUTH	126		DEG-T
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
GREENS DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
434172 3MILE DATE- 79 08 15	137CS	<10		PCI/L
SIZE-	AZIMUTH	190		DEG-T
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	137CS	<10		PCI/L
80 1590 043 42 03 10	AZIMUTH	184		DEG-T
434173 3MILE DATE- 79 08 15	DISTANCE	11.9		MILES
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434174 3MILE DATE- 79 08 20	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	AZIMUTH	324		DEG-T
	NAI DETECTOR=1000 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	DISTANCE	11.4		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434175 3MILE DATE- 79 08 20	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	AZIMUTH	316		DEG-T
	NAI DETECTOR=40 MIN.			
PENN DAIRIES-LANCASTER PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434176 3MILE DATE- 79 08 20	DISTANCE	23.9		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	104		DEG-T
	NAI DETECTOR=40 MIN.			
MIDDLETOWN PA A.W. HOFFER DAIRY	DISTANCE	355		MILES
80 1590 043 42 03 10	AZIMUTH	6.1		DEG-T
438055 3MILE DATE- 79 08 20	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
SAGINAW PA LEROY HERTZLER DAIRY	DISTANCE	160		MILES
80 1590 043 42 03 10	AZIMUTH	6.4		DEG-T
438052 3MILE DATE- 79 08 21	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
NEW CUMBERLAND PA BESHORE FARMS DAIRY	DISTANCE	296		MILES
80 1590 043 42 03 10	AZIMUTH	6.8		DEG-T
438053 3MILE DATE- 79 08 21	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
BAINBRIDGE PA DAVID G. MILLER DAIRY	DISTANCE	3.2		MILES
80 1590 043 42 03 10	AZIMUTH	105		DEG-T
438054 3MILE DATE- 79 08 21	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	AZIMUTH	126		DEG-T
434177 3MILE DATE- 79 08 23	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR=1000 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
GREES DAIRY-YORK PA	AZIMUTH	190		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
434178 3MILE DATE- 79 08 23	DISTANCE	14.2		MILES
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434179 3MILE DATE- 79 08 23	137CS	<10		PCI/L
SIZE-	AZIMUTH	194		DEG-T
	DISTANCE	11.9		MILES
	NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434180 3MILE DATE- 79 08 27	DISTANCE	11.3		MILES
SIZE-	137CS	<10		PCI/L
	AZIMUTH	324		DEG-T
	NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434181 3MILE DATE- 79 08 27	AZIMUTH	316		DEG-T
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.4		MILES
	NAI DETECTOR-1000 MIN.			
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
434182 3MILE DATE- 79 08 27	DISTANCE	23.9		MILES
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
SAGINAW PA LEROY HERTZLER DAIRY	DISTANCE	160		MILES
80 1590 043 42 03 10	AZIMUTH	6.4		DEG-T
438056 3MILE DATE- 79 08 27	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
RAINBRIDGE PA DAVID G. MILLER DAIRY	AZIMUTH	105		DEG-T
80 1590 043 42 03 10	DISTANCE	3.2		MILES
438060 3MILE DATE- 79 08 27	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
SAGINAW PA LEROY HERTZLER DAIRY	AZIMUTH	6.4		DEG-T
80 1590 043 42 03 10	DISTANCE	160		MILES
438057 3MILE DATE- 79 08 27 0700	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA	REPORTED 80/11/14			
		ANALYSIS	RESULT ± 2SIGMA	UNITS
MIDDLETOWN PA A.W. HOFFER DAIRY		AZIMUTH	6.1	DEG-T
80 1590 043 42 03 10		DISTANCE	355	MILES
438058 3MILE	DATE- 79 08 27 0700	GAMMA-SPECTRUM-NEGLIGIBLE		
SIZE- 3.5 L				
NEW CUMBERLAND PA BESHORE FARMS DAIRY		AZIMUTH	6.8	DEG-T
80 1590 043 42 03 10		DISTANCE	296	MILES
438059 3MILE	DATE- 79 08 28 0700	GAMMA-SPECTRUM-NEGLIGIBLE		
SIZE- 3.5 L				
TURKEY HILL DAIRY-CONESTOGA PA		AZIMUTH	126	DEG-T
80 1590 043 42 03 10		DISTANCE	25.3	MILES
434183 3MILE	DATE- 79 08 30	NAI DETECTOR-1000 MIN.		
SIZE-				
GREES DAIRY-YORK PA		AZIMUTH	190	DEG-T
80 1590 043 42 03 10		137CS	<10	PCI/L
434184 3MILE	DATE- 79 08 30	DISTANCE	14.2	MILES
SIZE-		140BA	<10	PCI/L
		131I	<10	PCI/L
		NAI DETECTOR-40 MIN.		
RUTTERS DAIRY-YORK PA		140BA	<10	PCI/L
80 1590 043 42 03 10		137CS	<10	PCI/L
434185 3MILE	DATE- 79 08 30	DISTANCE	11.9	MILES
SIZE-		131I	<10	PCI/L
		AZIMUTH	184	DEG-T
		NAI DETECTOR-40 MIN.		
MIDDLETOWN PA A.W. HOFFER DAIRY		AZIMUTH	6.1	DEG-T
80 1590 043 42 03 10		SAMPLE NO	12-8762	
438061 3MILE	DATE- 79 09 03	DISTANCE	355	MILES
SIZE- 3.5 L		NO.COWS 37		
		GAMMA-SPECTRUM-NEGLIGIBLE		
BAINBRIDGE PA DAVID G MILLER DAIRY		AZIMUTH	105	DEG-T
80 1590 043 42 03 10		DISTANCE	3.2	MILES
438062 3MILE	DATE- 79 09 03	GAMMA-SPECTRUM-NEGLIGIBLE		
SIZE- 3.5 L				
HARRISBURG-DAIRIES-HARRISBURG PA		131I	<5	PCI/L
80 1590 043 42 03 10		137CS	<6	PCI/L
434186 3MILE	DATE- 79 09 04	AZIMUTH	324	DEG-T
SIZE-		140BA	<10	PCI/L
		DISTANCE	11.3	MILES
		NAI DETECTOR-40 MIN.		
		GELIDETECTOR-1000 MIN.		

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA	REPORTED 80/11/14			
		ANALYSIS	RESULT	2SIGMA	UNITS
BROOKWOOD FARMS DAIRY-HARRISBURG PA		AZIMUTH	316		DEG-T
80 1590 043 42 03 10		140BA	<10		PCI/L
434187 3MILE	DATE- 79 09 04	DISTANCE	11.4		MILES
SIZE-		131I	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR-40 MIN.			
PENN DAIRIES-LANCASTER PA		131I	<10		PCI/L
80 1590 043 42 03 10		140BA	<10		PCI/L
434188 3MILE	DATE- 79 09 04	137CS	<10		PCI/L
SIZE-		AZIMUTH	104		DEG-T
		DISTANCE	23.9		MILES
		NAI DETECTOR-1000 MIN.			
NEW CUMBERLAND PA BESHORE FARMS DAIRY		AZIMUTH	6.8		DEG-T
80 1590 043 42 03 10		DISTANCE	296		MILES
438063 3MILE	DATE- 79 09 04	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L					
SAGINAW PA LEROY HERTZLER DAIRY		AZIMUTH	6.4		DEG-T
80 1590 043 42 03 10		DISTANCE	160		MILES
438064 3MILE	DATE- 79 09 04	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L					
TURKEY HILL DAIRY-CONESTOGA PA		AZIMUTH	126		DEG-T
80 1590 043 42 03 10		140BA	<10		PCI/L
434189 3MILE	DATE- 79 09 06	DISTANCE	25.3		MILES
SIZE-		137CS	<10		PCI/L
		131I	<10		PCI/L
		NAI DETECTOR-40 MIN.			
GREEB DAIRY-YORK PA		AZIMUTH	190		DEG-T
80 1590 043 42 03 10		131I	<10		PCI/L
434190 3MILE	DATE- 79 09 06	137CS	<10		PCI/L
SIZE-		140BA	<10		PCI/L
		DISTANCE	14.2		MILES
		NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA		AZIMUTH	184		DEG-T
80 1590 043 42 03 10		131I	<10		PCI/L
434191 3MILE	DATE- 79 09 06	DISTANCE	11.9		MILES
SIZE-		140BA	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA		AZIMUTH	324		DEG-T
80 1590 043 42 03 10		140BA	<10		PCI/L
434192 3MILE	DATE- 79 09 10	DISTANCE	11.3		MILES
SIZE-		131I	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR-40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
BROOKWOOD FARMS DAIRY-HARRISBURG PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434193 3MILE DATE- 79 09 10	137CS	<10		PCI/L
SIZE-	AZIMUTH	316		DEG-T
	DISTANCE	11.4		MILES
	NAI DETECTOR-40 MIN.			
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
434194 3MILE DATE- 79 09 10	DISTANCE	23.9		MILES
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
MIDDLETOWN PA A.W. HOFFER DAIRY	AZIMUTH	6.1		DEG-T
80 1590 043 42 03 10	DISTANCE	355		MILES
438065 3MILE DATE- 79 09 10	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
BAINBRIDGE PA DAVID G. MILLER DAIRY	AZIMUTH	105		DEG-T
80 1590 043 42 03 10	DISTANCE	3.2		MILES
438066 3MILE DATE- 79 09 10	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
NEW CUMBERLAND PA BESHORE FARMS DAIRY	AZIMUTH	6.8		DEG-T
80 1590 043 42 03 10	DISTANCE	296		MILES
438067 3MILE DATE- 79 09 11	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
BAGINAW PA LEROY HERTZLER DAIRY	AZIMUTH	6.4		DEG-T
80 1590 043 42 03 10	DISTANCE	160		MILES
438068 3MILE DATE- 79 09 11	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L				
TURKEY HILL DAIRY-CONESTOGA PA	AZIMUTH	126		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
434195 3MILE DATE- 79 09 13	137CS	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	DISTANCE	25.3		MILES
	NAI DETECTOR-40 MIN.			
GREENS DAIRY-YORK PA	AZIMUTH	190		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
434196 3MILE DATE- 79 09 13	DISTANCE	14.2		MILES
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA	REPORTED 80/11/14			
		ANALYSIS	RESULT	2SIGMA	UNITS
RUTTERS DAIRY-YORK PA		AZIMUTH	184		DEG-T
80 1590 043 42 03 10		131I	<10		PCI/L
434197 3MILE	DATE- 79 09 13	DISTANCE	11.9		MILES
SIZE-		140BA	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA		AZIMUTH	324		DEG-T
80 1590 043 42 03 10		137CS	<10		PCI/L
434198 3MILE	DATE- 79 09 17	140BA	<10		PCI/L
SIZE-		131I	<10		PCI/L
		DISTANCE	11.3		MILES
		NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA		AZIMUTH	316		DEG-T
80 1590 043 42 03 10		140BA	<10		PCI/L
434199 3MILE	DATE- 79 09 17	DISTANCE	11.4		MILES
SIZE-		131I	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR-40 MIN.			
PENN DAIRIES-LANCASTER PA		AZIMUTH	104		DEG-T
80 1590 043 42 03 10		140BA	<10		PCI/L
434200 3MILE	DATE- 79 09 17	DISTANCE	23.9		MILES
SIZE-		131I	<10		PCI/L
		137CS	<10		PCI/L
		NAI DETECTOR-40 MIN.			
MIDDLETOWN PA A.W. HOFFER DAIRY		AZIMUTH	6.1		DEG-T
80 1590 043 42 03 10		DISTANCE	355		MILES
438069 3MILE	DATE- 79 09 17	SAMPLE NO	12-8762		
SIZE- 3.5 L		NO.COWS 37			
		GAMMA-SPECTRUM-NEGLIGIBLE			
BAINBRIDGE PA DAVID G. MILLER DAIRY		AZIMUTH	105		DEG-T
80 1590 043 42 03 10		SAMPLE NO	12-2942		
438072 3MILE	DATE- 79 09 17	DISTANCE	3.2		MILES
SIZE- 3.5 L		GAMMA-SPECTRUM-NEGLIGIBLE			
NEW CUMBERLAND PA BESHORE FARMS DAIRY		AZIMUTH	6.8		DEG-T
80 1590 043 42 03 10		DISTANCE	296		MILES
438070 3MILE	DATE- 79 09 18	SAMPLE NO	12-8982		
SIZE- 3.5 L		GAMMA-SPECTRUM-NEGLIGIBLE			
SAGINAW PA LEROY HERTZLER DAIRY		AZIMUTH	6.4		DEG-T
80 1590 043 42 03 10		SAMPLE NO	12-7742		
438071 3MILE	DATE- 79 09 18 0900	DISTANCE	160		MILES
SIZE- 3.5 L		GAMMA-SPECTRUM-NEGLIGIBLE			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
TURKEY HILL DAIRY-CONESTOGA PA	131I	<5		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434201 3MILE DATE- 79 09 20	137CS	<6		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	DISTANCE	25.3		MILES
	GELIDETECTOR-1000 MIN.			
	NAI DETECTOR-40 MIN.			
GREENS DAIRY-YORK PA	AZIMUTH	190		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
434202 3MILE DATE- 79 09 20	DISTANCE	14.2		MILES
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434203 3MILE DATE- 79 09 20	DISTANCE	11.9		MILES
SIZE-	140BA	<10		PCI/L
	AZIMUTH	184		DEG-T
	NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434204 3MILE DATE- 79 09 24	AZIMUTH	324		DEG-T
SIZE-	137CS	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	131I	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434205 3MILE DATE- 79 09 24	DISTANCE	11.4		MILES
SIZE-	140BA	<10		PCI/L
	AZIMUTH	316		DEG-T
	NAI DETECTOR-40 MIN.			
PENN DAIRIES-LANCASTER PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434206 3MILE DATE- 79 09 24	AZIMUTH	104		DEG-T
SIZE-	131I	<10		PCI/L
	DISTANCE	23.9		MILES
	NAI DETECTOR-40 MIN.			
MIDDLETOWN PA A.W. HOFFER DAIRY	AZIMUTH	6.1		DEG-T
80 1590 043 42 03 10	DISTANCE	355		MILES
438074 3MILE DATE- 79 09 24 0925	GAMMA-SPECTRUM-NEGLIGIBLE			
SIZE- 3.5 L	NO.COWS 40			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
BAINBRIDGE PA DAVID G. MILLER DAIRY	AZIMUTH	105		DEG-T
80 1590 043 42 03 10	SAMPLE NO	12-6992		
438073 3MILE DATE- 79 09 24 1200	DISTANCE	3.2		MILES
SIZE- 3.5 L	GAMMA-SPECTRUM-NEGLIGIBLE			
	NO.COWS 41			
SAGINAW PA LEROY HERTZLER DAIRY	AZIMUTH	6.4		DEG-T
80 1590 043 42 03 10	SAMPLE NO	12-6962		
438075 3MILE DATE- 79 09 25 1040	DISTANCE	160		MILES
SIZE- 3.5 L	GAMMA-SPECTRUM-NEGLIGIBLE			
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
434207 3MILE DATE- 79 09 27	AZIMUTH	126		DEG-T
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
GREENS DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
434208 3MILE DATE- 79 09 27	AZIMUTH	190		DEG-T
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434209 3MILE DATE- 79 09 27	137CS	<10		PCI/L
SIZE-	AZIMUTH	184		DEG-T
	DISTANCE	11.9		MILES
	NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	AZIMUTH	324		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
434210 3MILE DATE- 79 10 01	DISTANCE	11.3		MILES
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	AZIMUTH	316		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
434211 3MILE DATE- 79 10 01	137CS	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.4		MILES
	NAI DETECTOR-40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
PENN DAIRIES LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
434212 3MILE DATE- 79 10 01	DISTANCE	23.9		MILES
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
FALMOUTH PA DAVID MILLER DAIRY	AZIMUTH	3.2		DEG-T
80 1590 043 42 03 10	SAMPLE NO	12-6992		
438076 3MILE DATE- 79 10 01 1020	DISTANCE	105		MILES
SIZE- 3.5 L	GAMMA-SPECTRUM-NEGLIGIBLE			
	NO.COWS 41			
TURKEY HILL DAIRY-CONESTOGA PA	AZIMUTH	126		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
434213 3MILE DATE- 79 10 04	DISTANCE	25.3		MILES
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-50 MIN.			
GREENS DAIRY-YORK PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434214 3MILE DATE- 79 10 04	DISTANCE	14.2		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	190		DEG-T
	NAI DETECTOR-1000 MIN.			
RUTTERS DAIRY-YORK PA	131I	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434215 3MILE DATE- 79 10 04	AZIMUTH	194		DEG-T
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.9		MILES
	NAI DETECTOR-50 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
434216 3MILE DATE- 79 10 09	AZIMUTH	324		DEG-T
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434217 3MILE DATE- 79 10 09	131I	<10		PCI/L
SIZE-	DISTANCE	11.4		MILES
	AZIMUTH	316		DEG-T
	NAI DETECTOR-40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
434218 3MILE DATE- 79 10 09	DISTANCE	23.9		MILES
SIZE-	137CS	<6		PCI/L
	131I	<5		PCI/L
	GELIDETECTOR-1000 MIN.			
	NAI DETECTOR-50 MIN.			
TURKEY HILL DAIRY-CONESTOGA PA	AZIMUTH	126		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
434219 3MILE DATE- 79 10 11	137CS	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	DISTANCE	25.3		MILES
	NAI DETECTOR-40 MIN.			
GREENS DAIRY-YORK PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
434220 3MILE DATE- 79 10 11	AZIMUTH	126		DEG-T
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	DISTANCE	11.9		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434221 3MILE DATE- 79 10 11	AZIMUTH	184		DEG-T
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
434222 3MILE DATE- 79 10 15	140BA	<10		PCI/L
SIZE-	131I	<10		PCI/L
	AZIMUTH	324		DEG-T
	NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	131I	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434223 3MILE DATE- 79 10 15	AZIMUTH	316		DEG-T
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.4		MILES
	NAI DETECTOR-40 MIN.			
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
434224 3MILE DATE- 79 10 15	DISTANCE	23.9		MILES
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-950 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

		ANALYSIS	RESULT	2SIGMA	UNITS
TURKEY HILL DAIRY-CONESTOGA PA		AZIMUTH	126		DEG-T
80 1590 043 42 03 10		140BA	<10		PCI/L
434225 3MILE	DATE- 79 10 18	DISTANCE	25.3		MILES
SIZE-		137CS	<10		PCI/L
		131I	<10		PCI/L
		NAI DETECTOR-40 MIN.			
GREENS DAIRY-YORK PA		AZIMUTH	190		DEG-T
80 1590 043 42 03 10		131I	<10		PCI/L
434226 3MILE	DATE- 79 10 18	DISTANCE	14.2		MILES
SIZE-		137CS	<10		PCI/L
		140BA	<10		PCI/L
		NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA		137CS	<10		PCI/L
80 1590 043 42 03 10		131I	<10		PCI/L
434227 3MILE	DATE- 79 10 18	AZIMUTH	184		DEG-T
SIZE-		140BA	<10		PCI/L
		DISTANCE	11.9		MILES
		NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA		AZIMUTH	324		DEG-T
80 1590 043 42 03 10		137CS	<10		PCI/L
434228 3MILE	DATE- 79 10 22	DISTANCE	11.3		MILES
SIZE-		140BA	<10		PCI/L
		131I	<10		PCI/L
		NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA		AZIMUTH	316		DEG-T
80 1590 043 42 03 10		137CS	<10		PCI/L
434229 3MILE	DATE- 79 10 22	DISTANCE	11.4		MILES
SIZE-		140BA	<10		PCI/L
		131I	<10		PCI/L
		NAI DETECTOR-40 MIN.			
PENN DAIRIES-LANCASTER PA		140BA	<10		PCI/L
80 1590 043 42 03 10		137CS	<10		PCI/L
434230 3MILE	DATE- 79 10 22	DISTANCE	23.9		MILES
SIZE-		131I	<10		PCI/L
		AZIMUTH	104		DEG-T
		NAI DETECTOR-950 MIN.			
TURKEY HILL DAIRY-CONESTOGA PA		131I	<10		PCI/L
80 1590 043 42 03 10		140BA	<10		PCI/L
434231 3MILE	DATE- 79 10 25	137CS	<10		PCI/L
SIZE-		DISTANCE	25.3		MILES
		AZIMUTH	126		DEG-T
		NAI DETECTOR-950 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
GREENS DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
434232 3MILE DATE- 79 10 25	AZIMUTH	190		DEG-T
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434233 3MILE DATE- 79 10 25	AZIMUTH	194		DEG-T
SIZE-	137CS	<10		PCI/L
	DISTANCE	11.9		MILES
	NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	DISTANCE	11.3		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
434234 3MILE DATE- 79 10 29	AZIMUTH	324		DEG-T
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
BROOKWOOD-FARMS DAIRY-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434235 3MILE DATE- 79 10 29	AZIMUTH	316		DEG-T
SIZE-	131I	<10		PCI/L
	DISTANCE	11.4		MILES
	NAI DETECTOR-950 MIN.			
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
434236 3MILE DATE- 79 10 29	DISTANCE	23.9		MILES
SIZE-	131I	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-50 MIN.			
TURKEY HILL DAIRY-CONESTOGA PA	AZIMUTH	126		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
434237 3MILE DATE- 79 11 01	DISTANCE	25.3		MILES
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-1000 MIN.			
GREENS DAIRY-YORK PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434238 3MILE DATE- 79 11 01	AZIMUTH	190		DEG-T
SIZE-	137CS	<10		PCI/L
	DISTANCE	14.2		MILES
	NAI DETECTOR-50 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
RUTTERS DAIRY-YORK PA	AZIMUTH	184		DEG-T
80 1590 043 42 03 10	131I	<10		PCI/L
434239 3MILE DATE- 79 11 01	DISTANCE	11.9		MILES
SIZE-	137CS	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	AZIMUTH	324		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
434240 3MILE DATE- 79 11 05	DISTANCE	11.3		MILES
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY	AZIMUTH	316		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
434241 3MILE DATE- 79 11 05	131I	<10		PCI/L
SIZE-	140BA	<10		PCI/L
	DISTANCE	11.4		MILES
	NAI DETECTOR-40 MIN.			
PENN DAIRIES-LANCASTER PA	AZIMUTH	104		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
434242 3MILE DATE- 79 11 05	DISTANCE	23.9		MILES
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR-40 MIN.			
TURKEY HILL DAIRY-CONESTOGA PA	AZIMUTH	126		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
434243 3MILE DATE- 79 11 08	DISTANCE	25.3		MILES
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-40 MIN.			
GREENS DAIRY-YORK PA	AZIMUTH	190		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
434244 3MILE DATE- 79 11 08	DISTANCE	14.2		MILES
SIZE-	131I	<10		PCI/L
	140BA	<10		PCI/L
	NAI DETECTOR-40 MIN.			
RUTTERS DAIRY-YORK PA	DISTANCE	11.9		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
434245 3MILE DATE- 79 11 08	AZIMUTH	184		DEG-T
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR-950 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14	ANALYSIS	RESULT	2SIGMA	UNITS
HARRISBURG DAIRIES-HARRISBURG PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434246 3MILE DATE- 79 11 13	AZIMUTH	324		DEG-T
SIZE-	137CS	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR-40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	AZIMUTH	316		DEG-T
80 1590 043 42 03 10	137CS	<10		PCI/L
434247 3MILE DATE- 79 11 13	DISTANCE	11.4		MILES
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR 950 MIN.			
PENN DAIRIES-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
434248 3MILE DATE- 79 11 13	AZIMUTH	104		DEG-T
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR 40 MIN.			
TURKEY HILL DAIRY-CONESTOGA PA	137CS	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434249 3MILE DATE- 79 11 15	131I	<10		PCI/L
SIZE-	DISTANCE	25.3		MILES
	AZIMUTH	126		DEG-T
	NAI DETECTOR 1000 MIN.			
GREENS DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
434250 3MILE DATE- 79 11 15	AZIMUTH	190		DEG-T
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR 50 MIN.			
RUTTERS DAIRY-YORK PA	DISTANCE	11.9		MILES
80 1590 043 42 03 10	140BA	<10		PCI/L
434251 3MILE DATE- 79 11 15	137CS	<10		PCI/L
SIZE-	131I	<10		PCI/L
	AZIMUTH	184		DEG-T
	NAI DETECTOR 40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434252 3MILE DATE- 79 11 19	DISTANCE	11.3		MILES
SIZE-	AZIMUTH	324		DEG-T
	140BA	<10		PCI/L
	NAI DETECTOR 40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
BROOKWOOD FARMS DAIRY-HARRISBURG PA	AZIMUTH	316		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
434253 3MILE DATE- 79 11 19	DISTANCE	11.4		MILES
SIZE-	137CS	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR 40 MIN.			
PENN DAIRIES-LANCASTER PA	DISTANCE	23.9		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434254 3MILE DATE- 79 11 19	140BA	<10		PCI/L
SIZE-	137CS	<10		PCI/L
	AZIMUTH	104		DEG-T
	NAI DETECTOR 1000 MIN.			
TURKEY HILL DAIRY-CONESTOGA PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434255 3MILE DATE- 79 11 21	137CS	<10		PCI/L
SIZE-	DISTANCE	25.3		MILES
	AZIMUTH	126		DEG-T
	NAI DETECTOR 40 MIN.			
GREENS DAIRY-YORK PA	DISTANCE	14.2		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
434256 3MILE DATE- 79 11 21	AZIMUTH	190		DEG-T
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR 40 MIN.			
RUTTERS DAIRY-YORK PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434257 3MILE DATE- 79 11 21	137CS	<10		PCI/L
SIZE-	DISTANCE	11.9		MILES
	AZIMUTH	184		DEG-T
	NAI DETECTOR 40 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434258 3MILE DATE- 79 11 26	AZIMUTH	324		DEG-T
SIZE-	137CS	<10		PCI/L
	DISTANCE	11.3		MILES
	NAI DETECTOR 40 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434259 3MILE DATE- 79 11 26	DISTANCE	11.4		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	316		DEG-T
	NAI DETECTOR 60 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14			
	ANALYSIS	RESULT	2SIGMA	UNITS
PENN DAIRIES-LANCASTER PA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434260 3MILE DATE- 79 11 26	AZIMUTH	104		DEG-T
SIZE-	131I	<10		PCI/L
	DISTANCE	23.9		MILES
	NAI DETECTOR 50 MIN.			
TURKEY HILL DAIRY-CONESTOGA PA	AZIMUTH	126		DEG-T
80 1590 043 42 03 10	140BA	<10		PCI/L
434261 3MILE DATE- 79 11 29	DISTANCE	25.3		MILES
SIZE-	131I	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR 75 MIN.			
GREENS DAIRY-YORK PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434262 3MILE DATE- 79 11 29	137CS	<10		PCI/L
SIZE-	AZIMUTH	190		DEG-T
	DISTANCE	14.2		MILES
	NAI DETECTOR 40 MIN.			
RUTTERS DAIRY-YORK PA	DISTANCE	11.9		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434263 3MILE DATE- 79 11 29	AZIMUTH	184		DEG-T
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR 1000 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	137CS	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434264 3MILE DATE- 79 12 03	131I	<10		PCI/L
SIZE-	DISTANCE	11.3		MILES
	AZIMUTH	324		DEG-T
	NAI DETECTOR 40 MIN.			
BROOKWOOD FARMS DAIRY	DISTANCE	11.4		MILES
80 1590 043 42 03 10	137CS	<10		PCI/L
434265 3MILE DATE- 79 12 03	AZIMUTH	316		DEG-T
SIZE-	140BA	<10		PCI/L
	131I	<10		PCI/L
	NAI DETECTOR 40 MIN.			
PENN DAIRIES-LANCASTER PA	137CS	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434266 3MILE DATE- 79 12 03	DISTANCE	23.9		MILES
SIZE-	131I	<10		PCI/L
	AZIMUTH	104		DEG-T
	NAI DETECTOR 40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA REPORTED 80/11/14

	ANALYSIS	RESULT	2SIGMA	UNITS
TURKEY HILL DAIRY-CONESTOGA	140BA	<10		PCI/L
80 1590 043 42 03 10	137CS	<10		PCI/L
434267 3MILE DATE- 79 12 06	AZIMUTH	126		DEG-T
SIZE-	131I	<10		PCI/L
	DISTANCE	25.3		MILES
	NAI DETECTOR 1000 MIN.			
GREENS DAIRY-YORK PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434268 3MILE DATE- 79 12 06	DISTANCE	14.2		MILES
SIZE-	137CS	<10		PCI/L
	AZIMUTH	190		DEG-T
	NAI DETECTOR 40 MIN.			
RUTTERS DAIRY-YORK PA	140BA	<10		PCI/L
80 1590 043 42 03 10	131I	<10		PCI/L
434269 3MILE DATE- 79 12 06	AZIMUTH	184		DEG-T
SIZE-	137CS	<10		PCI/L
	DISTANCE	11.9		MILES
	NAI DETECTOR 50 MIN.			
HARRISBURG DAIRIES-HARRISBURG PA	137CS	<6		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434270 3MILE DATE- 79 12 10	131I	<5		PCI/L
SIZE-	DISTANCE	11.3		MILES
	AZIMUTH	324		DEG-T
	NAI DETECTOR 1000 MIN.			
BROOKWOOD FARMS DAIRY-HARRISBURG PA	DISTANCE	11.4		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434271 3MILE DATE- 79 12 10	AZIMUTH	316		DEG-T
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR 40 MIN.			
PENN DAIRIES-LANCASTER PA	131I	<10		PCI/L
80 1590 043 42 03 10	140BA	<10		PCI/L
434272 3MILE DATE- 79 12 10	DISTANCE	23.9		MILES
SIZE-	AZIMUTH	104		DEG-T
	137CS	<10		PCI/L
	NAI DETECTOR 40 MIN.			
TURKEY HILL DAIRY-CONESTOGA PA	DISTANCE	25.3		MILES
80 1590 043 42 03 10	131I	<10		PCI/L
434273 3MILE DATE- 79 12 13	AZIMUTH	126		DEG-T
SIZE-	140BA	<10		PCI/L
	137CS	<10		PCI/L
	NAI DETECTOR 40 MIN.			

TABLE 13-B COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA	REPORTED 80/11/14			
		ANALYSIS	RESULT ± 2SIGMA	UNITS
GREENS DAIRY-YORK PA		AZIMUTH	190	DEG-T
80 1590 043 42 03 10		140BA	<10	PCI/L
434274 3MILE	DATE- 79 12 13	DISTANCE	14.2	MILES
SIZE-		131I	<10	PCI/L
		137CS	<10	PCI/L
		NAI DETECTOR 40 MIN.		
RUTTERS DAIRY-YORK PA		140BA	<10	PCI/L
80 1590 043 42 03 10		131I	<10	PCI/L
434275 3MILE	DATE- 79 12 13	137CS	<10	PCI/L
SIZE-		DISTANCE	11.9	MILES
		AZIMUTH	194	DEG-T
		NAI DETECTOR 40 MIN.		
HARRISBURG DAIRIES-HARRISBURG PA		131I	<10	PCI/L
80 1590 043 42 03 10		140BA	<10	PCI/L
434276 3MILE	DATE- 79 12 17	AZIMUTH	324	DEG-T
SIZE-		137CS	<10	PCI/L
		DISTANCE	11.3	MILES
		NAI DETECTOR 40 MIN.		
BROOKWOOD FARMS DAIRY-HARRISBURG PA		140BA	<10	PCI/L
80 1590 043 42 03 10		131I	<10	PCI/L
434277 3MILE	DATE- 79 12 17	DISTANCE	11.4	MILES
SIZE-		137CS	<10	PCI/L
		AZIMUTH	316	DEG-T
		NAI DETECTOR 40 MIN.		
PENN DAIRIES-LANCASTER PA		131I	<10	PCI/L
80 1590 043 42 03 10		140BA	<10	PCI/L
434278 3MILE	DATE- 79 12 17	AZIMUTH	104	DEG-T
SIZE-		DISTANCE	23.9	MILES
		137CS	<10	PCI/L
		NAI DETECTOR 40 MIN.		
TURKEY HILL DAIRY-CONESTOGA PA		AZIMUTH	126	DEG-T
80 1590 043 42 03 10		131I	<10	PCI/L
434279 3MILE	DATE- 79 12 20	140BA	<10	PCI/L
SIZE-		137CS	<10	PCI/L
		DISTANCE	25.3	MILES
		NAI DETECTOR 40 MIN.		
GREENS DAIRY-YORK PA		137CS	<10	PCI/L
80 1590 043 42 03 10		140BA	<10	PCI/L
434280 3MILE	DATE- 79 12 20	131I	<10	PCI/L
SIZE-		DISTANCE	14.2	MILES
		AZIMUTH	190	DEG-T
		NAI DETECTOR 40 MIN.		

TABLE 13-A COMMONWEALTH OF PENNSYLVANIA MILK RESULTS

PENNSYLVANIA	REPORTED 80/11/14			
		ANALYSIS	RESULT ± 2SIGMA	UNITS
RUTTERS DAIRY-YORK PA		AZIMUTH	184	DEG-T
80 1590 043 42 03 10		137CS	<10	PCI/L
434281 3MILE	DATE- 79 12 20	140BA	<10	PCI/L
SIZE-		DISTANCE	11.9	MILES
		131I	<10	PCI/L
		NAI DETECTOR 60 MIN.		
HARRISBURG DAIRIES-HARRISBURG PA		137CS	<10	PCI/L
80 1590 043 42 03 10		140BA	<10	PCI/L
434282 3MILE	DATE- 79 12 26	DISTANCE	11.3	MILES
SIZE-		131I	<10	PCI/L
		AZIMUTH	324	DEG-T
		NAI DETECTOR 60 MIN.		
BROOKWOOD FARMS DAIRY-HARRISBURG PA		140BA	<10	PCI/L
80 1590 043 42 03 10		137CS	<10	PCI/L
434283 3MILE	DATE- 79 12 26	AZIMUTH	316	DEG-T
SIZE-		131I	<10	PCI/L
		DISTANCE	11.4	MILES
		NAI DETECTOR 60 MIN.		
PENN DAIRIES-LANCASTER PA		AZIMUTH	104	DEG-T
80 1590 043 42 03 10		140BA	<10	PCI/L
434284 3MILE	DATE- 79 12 26	137CS	<10	PCI/L
SIZE-		DISTANCE	23.9	MILES
		131I	<10	PCI/L
		NAI DETECTOR 960 MIN.		
TURKEY HILL DAIRY-CONESTOGA PA		140BA	<10	PCI/L
80 1590 043 42 03 10		131I	<10	PCI/L
434285 3MILE	DATE- 79 12 27	DISTANCE	25.3	MILES
SIZE-		137CS	<10	PCI/L
		AZIMUTH	126	DEG-T
		NAI DETECTOR 60 MIN.		
GREENS DAIRY-YORK PA		131I	<10	PCI/L
80 1590 043 42 03 10		140BA	<10	PCI/L
434286 3MILE	DATE- 79 12 27	AZIMUTH	190	DEG-T
SIZE-		DISTANCE	14.2	MILES
		137CS	<10	PCI/L
		NAI DETECTOR 60 MIN.		
RUTTERS DAIRY-YORK PA		AZIMUTH	184	DEG-T
80 1590 043 42 03 10		131I	<10	PCI/L
434287 3MILE	DATE- 79 12 27	140BA	<10	PCI/L
SIZE-		137CS	<10	PCI/L
		DISTANCE	11.9	MILES
		NAI DETECTOR 60 MIN.		

ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL MONITORING AND SYSTEMS LABORATORY

LAS VEGAS, NEVADA

80/11/12

TABLE 13-C, COMMONWEALTH OF PENNSYLVANIA TLD RESULTS

NOTE: "NA" INDICATES NO ANALYSIS. "ND" INDICATES NOT DETECTED. WHEN RESULTS ARE GIVEN IN EXPONENTIAL NOTATION THE NUMBER FOLLOWING THE "E" IS THE EXPONENT OF TEN BY WHICH THE PRECEDING NUMBER SHOULD BE MULTIPLIED. A VALUE IN PARENTHESES IS THE ESTIMATED TWO-SIGMA COUNTING ERROR ASSOCIATED WITH THE PRECEDING RESULT. ALL LABELED TWO-SIGMA ERROR TERMS ARE ESTIMATED TWO-SIGMA COUNTING ERRORS. ALL MINIMUM DETECTABLE VALUES INDICATED BY THE SYMBOL "<" FOR SAMPLES COLLECTED PRIOR TO JANUARY 1, 1978, ARE BASED ON A TYPE I ERROR EQUAL TO FIVE PERCENT. ALL MINIMUM DETECTABLE VALUES FOR SAMPLES COLLECTED ON OR AFTER JANUARY 1, 1978 ARE ALSO INDICATED BY "<", BUT ARE BASED ON A TYPE I ERROR EQUAL TO A TYPE II ERROR EQUAL TO FIVE PERCENT (SEE HASL-300 PROCEDURES MANUAL).

TABLE 13-C, COMMON-EALTH OF PENNSYLVANIA TLD RESULTS

PENNSYLVANIA	REPORTED 80/11/12			
		ANALYSIS	RESULT	2SIGMA	UNITS
FOREST PEST MNGT OFFICE MIDDLETOWN		DISTANCE	3.5		MILES
80 1590 043 42 03 81		AZIMUTH	320		DEG-T
418319 3MILE	ON- 79 03 29 0800	ID,NO,	BADGE-2		
SIZE-	OFF- 79 03 29 1600	GAMMA	10		MREM
		BETA	0		MREM
		PLACED OUTSIDE			
FOREST PEST MNGT OFFICE		ID,NO,	BADGE-1		
80 1590 043 42 03 81		AZIMUTH	320		DEG-T
418318 3MILE	ON- 79 02 01	DISTANCE	3.5		MILES
SIZE-	OFF- 79 05 31	GAMMA	45		MREM
		BETA	0		MREM
		INSIDE OFFICE ON DESK			
FOREST PEST MNGT OFFICE		DISTANCE	3.5		MILES
80 1590 043 42 03 81		AZIMUTH	320		DEG-T
418320 3MILE	ON- 79 02 01	ID,NO,	BADGE-3		
SIZE-	OFF- 79 05 31	GAMMA	10		MREM
		BETA	0		MREM
		LOC,IN X-RAY ROOM INST,NOT US			
FOREST PEST MNGT OFFICE		DISTANCE	3.5		MILES
80 1590 043 42 03 81		AZIMUTH	320		DEG-T
418321 3MILE	ON- 79 02 01	ID,NO,	BADGE-4		
SIZE-	OFF- 79 05 31	GAMMA	30		MREM
		BETA	0		MREM
		INSIDE OFFICE ON DESK			
		DUPLICATE	BADGE-1		

ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL MONITORING AND SYSTEMS LABORATORY

LAS VEGAS, NEVADA

80/11/13

TABLE 13-D, COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

NOTE: "NA" INDICATES NO ANALYSIS. "ND" INDICATES NOT DETECTED. WHEN RESULTS ARE GIVEN IN EXPONENTIAL NOTATION THE NUMBER FOLLOWING THE "E" IS THE EXPONENT OF TEN BY WHICH THE PRECEDING NUMBER SHOULD BE MULTIPLIED. A VALUE IN PARENTHESES IS THE ESTIMATED TWO-SIGMA COUNTING ERROR ASSOCIATED WITH THE PRECEDING RESULT. ALL LABELED TWO-SIGMA ERROR TERMS ARE ESTIMATED TWO-SIGMA COUNTING ERRORS. ALL MINIMUM DETECTABLE VALUES INDICATED BY THE SYMBOL "<" FOR SAMPLES COLLECTED PRIOR TO JANUARY 1, 1978, ARE BASED ON A TYPE I ERROR EQUAL TO FIVE PERCENT. ALL MINIMUM DETECTABLE VALUES FOR SAMPLES COLLECTED ON OR AFTER JANUARY 1, 1978 ARE ALSO INDICATED BY "<", BUT ARE BASED ON A TYPE I ERROR EQUAL TO A TYPE II ERROR EQUAL TO FIVE PERCENT (SEE HASL-300 PROCEDURES MANUAL).

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	<2		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435300 3MILE DATE- 79 06 06	DISTANCE	0.2		MILES
SIZE-	3H	<300		PCI/L
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435478 3MILE DATE- 79 06 06	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<300		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435301 3MILE DATE- 79 06 07	ALPHA	<1		PCI/L
SIZE-	BETA	<2		PCI/L
	3H	<300		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435479 3MILE DATE- 79 06 07	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<300		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435611 3MILE DATE- 79 06 07	DISTANCE	15.0		MILES
SIZE-	BETA	<2		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<300		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435302 3MILE DATE- 79 06 08	DISTANCE	0.2		MILES
SIZE-	BETA	<2		PCI/L
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	AZIMUTH	250		DEG-T
80 1590 043 42 03 20	BETA	2	2	PCI/L
435480 3MILE DATE- 79 06 08	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	3H	<300		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435612 3MILE DATE- 79 06 08	AZIMUTH	126		DEG-T
SIZE-	3H	<290		PCI/L
	DISTANCE	15.0		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13				
----------ANALYSIS---RESULT----2SIGMA---UNITS--				
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<300		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435303 3MILE DATE- 79 06 09	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	BETA	<2		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	AZIMUTH	250		DEG-T
80 1590 043 42 03 20	BETA	3	2	PCI/L
435481 3MILE DATE- 79 06 09	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	3H	<300		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435613 3MILE DATE- 79 06 09	AZIMUTH	126		DEG-T
SIZE-	BETA	2	2	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTPL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435304 3MILE DATE- 79 06 10	DISTANCE	0.2		MILES
SIZE-	BETA	10	2	PCI/L
	3H	617	140	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	AZIMUTH	250		DEG-T
80 1590 043 42 03 20	BETA	2	2	PCI/L
435482 3MILE DATE- 79 06 10	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	3H	<300		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435614 3MILE DATE- 79 06 10	DISTANCE	15.0		MILES
SIZE-	BETA	<2		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435305 3MILE DATE- 79 06 11	BETA	11	2	PCI/L
SIZE-	3H	309	140	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	AZIMUTH	250		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435483 3MILE DATE- 79 06 11	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	3H	<290		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	<2		PCI/L
435615 3MILE DATE- 79 06 11	DISTANCE	15.0		MILES
SIZE-	3H	<300		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435306 3MILE DATE- 79 06 12	DISTANCE	0.2		MILES
SIZE-	BETA	<2		PCI/L
	3H	<290		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435484 3MILE DATE- 79 06 12	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<290		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<270		PCI/L
435618 3MILE DATE- 79 06 12	AZIMUTH	126		DEG-T
SIZE-	BETA	<2		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435307 3MILE DATE- 79 06 13	DISTANCE	0.2		MILES
SIZE-	3H	<290		PCI/L
	BETA	<2		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435485 3MILE DATE- 79 06 13	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<270		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435617 3MILE DATE- 79 06 13	BETA	3	2	PCI/L
SIZE-	DISTANCE	15.0		MILES
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	<2		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435308 3MILE DATE- 79 06 14	ALPHA	<1		PCI/L
SIZE-	DISTANCE	0.2		MILES
	3H	<270		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435486 3MILE DATE- 79 06 14	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	BETA	<2		PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435618 3MILE DATE- 79 06 14	3H	<270		PCI/L
SIZE-	DISTANCE	15.0		MILES
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<270		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435309 3MILE DATE- 79 06 15	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	BETA	2	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435487 3MILE DATE- 79 06 15	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<270		PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435619 3MILE DATE- 79 06 15	BETA	2	2	PCI/L
SIZE-	DISTANCE	15.0		MILES
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435310 3MILE DATE- 79 06 16	DISTANCE	0.2		MILES
SIZE-	BETA	3	2	PCI/L
	3H	<270		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435488 3MILE DATE- 79 06 16	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<270		PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435620 3MILE DATE- 79 06 16	BETA	3	2	PCI/L
SIZE-	AZIMUTH	126		DEG-T
	DISTANCE	15.0		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13				
	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435486 3MILE DATE- 79 06 14	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	BETA	<2		PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435618 3MILE DATE- 79 06 14	3H	<270		PCI/L
SIZE-	DISTANCE	15.0		MILES
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<270		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435309 3MILE DATE- 79 06 15	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	BETA	2	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435487 3MILE DATE- 79 06 15	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<270		PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435619 3MILE DATE- 79 06 15	BETA	2	2	PCI/L
SIZE-	DISTANCE	15.0		MILES
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435310 3MILE DATE- 79 06 16	DISTANCE	0.2		MILES
SIZE-	BETA	3	2	PCI/L
	3H	<270		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435488 3MILE DATE- 79 06 16	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<270		PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435620 3MILE DATE- 79 06 16	BETA	3	2	PCI/L
SIZE-	AZIMUTH	126		DEG-T
	DISTANCE	15.0		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	BETA	3	2	PCI/L
80 1590 043 42 03 20	DISTANCE	15.0		MILES
435621 3MILE DATE- 79 06 17	3H	<290		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	<2		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435311 3MILE DATE- 79 06 18	3H	<270		PCI/L
SIZE-	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435489 3MILE DATE- 79 06 18	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<290		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435622 3MILE DATE- 79 06 18	BETA	4	2	PCI/L
SIZE-	DISTANCE	15.0		MILES
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435490 3MILE DATE- 79 06 19	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<290		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435623 3MILE DATE- 79 06 19	BETA	<2		PCI/L
SIZE-	ALPHA	<1		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435312 3MILE DATE- 79 06 20	ALPHA	<1		PCI/L
SIZE-	BETA	<2		PCI/L
	3H	<270		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435491 3MILE DATE- 79 06 20	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<270		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	BETA	4	2	PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435624 3MILE DATE- 79 06 20	3H	<290		PCI/L
SIZE-	DISTANCE	15.0		MILES
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<270		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435313 3MILE DATE- 79 06 21	ALPHA	5	2	PCI/L
SIZE-	BETA	31	3	PCI/L
	DISTANCE	0.2		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435314 3MILE DATE- 79 06 21	3H	<290		PCI/L
SIZE-	DISTANCE	0.2		MILES
	BETA	4	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	2	2	PCI/L
435492 3MILE DATE- 79 06 21	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<290		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<290		PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435625 3MILE DATE- 79 06 21	BETA	3	2	PCI/L
SIZE-	AZIMUTH	126		DEG-T
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435315 3MILE DATE- 79 06 22	3H	<290		PCI/L
SIZE-	DISTANCE	0.2		MILES
	BETA	4	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435493 3MILE DATE- 79 06 22	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<290		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<290		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435626 3MILE DATE- 79 06 22	BETA	3	2	PCI/L
SIZE-	DISTANCE	15.0		MILES
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	3H	<280		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435316 3MILE DATE- 79 06 23	ALPHA	<1		PCI/L
SIZE-	DISTANCE	0.2		MILES
	BETA	6	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435494 3MILE DATE- 79 06 23	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<280		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	BETA	2	2	PCI/L
80 1590 043 42 03 20	DISTANCE	15.0		MILES
435627 3MILE DATE- 79 06 23	3H	<280		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	ALPHA	<1		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	3H	<280		PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435628 3MILE DATE- 79 06 24	BETA	4	2	PCI/L
SIZE-	AZIMUTH	126		DEG-T
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	BETA	18	2	PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435317 3MILE ON- 79 06 23	ALPHA	<1		PCI/L
SIZE- OFF- 79 06 25	DISTANCE	0.2		MILES
	3H	<280		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435495 3MILE DATE- 79 06 25	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<280		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	3H	<280		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435629 3MILE DATE- 79 06 25	BETA	3	2	PCI/L
SIZE-	ALPHA	1	1	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435318 3MILE ON- 79 06 25	BETA	6	2	PCI/L
SIZE- OFF- 79 06 26	DISTANCE	0.2		MILES
	3H	<28		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435496 3MILE DATE- 79 06 26	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<280		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	BETA	4	2	PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435630 3MILE DATE- 79 06 26	3H	<310		PCI/L
SIZE-	DISTANCE	15.0		MILES
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	3H	992	150	PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435319 3MILE ON- 79 06 26	BETA	9	2	PCI/L
SIZE- OFF- 79 06 27	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435497 3MILE DATE- 79 06 27	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<310		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	3H	<310		PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435631 3MILE DATE- 79 06 27	BETA	3	2	PCI/L
SIZE-	DISTANCE	15.0		MILES
	AZIMUTH	176		DEG-T
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435320 3MILE ON- 79 06 27	BETA	3	2	PCI/L
SIZE- OFF- 79 06 28	DISTANCE	0.2		MILES
	3H	<310		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435498 3MILE DATE- 79 06 28	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<310		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	3H	<290		PCI/L
80 1590 043 42 03 20	ALPHA	1	1	PCI/L
435632 3MILE DATE- 79 06 28	BETA	4	2	PCI/L
SIZE-	DISTANCE	15.0		MILES
	AZIMUTH	126		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<310		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435321 3MILE ON- 79 06 28	BETA	4	2	PCI/L
SIZE- OFF- 79 06 29	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435499 3MILE DATE- 79 06 29	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	<310		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	BETA	3	2	PCI/L
80 1590 043 42 03 20	DISTANCE	15.0		MILES
435633 3MILE DATE- 79 06 29	3H	<290		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435322 3MILE ON- 79 06 29	BETA	4	2	PCI/L
SIZE- OFF- 79 06 30	DISTANCE	0.2		MILES
	3H	<290		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	12	2	PCI/L
435500 3MILE DATE- 79 06 30	AZIMUTH	250		DEG-T
SIZE-	ALPHA	2	2	PCI/L
	3H	<290		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<290		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435634 3MILE DATE- 79 06 30	BETA	4	2	PCI/L
SIZE-	ALPHA	<1		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435323 3MILE ON- 79 06 30	BETA	5	2	PCI/L
SIZE- OFF- 79 07 01	DISTANCE	0.2		MILES
	3H	<290		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<290		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435635 3MILE DATE- 79 07 01	BETA	4	2	PCI/L
SIZE-	DISTANCE	15.0		MILES
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA	REPORTED 80/11/13				
		ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		BETA	4	2	PCI/L
435501 3MILE	DATE- 79 07 02	AZIMUTH	250		DEG-T
SIZE-		ALPHA	<1		PCI/L
		3H	<290		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		3H	1257	150	PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435324 3MILE	ON- 79 03 02	BETA	4	2	PCI/L
SIZE-	OFF- 79 07 03	DISTANCE	0.2		MILES
		ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		BETA	3	2	PCI/L
435502 3MILE	DATE- 79 07 03	AZIMUTH	250		DEG-T
SIZE-		ALPHA	<1		PCI/L
		3H	<290		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE		BETA	4	2	PCI/L
80 1590 043 42 03 20		DISTANCE	15.0		MILES
435636 3MILE	DATE- 79 07 03	3H	<300		PCI/L
SIZE-		AZIMUTH	126		DEG-T
		ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		BETA	<2		PCI/L
80 1590 043 42 03 20		DISTANCE	0.2		MILES
435325 3MILE	ON- 79 07 03	ALPHA	<1		PCI/L
SIZE-	OFF- 79 07 04	AZIMUTH	245		DEG-T
		3H	970	292	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		BETA	4	2	PCI/L
435503 3MILE	DATE- 79 07 04	AZIMUTH	250		DEG-T
SIZE-		ALPHA	<1		PCI/L
		3H	<300		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE		3H	<290		PCI/L
80 1590 043 42 03 20		ALPHA	<1		PCI/L
435637 3MILE	DATE- 79 07 04	BETA	2	2	PCI/L
SIZE-		AZIMUTH	126		DEG-T
		DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435326 3MILE	ON- 79 07 04	BETA	3	2	PCI/L
SIZE-	OFF- 79 07 05	DISTANCE	0.2		MILES
		3H	<300		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA	REPORTED 80/11/13				
		ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		BETA	5	2	PCI/L
435504 3MILE	DATE- 79 07 05	AZIMUTH	250		DEG-T
SIZE-		ALPHA	<1		PCI/L
		3H	<300		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE		3H	<290		PCI/L
80 1590 043 42 03 20		DISTANCE	15.0		MILES
435636 3MILE	DATE- 79 07 05	BETA	2	2	PCI/L
SIZE-		ALPHA	<1		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435327 3MILE	ON- 79 07 05	BETA	<2		PCI/L
SIZE-	OFF- 79 07 06	DISTANCE	0.2		MILES
		3H	<300		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		BETA	3	2	PCI/L
435505 3MILE	DATE- 79 07 06	AZIMUTH	250		DEG-T
SIZE-		ALPHA	<1		PCI/L
		3H	<300		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE		BETA	8	2	PCI/L
80 1590 043 42 03 20		ALPHA	2	2	PCI/L
435639 3MILE	DATE- 79 07 06	3H	<290		PCI/L
SIZE-		DISTANCE	15.0		MILES
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		3H	<300		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435328 3MILE	ON- 79 07 06	ALPHA	<1		PCI/L
SIZE-	OFF- 79 07 07	DISTANCE	0.2		MILES
		BETA	4	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		3H	<300		PCI/L
435506 3MILE	DATE- 79 07 07	AZIMUTH	250		DEG-T
SIZE-		BETA	4	2	PCI/L
		ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE		3H	<290		PCI/L
80 1590 043 42 03 20		ALPHA	<1		PCI/L
435640 3MILE	DATE- 79 07 07	BETA	3	2	PCI/L
SIZE-		DISTANCE	15.0		MILES
		AZIMUTH	126		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	5	2	PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435329 3MILE DN- 79 07 07	3H	2663	316	PCI/L
SIZE- DFF- 79 07 08	AZIMUTH	245		DEG-T
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	BETA	3	2	PCI/L
80 1590 043 42 03 20	DISTANCE	15.0		MILES
435641 3MILE DATE- 79 07 08	ALPHA	<1		PCI/L
SIZE-	AZIMUTH	126		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435507 3MILE DATE- 79 07 09	AZIMUTH	250		DEG-T
SIZE-	BETA	4	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	BETA	4	2	PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435642 3MILE DATE- 79 07 09	3H	<290		PCI/L
SIZE-	ALPHA	<1		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435330 3MILE DN- 79 07 09	BETA	9	2	PCI/L
SIZE- DFF- 79 07 10	DISTANCE	0.2		MILES
	3H	1241	296	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<280		PCI/L
435508 3MILE DATE- 79 07 10	AZIMUTH	250		DEG-T
SIZE-	BETA	4	2	PCI/L
	ALPHA	1	1	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<290		PCI/L
80 1590 043 42 03 20	DISTANCE	15.0		MILES
435643 3MILE DATE- 79 07 10	BETA	3	2	PCI/L
SIZE-	AZIMUTH	126		DEG-T
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	16	2	PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435331 3MILE DN- 79 07 10	ALPHA	<1		PCI/L
SIZE- DFF- 79 07 11	DISTANCE	0.2		MILES
	3H	2753	318	PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435509 3MILE DATE- 79 07 11	AZIMUTH	250		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	3H	<290		PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435644 3MILE DATE- 79 07 11	BETA	2	2	PCI/L
SIZE-	AZIMUTH	126		DEG-T
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	1625	302	PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435332 3MILE ON- 79 07 11	BETA	11	2	PCI/L
SIZE- OFF- 79 07 12	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435510 3MILE DATE- 79 07 12	AZIMUTH	250		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	BETA	3	2	PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435645 3MILE DATE- 79 07 12	3H	<290		PCI/L
SIZE-	ALPHA	<1		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435333 3MILE ON- 79 07 12	3H	<290		PCI/L
SIZE- OFF- 79 07 13	BETA	7	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435511 3MILE DATE- 79 07 13	AZIMUTH	250		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435646 3MILE DATE- 79 07 13	AZIMUTH	126		DEG-T
SIZE-	3H	<290		PCI/L
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA	REPORTED 80/11/13				
		ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		3H	<280		PCI/L
435512 3MILE	DATE- 79 07 14	AZIMUTH	250		DEG-T
SIZE-		BETA	4	2	PCI/L
		ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<290		PCI/L
435647 3MILE	DATE- 79 07 14	DISTANCE	15.0		MILES
SIZE-		BETA	<2		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		3H	700	280	PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435334 3MILE	ON- 79 07 14	ALPHA	<1		PCI/L
SIZE-	OFF- 79 07 15	DISTANCE	0.2		MILES
		BETA	7	2	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE		DISTANCE	15.0		MILES
80 1590 043 42 03 20		BETA	3	2	PCI/L
435648 3MILE	DATE- 79 07 15	ALPHA	<1		PCI/L
SIZE-		3H	<290		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		BETA	6	2	PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435335 3MILE	ON- 79 07 15	3H	835	290	PCI/L
SIZE-	OFF- 79 07 16	DISTANCE	0.2		MILES
		ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		3H	<290		PCI/L
435513 3MILE	DATE- 79 07 16	AZIMUTH	250		DEG-T
SIZE-		BETA	6	2	PCI/L
		ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<290		PCI/L
435649 3MILE	DATE- 79 07 16	DISTANCE	15.0		MILES
SIZE-		BETA	<2		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435336 3MILE	ON- 79 07 16	3H	<290		PCI/L
SIZE-	OFF- 79 07 17	DISTANCE	0.2		MILES
		BETA	4	2	PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435514 3MILE DATE- 79 07 17	AZIMUTH	250		DEG-T
SIZE-	BETA	6	3	PCI/L
	ALPHA	2	2	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435650 3MILE DATE- 79 07 17	AZIMUTH	126		DEG-T
SIZE-	BETA	3	2	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTPL,WASTE DISCHARGE	BETA	3	2	PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435337 3MILE ON- 79 07 17	ALPHA	<1		PCI/L
SIZE- OFF- 79 07 18	AZIMUTH	245		DEG-T
	3H	<290		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435515 3MILE DATE- 79 07 18	AZIMUTH	250		DEG-T
SIZE-	BETA	2	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	4	2	PCI/L
435651 3MILE DATE- 79 07 18	AZIMUTH	126		DEG-T
SIZE-	3H	<300		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435338 3MILE ON- 79 07 18	BETA	5	2	PCI/L
SIZE- OFF- 79 07 19	DISTANCE	0.2		MILES
	3H	489	293	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435516 3MILE DATE- 79 07 19	AZIMUTH	250		DEG-T
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435652 3MILE DATE- 79 07 19	DISTANCE	15.0		MILES
SIZE-	BETA	4	2	PCI/L
	AZIMUTH	126		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<290		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435339 3MILE ON- 79 07 19	BETA	5	2	PCI/L
SIZE- OFF- 79 07 20	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435517 3MILE DATE- 79 07 20	AZIMUTH	250		DEG-T
SIZE-	BETA	4	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	4	2	PCI/L
435653 3MILE DATE- 79 07 20	AZIMUTH	126		DEG-T
SIZE-	3H	<300		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435340 3MILE ON- 79 07 20	3H	<290		PCI/L
SIZE- OFF- 79 07 21	DISTANCE	0.2		MILES
	BETA	3	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435518 3MILE DATE- 79 07 21	AZIMUTH	250		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<300		PCI/L
435654 3MILE DATE- 79 07 21	DISTANCE	15.0		MILES
SIZE-	BETA	5	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	7	2	PCI/L
435655 3MILE DATE- 79 07 22	DISTANCE	15.0		MILES
SIZE-	3H	<300		PCI/L
	ALPHA	1	1	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	5	2	PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435341 3MILE ON- 79 07 21	ALPHA	<1		PCI/L
SIZE- OFF- 79 07 23	AZIMUTH	245		DEG-T
	3H	<300		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435519 3MILE DATE- 79 07 23	AZIMUTH	250		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<310		PCI/L
435656 3MILE DATE- 79 07 23	AZIMUTH	126		DEG-T
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	BETA	3	2	PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435342 3MILE ON- 79 07 23	3H	<300		PCI/L
SIZE- OFF- 79 07 24	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	5	2	PCI/L
435520 3MILE DATE- 79 07 24	AZIMUTH	250		DEG-T
SIZE-	ALPHA	<1		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<310		PCI/L
435657 3MILE DATE- 79 07 24	DISTANCE	15.0		MILES
SIZE-	BETA	5	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	3H	<300		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435343 3MILE ON- 79 07 24	ALPHA	<1		PCI/L
SIZE- OFF- 79 07 25	DISTANCE	0.2		MILES
	BETA	4	2	PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	<2		PCI/L
435352 3MILE DATE- 79 07 25	3H	<310		PCI/L
SIZE-	DISTANCE	0.2		MILES
	AZIMUTH	245		DEG-T
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<310		PCI/L
435658 3MILE DATE- 79 07 25	ALPHA	<1		PCI/L
SIZE-	BETA	4	2	PCI/L
	DISTANCE	15.0		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435344 3MILE ON- 79 07 25	3H	<310		PCI/L
SIZE- OFF- 79 07 26	DISTANCE	0.2		MILES
	BETA	7	2	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435345 3MILE DATE- 79 07 26	3H	<300		PCI/L
SIZE-	BETA	4	2	PCI/L
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	5	2	PCI/L
435659 3MILE DATE- 79 07 26	ALPHA	<1		PCI/L
SIZE-	3H	<310		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435346 3MILE ON- 79 07 26	3H	<310		PCI/L
SIZE- OFF- 79 07 27	BETA	6	2	PCI/L
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435521 3MILE DATE- 79 07 27	AZIMUTH	250		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<310		PCI/L
435660 3MILE DATE- 79 07 27	DISTANCE	15.0		MILES
SIZE-	BETA	4	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<300		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435347 3MILE ON- 79 07 27	ALPHA	<1		PCI/L
SIZE- OFF- 79 07 28	DISTANCE	0.2		MILES
	BETA	3	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<281		PCI/L
435522 3MILE DATE- 79 07 28	AZIMUTH	250		DEG-T
SIZE-	BETA	2	2	PCI/L
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435661 3MILE DATE- 79 07 28	AZIMUTH	126		DEG-T
SIZE-	3H	<300		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435662 3MILE DATE- 79 07 29	ALPHA	<1		PCI/L
SIZE-	BETA	4	2	PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<300		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435348 3MILE DN- 79 07 28	ALPHA	<1		PCI/L
SIZE- OFF- 79 07 30	AZIMUTH	245		DEG-T
	BETA	2	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<281		PCI/L
435523 3MILE DATE- 79 07 30	AZIMUTH	250		DEG-T
SIZE-	BETA	2	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	5	2	PCI/L
435663 3MILE DATE- 79 07 30	DISTANCE	15.0		MILES
SIZE-	3H	<300		PCI/L
	ALPHA	1	1	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435349 3MILE DN- 79 07 30	3H	<300		PCI/L
SIZE- OFF- 79 07 31	BETA	3	2	PCI/L
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<281		PCI/L
435524 3MILE DATE- 79 07 31	AZIMUTH	250		DEG-T
SIZE-	BETA	2	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<281		PCI/L
435664 3MILE DATE- 79 07 31	DISTANCE	15.0		MILES
SIZE-	BETA	4	2	PCI/L
	AZIMUTH	126		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435378 3MILE DATE- 79 08				
SIZE-				
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435350 3MILE ON- 79 07 31	3H	<281		PCI/L
SIZE- OFF- 79 08 01	BETA	4	2	PCI/L
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<281		PCI/L
435525 3MILE DATE- 79 08 01	AZIMUTH	250		DEG-T
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<281		PCI/L
435590 3MILE ON- 79 07 31	AZIMUTH	120		DEG-T
SIZE- OFF- 79 08 01	BETA	6	2	PCI/L
	DISTANCE	0.1		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<281		PCI/L
435665 3MILE DATE- 79 08 01	DISTANCE	15.0		MILES
SIZE-	BETA	<2		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435526 3MILE ON- 79 08 01	AZIMUTH	250		DEG-T
SIZE- OFF- 79 08 02	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<287		PCI/L
435527 3MILE DATE- 79 08 02	AZIMUTH	250		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	1	1	PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	4	2	PCI/L
80 1590 043 42 03 20	BETA	12	2	PCI/L
435591 3MILE ON- 79 08 01	DISTANCE	0.1		MILES
SIZE- OFF- 79 08 02	3H	<287		PCI/L
	AZIMUTH	120		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435666 3MILE DATE- 79 08 02	ALPHA	<1		PCI/L
SIZE-	3H	<287		PCI/L
	AZIMUTH	126		DEG-T

TABLE 13-C COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	3H	<287		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435351 3MILE DN- 79 08 02	ALPHA	<1		PCI/L
SIZE- OFF- 79 08 03	BETA	4	2	PCI/L
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLDWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<287		PCI/L
435528 3MILE DATE- 79 08 03	AZIMUTH	250		DEG-T
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	1	1	PCI/L
80 1590 043 42 03 20	3H	<287		PCI/L
435592 3MILE DN- 79 08 02	AZIMUTH	120		DEG-T
SIZE- OFF- 79 08 03	BETA	3	2	PCI/L
	DISTANCE	0.1		MILES
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<287		PCI/L
435667 3MILE DATE- 79 08 03	ALPHA	<1		PCI/L
SIZE-	BETA	<2		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	3H	<287		PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435353 3MILE DN- 79 08 03	ALPHA	<1		PCI/L
SIZE- OFF- 79 08 04	AZIMUTH	245		DEG-T
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLDWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<287		PCI/L
435529 3MILE DATE- 79 08 04	AZIMUTH	250		DEG-T
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<285		PCI/L
435593 3MILE DN- 79 08 03	AZIMUTH	120		DEG-T
SIZE- OFF- 79 08 04	BETA	8	2	PCI/L
	DISTANCE	0.1		MILES
COLUMBIA PA.LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	4	2	PCI/L
435668 3MILE DATE- 79 08 04	DISTANCE	15.0		MILES
SIZE-	3H	<285		PCI/L
	AZIMUTH	126		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA	REPORTED 80/11/13				
		ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE		AZIMUTH	126		DEG-T
80 1590 043 42 03 20		3H	<285		PCI/L
435669 3MILE	DATE- 79 08 05	DISTANCE	15.0		MILES
SIZE-		BETA	5	2	PCI/L
		ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		3H	<285		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435354 3MILE	DATE- 79 08 06	DISTANCE	0.2		MILES
SIZE-		BETA	2	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		3H	<285		PCI/L
435530 3MILE	DATE- 79 08 06	AZIMUTH	250		DEG-T
SIZE-		BETA	<2		PCI/L
		ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN		ALPHA	<1		PCI/L
80 1590 043 42 03 20		BETA	8	2	PCI/L
435594 3MILE	ON- 79 08 04	DISTANCE	0.1		MILES
SIZE-	OFF- 79 08 06	3H	<285		PCI/L
		AZIMUTH	120		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE		AZIMUTH	126		DEG-T
80 1590 043 42 03 20		3H	<285		PCI/L
435670 3MILE	DATE- 79 08 06	DISTANCE	15.0		MILES
SIZE-		BETA	4	2	PCI/L
		ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435355 3MILE	ON- 79 08 06	3H	<285		PCI/L
SIZE-	OFF- 79 08 07	DISTANCE	0.2		MILES
		BETA	3	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		3H	<285		PCI/L
435531 3MILE	DATE- 79 08 07	AZIMUTH	250		DEG-T
SIZE-		BETA	3	2	PCI/L
		ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<290		PCI/L
435595 3MILE	ON- 79 08 06	AZIMUTH	120		DEG-T
SIZE-	OFF- 79 08 07	BETA	7	2	PCI/L
		DISTANCE	0.1		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435671 3MILE DATE- 79 08 07	ALPHA	<1		PCI/L
SIZE-	3H	<290		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<280		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435356 3MILE DN- 79 08 07	ALPHA	<1		PCI/L
SIZE- OFF- 79 08 08	DISTANCE	0.2		MILES
	BETA	3	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435532 3MILE DATE- 79 08 08	AZIMUTH	250		DEG-T
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435596 3MILE DN- 79 08 07	DISTANCE	0.1		MILES
SIZE- OFF- 79 08 08	BETA	6	2	PCI/L
	AZIMUTH	120		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435672 3MILE DATE- 79 08 08	AZIMUTH	126		DEG-T
SIZE-	BETA	<2		PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435357 3MILE DN- 79 08 08	3H	<280		PCI/L
SIZE- OFF- 79 08 09	BETA	3	2	PCI/L
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435533 3MILE DATE- 79 08 09	AZIMUTH	250		DEG-T
SIZE-	BETA	2	2	PCI/L
	ALPHA	1	1	PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	5	2	PCI/L
435597 3MILE DN- 79 08 08	AZIMUTH	120		DEG-T
SIZE- OFF- 79 08 09	3H	<280		PCI/L
	DISTANCE	0.1		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435673 3MILE DATE- 79 08 09	ALPHA	<1		PCI/L
SIZE-	3H	<280		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	3H	<280		PCI/L
80 1590 043 42 03 20	BETA	4	2	PCI/L
435358 3MILE DN- 79 08 09	ALPHA	<1		PCI/L
SIZE- DFF- 79 08 10	DISTANCE	0.2		MILES
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<280		PCI/L
435534 3MILE DATE- 79 08 10	AZIMUTH	250		DEG-T
SIZE-	BETA	2	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	1	1	PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435598 3MILE DN- 79 08 09	DISTANCE	0.1		MILES
SIZE- DFF- 79 08 10	BETA	6	2	PCI/L
	AZIMUTH	120		DEG-T
COLUMBIA PA.LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<280		PCI/L
435674 3MILE DATE- 79 08 10	AZIMUTH	126		DEG-T
SIZE-	BETA	3	2	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435359 3MILE DN- 79 08 10	3H	<280		PCI/L
SIZE- DFF- 79 08 11	DISTANCE	0.2		MILES
	BETA	4	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<280		PCI/L
435535 3MILE DATE- 79 08 11	AZIMUTH	250		DEG-T
SIZE-	BETA	2	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435599 3MILE DN- 79 08 10	AZIMUTH	120		DEG-T
SIZE- DFF- 79 08 11	BETA	6	2	PCI/L
	DISTANCE	0.1		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA.LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435675 3MILE DATE- 79 08 11	AZIMUTH	126		DEG-T
SIZE-	3H	<280		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	ALPHA	2	1	PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435676 3MILE DATE- 79 08 12	AZIMUTH	126		DEG-T
SIZE-	BETA	3	2	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<280		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435360 3MILE ON- 79 08 11	ALPHA	<1		PCI/L
SIZE- OFF- 79 08 13	DISTANCE	0.2		MILES
	BETA	<2		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<280		PCI/L
435536 3MILE DATE- 79 08 13	AZIMUTH	250		DEG-T
SIZE-	BETA	4	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	6	2	PCI/L
435600 3MILE ON- 79 08 11	DISTANCE	0.1		MILES
SIZE- OFF- 79 08 13	3H	<300		PCI/L
	AZIMUTH	120		DEG-T
COLUMBIA PA.LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435677 3MILE DATE- 79 08 13	AZIMUTH	126		DEG-T
SIZE-	3H	<300		PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435361 3MILE ON- 79 08 13	3H	<290		PCI/L
SIZE- OFF- 79 08 14	BETA	3	2	PCI/L
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435537 3MILE DATE- 79 08 14	AZIMUTH	250		DEG-T
SIZE-	BETA	4	2	PCI/L
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	4	2	PCI/L
80 1590 043 42 03 20	3H	<280		PCI/L
435601 3MILE ON- 79 08 13	DISTANCE	0.1		MILES
SIZE- OFF- 79 08 14	BETA	17	3	PCI/L
	AZIMUTH	120		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435678 3MILE DATE- 79 08 14	AZIMUTH	126		DEG-T
SIZE-	BETA	3	2	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<290		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435362 3MILE ON- 79 08 14	ALPHA	<1		PCI/L
SIZE- OFF- 79 08 15	BETA	3	2	PCI/L
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435536 3MILE DATE- 79 08 15	AZIMUTH	250		DEG-T
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	5	2	PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435602 3MILE ON- 79 08 14	AZIMUTH	120		DEG-T
SIZE- OFF- 79 08 15	BETA	26	3	PCI/L
	DISTANCE	0.1		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<290		PCI/L
435679 3MILE DATE- 79 08 15	ALPHA	<1		PCI/L
SIZE-	BETA	4	2	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435363 3MILE ON- 79 08 15	3H	<290		PCI/L
SIZE- OFF- 79 08 16	DISTANCE	0.2		MILES
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435539 3MILE DATE- 79 08 16	AZIMUTH	250		DEG-T
SIZE-	BETA	2	2	PCI/L
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA	REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-005-EASTDIKE STORM BASIN		ALPHA	4	2	PCI/L
80 1590 043 42 03 20		BETA	11	2	PCI/L
435603 3MILE	ON- 79 08 15	DISTANCE	0.1		MILES
SIZE-	OFF- 79 08 16	3H	<290		PCI/L
		AZIMUTH	120		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE		AZIMUTH	126		DEG-T
80 1590 043 42 03 20		BETA	<2		PCI/L
435680 3MILE	DATE- 79 08 16	ALPHA	<1		PCI/L
SIZE-		3H	<290		PCI/L
		DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435364 3MILE	ON- 79 08 16	3H	<290		PCI/L
SIZE-	OFF- 79 08 17	DISTANCE	0.2		MILES
		BETA	<2		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		3H	<290		PCI/L
435540 3MILE	DATE- 79 08 17	AZIMUTH	250		DEG-T
SIZE-		BETA	<2		PCI/L
		ALPHA	<1		PCI/L
OUTFALL-005-EASTDIKE STORM BASIN		ALPHA	2	2	PCI/L
80 1590 043 42 03 20		3H	<290		PCI/L
435604 3MILE	DATE- 79 08 17	DISTANCE	0.1		MILES
SIZE-		BETA	9	2	PCI/L
		AZIMUTH	120		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE		ALPHA	1	1	PCI/L
80 1590 043 42 03 20		3H	<290		PCI/L
435681 3MILE	DATE- 79 08 17	DISTANCE	15.0		MILES
SIZE-		BETA	<2		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		3H	<290		PCI/L
80 1590 043 42 03 20		DISTANCE	0.2		MILES
435365 3MILE	ON- 79 08 17	ALPHA	<1		PCI/L
SIZE-	OFF- 79 08 18	BETA	<2		PCI/L
		AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		3H	<290		PCI/L
435541 3MILE	DATE- 79 08 18	AZIMUTH	250		DEG-T
SIZE-		BETA	<2		PCI/L
		ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA	REPORTED 80/11/13				
		ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA.LANCASTER CITY WATER INTAKE		AZIMUTH	126		DEG-T
80 1590 043 42 03 20		BETA	<2		PCI/L
435682 3MILE	DATE- 79 08 18	DISTANCE	15.0		MILES
SIZE-		3H	<290		PCI/L
		ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE		3H	<290		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435366 3MILE	ON- 79 08 18	ALPHA	<1		PCI/L
SIZE-	OFF- 79 08 19	BETA	<2		PCI/L
		DISTANCE	0.2		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE		3H	<290		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435367 3MILE	DATE- 79 08 19	ALPHA	<1		PCI/L
SIZE-		DISTANCE	0.2		MILES
		BETA	<2		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		DISTANCE	0.2		MILES
80 1590 043 42 03 20		3H	<290		PCI/L
435542 3MILE	DATE- 79 08 19	AZIMUTH	250		DEG-T
SIZE-		BETA	3	2	PCI/L
		ALPHA	<1		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE		DISTANCE	15.0		MILES
80 1590 043 42 03 20		3H	<290		PCI/L
435683 3MILE	DATE- 79 08 19	ALPHA	<1		PCI/L
SIZE-		BETA	<2		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		BETA	3	2	PCI/L
435368 3MILE	DATE- 79 08 20	DISTANCE	0.2		MILES
SIZE-		AZIMUTH	245		DEG-T
		3H	<280		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<280		PCI/L
435369 3MILE	DATE- 79 08 20	DISTANCE	0.2		MILES
SIZE-		AZIMUTH	245		DEG-T
		BETA	<2		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435370 3MILE	DATE- 79 08 20	DISTANCE	0.2		MILES
SIZE-		BETA	3	2	PCI/L
		3H	<290		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435371 3MILE DATE- 79 08 20	3H	<280		PCI/L
SIZE-	DISTANCE	0.2		MILES
	BETA	<2		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	<2		PCI/L
435684 3MILE DATE- 79 08 20	AZIMUTH	126		DEG-T
SIZE-	3H	<280		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	3	2	PCI/L
435372 3MILE DATE- 79 08 21	DISTANCE	0.2		MILES
SIZE-	AZIMUTH	245		DEG-T
	3H	<290		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435543 3MILE DATE- 79 08 21	AZIMUTH	250		DEG-T
SIZE-	BETA	<2		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<280		PCI/L
435685 3MILE DATE- 79 08 21	ALPHA	<1		PCI/L
SIZE-	BETA	<2		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	<2		PCI/L
435373 3MILE ON- 79 08 21	3H	<280		PCI/L
SIZE- OFF- 79 08 22	AZIMUTH	245		DEG-T
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<280		PCI/L
435544 3MILE DATE- 79 08 22	AZIMUTH	250		DEG-T
SIZE-	BETA	<2		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435686 3MILE DATE- 79 08 22	AZIMUTH	126		DEG-T
SIZE-	3H	<280		PCI/L
	DISTANCE	15.0		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435374 3MILE ON- 79 08 22	BETA	<2		PCI/L
SIZE- OFF- 79 08 23	DISTANCE	0.2		MILES
	3H	<280		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<280		PCI/L
435545 3MILE DATE- 79 08 23	AZIMUTH	250		DEG-T
SIZE-	BETA	<2		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<280		PCI/L
435687 3MILE DATE- 79 08 23	DISTANCE	15.0		MILES
SIZE-	BETA	4	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<310		PCI/L
435375 3MILE ON- 79 08 23	BETA	2	2	PCI/L
SIZE- OFF- 79 08 24	AZIMUTH	245		DEG-T
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<280		PCI/L
435546 3MILE DATE- 79 08 24	AZIMUTH	250		DEG-T
SIZE-	BETA	<2		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<280		PCI/L
435688 3MILE DATE- 79 08 24	DISTANCE	15.0		MILES
SIZE-	BETA	4	2	PCI/L
	ALPHA	1	1	PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435376 3MILE ON- 79 08 24	3H	<290		PCI/L
SIZE- OFF- 79 08 25	DISTANCE	0.2		MILES
	BETA	4	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<280		PCI/L
435547 3MILE DATE- 79 08 25	AZIMUTH	250		DEG-T
SIZE-	BETA	<2		PCI/L
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	2	2	PCI/L
435669 3MILE DATE- 79 08 25	ALPHA	<1		PCI/L
SIZE-	3H	<290		PCI/L
	AZIMUTH	126		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	1	1	PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435690 3MILE DATE- 79 08 26	DISTANCE	15.0		MILES
SIZE-	BETA	3	2	PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435377 3MILE ON- 79 08 25	3H	<290		PCI/L
SIZE- OFF- 79 08 27	DISTANCE	0.2		MILES
	BETA	3	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435548 3MILE DATE- 79 08 27	AZIMUTH	250		DEG-T
SIZE-	BETA	<2		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	6	2	PCI/L
435691 3MILE DATE- 79 08 27	DISTANCE	15.0		MILES
SIZE-	3H	<290		PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435379 3MILE DATE- 79 08 28	DISTANCE	0.2		MILES
SIZE-	AZIMUTH	245		DEG-T
	3H	<290		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435549 3MILE DATE- 79 08 28	AZIMUTH	250		DEG-T
SIZE-	BETA	2	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435692 3MILE DATE- 79 08 28	AZIMUTH	126		DEG-T
SIZE-	BETA	<2		PCI/L
	DISTANCE	15.0		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435380 3MILE DN- 79 08 28	3H	<290		PCI/L
SIZE- OFF- 79 08 29	DISTANCE	0.2		MILES
	BETA	4	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435550 3MILE DATE- 79 08 29	AZIMUTH	250		DEG-T
SIZE-	BETA	<2		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	1	1	PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435693 3MILE DATE- 79 08 29	AZIMUTH	126		DEG-T
SIZE-	3H	<290		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435381 3MILE DN- 79 08 29	BETA	<2		PCI/L
SIZE- OFF- 79 08 30	DISTANCE	0.2		MILES
	3H	<290		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435551 3MILE DATE- 79 08 30	AZIMUTH	250		DEG-T
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435694 3MILE DATE- 79 08 30	AZIMUTH	126		DEG-T
SIZE-	BETA	4	2	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435382 3MILE DN- 79 08 30	DISTANCE	0.2		MILES
SIZE- OFF- 79 08 31	AZIMUTH	245		DEG-T
	BETA	<2		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435383 3MILE DATE- 79 08 31	3H	<290		PCI/L
SIZE-	DISTANCE	0.2		MILES
	BETA	2	2	PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435695 3MILE DATE- 79 08 31	ALPHA	<1		PCI/L
SIZE-	3H	<290		PCI/L
	DISTANCE	15.0		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435710 3MILE DATE- 79 09	AZIMUTH	126		DEG-T
SIZE-	BETA	4	2	PCI/L
	ALPHA	2	1	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	3H	<290		PCI/L
435392 3MILE ON- 79 08 31	BETA	3	2	PCI/L
SIZE- OFF- 79 09 01	ALPHA	<1		PCI/L
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	3H	<290		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435552 3MILE DATE- 79 09 01	BETA	<2		PCI/L
SIZE-	AZIMUTH	250		DEG-T
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435696 3MILE DATE- 79 09 01	AZIMUTH	126		DEG-T
SIZE-	BETA	4	2	PCI/L
	ALPHA	1	1	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435697 3MILE DATE- 79 09 02	DISTANCE	15.0		MILES
SIZE-	BETA	3	2	PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	4	2	PCI/L
435364 3MILE DATE- 79 09 03	3H	<290		PCI/L
SIZE-	AZIMUTH	245		DEG-T
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	3H	<290		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435553 3MILE DATE- 79 09 03	BETA	2	2	PCI/L
SIZE-	AZIMUTH	250		DEG-T
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435698 3MILE DATE= 79 09 03	DISTANCE	15.0		MILES
SIZE=	3H	<290		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435385 3MILE ON= 79 09 03	BETA	4	2	PCI/L
SIZE= OFF= 79 09 04	3H	<290		PCI/L
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	3H	<290		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435554 3MILE DATE= 79 09 04	BETA	2	2	PCI/L
SIZE=	AZIMUTH	250		DEG-T
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<290		PCI/L
435699 3MILE DATE= 79 09 04	ALPHA	<1		PCI/L
SIZE=	BETA	<2		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435386 3MILE ON= 79 09 04	BETA	3	2	PCI/L
SIZE= OFF= 79 09 05	AZIMUTH	245		DEG-T
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	3H	<290		PCI/L
80 1590 043 42 03 20	AZIMUTH	250		DEG-T
435555 3MILE DATE= 79 09 05	BETA	<2		PCI/L
SIZE=	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	3	2	PCI/L
435700 3MILE DATE= 79 09 05	DISTANCE	15.0		MILES
SIZE=	3H	<290		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	2	1	PCI/L
80 1590 043 42 03 20	AZIMUTH	245		DEG-T
435387 3MILE DATE= 79 09 06	3H	<310		PCI/L
SIZE=	BETA	7	2	PCI/L
	DISTANCE	0.2		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13				
	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN	3H	<290		PCI/L
80 1590 043 42 03 20	AZIMUTH	250		DEG-T
435556 3MILE DATE- 79 09 06	BETA	7	2	PCI/L
SIZE-	DISTANCE	0.2		MILES
	ALPHA	1	1	PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	3	2	PCI/L
80 1590 043 42 03 20	3H	<280		PCI/L
435605 3MILE DATE- 79 09 06	AZIMUTH	120		DEG-T
SIZE-	BETA	11	2	PCI/L
	DISTANCE	0.1		MILES
COLUMBIA PA.LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<310		PCI/L
435701 3MILE DATE- 79 09 06	DISTANCE	15.0		MILES
SIZE-	BETA	4	2	PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<310		PCI/L
435388 3MILE ON- 79 09 06	BETA	5	2	PCI/L
SIZE- OFF- 79 09 07	AZIMUTH	245		DEG-T
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	3H	<290		PCI/L
80 1590 043 42 03 20	AZIMUTH	250		DEG-T
435557 3MILE DATE- 79 09 07	BETA	6	2	PCI/L
SIZE-	DISTANCE	0.2		MILES
	ALPHA	1	1	PCI/L
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	2	2	PCI/L
80 1590 043 42 03 20	BETA	8	2	PCI/L
435606 3MILE ON- 79 09 06	DISTANCE	0.1		MILES
SIZE- OFF- 79 09 07	3H	<280		PCI/L
	AZIMUTH	120		DEG-T
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	8	2	PCI/L
435702 3MILE DATE- 79 09 07	DISTANCE	15.0		MILES
SIZE-	3H	<310		PCI/L
	ALPHA	2	1	PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435389 3MILE ON- 79 09 07	3H	<310		PCI/L
SIZE- OFF- 79 09 08	AZIMUTH	245		DEG-T
	BETA	4	2	PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA	REPORTED 80/11/13				
		ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN		3H	<290		PCI/L
80 1590 043 42 03 20		DISTANCE	0.2		MILES
435558 3MILE	DATE- 79 09 08	BETA	6	2	PCI/L
SIZE-		AZIMUTH	250		DEG-T
		ALPHA	2	1	PCI/L
OUTFALL-005-EASTDIKE STORM BASIN		ALPHA	3	2	PCI/L
80 1590 043 42 03 20		3H	<290		PCI/L
435607 3MILE	DN- 79 09 07	DISTANCE	0.1		MILES
SIZE-	OFF- 79 09 08	BETA	11	2	PCI/L
		AZIMUTH	120		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE		AZIMUTH	126		DEG-T
80 1590 043 42 03 20		3H	<300		PCI/L
435703 3MILE	DATE- 79 09 08	ALPHA	<1		PCI/L
SIZE-		BETA	<2		PCI/L
		DISTANCE	15.0		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE		ALPHA	2	1	PCI/L
80 1590 043 42 03 20		BETA	2	2	PCI/L
435704 3MILE	DATE- 79 09 09	DISTANCE	15.0		MILES
SIZE-		3H	<300		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		AZIMUTH	245		DEG-T
435390 3MILE	DN- 79 09 08	BETA	<2		PCI/L
SIZE-	OFF- 79 09 10	DISTANCE	0.2		MILES
		3H	<300		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		3H	<310		PCI/L
80 1590 043 42 03 20		AZIMUTH	250		DEG-T
435559 3MILE	DATE- 79 09 10	BETA	3	2	PCI/L
SIZE-		DISTANCE	0.2		MILES
		ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<300		PCI/L
435705 3MILE	DATE- 79 09 10	DISTANCE	15.0		MILES
SIZE-		BETA	<4		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		DISTANCE	0.2		MILES
80 1590 043 42 03 20		BETA	<2		PCI/L
435391 3MILE	DN- 79 09 10	AZIMUTH	245		DEG-T
SIZE-	OFF- 79 09 11	3H	336	284	PCI/L
		ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN	3H	<310		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435560 3MILE DATE- 79 09 11	BETA	<2		PCI/L
SIZE-	AZIMUTH	250		DEG-T
	ALPHA	<1		PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435706 3MILE DATE- 79 09 11	AZIMUTH	126		DEG-T
SIZE-	BETA	<2		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	BETA	<2		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435393 3MILE ON- 79 09 11	AZIMUTH	245		DEG-T
SIZE- OFF- 79 09 12	3H	345	384	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	3	2	PCI/L
435561 3MILE DATE- 79 09 12	DISTANCE	0.2		MILES
SIZE-	3H	<300		PCI/L
	AZIMUTH	250		DEG-T
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435707 3MILE DATE- 79 09 12	ALPHA	2	1	PCI/L
SIZE-	3H	<290		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435394 3MILE ON- 79 09 12	3H	290		PCI/L
SIZE- OFF- 79 09 13	ALPHA	<1		PCI/L
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435562 3MILE DATE- 79 09 13	DISTANCE	0.2		MILES
SIZE-	BETA	<2		PCI/L
	AZIMUTH	250		DEG-T
COLUMBIA PA.LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435708 3MILE DATE- 79 09 13	DISTANCE	15.0		MILES
SIZE-	BETA	<2		PCI/L
	AZIMUTH	126		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA	REPORTED 80/11/13				
		ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		DISTANCE	0.2		MILES
80 1590 043 42 03 20		3H	<290		PCI/L
435395 3MILE	DATE- 79 09 14	ALPHA	<1		PCI/L
SIZE-		BETA	<2		PCI/L
		AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<290		PCI/L
435563 3MILE	DATE- 79 09 14	DISTANCE	0.2		MILES
SIZE-		BETA	<2		PCI/L
		AZIMUTH	250		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE		ALPHA	2	1	PCI/L
80 1590 043 42 03 20		BETA	5	2	PCI/L
435709 3MILE	DATE- 79 09 14	AZIMUTH	126		DEG-T
SIZE-		3H	<300		PCI/L
		DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		DISTANCE	0.2		MILES
80 1590 043 42 03 20		3H	<290		PCI/L
435396 3MILE	DATE- 79 09 15	AZIMUTH	245		DEG-T
SIZE-		BETA	3	2	PCI/L
		ALPHA	<1		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		ALPHA	<1		PCI/L
80 1590 043 42 03 20		BETA	<2		PCI/L
435564 3MILE	DATE- 79 09 15	DISTANCE	0.2		MILES
SIZE-		3H	<290		PCI/L
		AZIMUTH	250		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE		DISTANCE	15.0		MILES
80 1590 043 42 03 20		BETA	3	2	PCI/L
435711 3MILE	DATE- 79 09 16	AZIMUTH	126		DEG-T
SIZE-		3H	<300		PCI/L
		ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		DISTANCE	0.2		MILES
80 1590 043 42 03 20		ALPHA	<1		PCI/L
435397 3MILE	DATE- 79 09 17	AZIMUTH	245		DEG-T
SIZE-		3H	<300		PCI/L
		BETA	2	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<290		PCI/L
435565 3MILE	DATE- 79 09 17	AZIMUTH	250		DEG-T
SIZE-		BETA	<2		PCI/L
		DISTANCE	0.2		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435712 3MILE DATE- 79 09 17	DISTANCE	15.0		MILES
SIZE-	BETA	2	2	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	3	2	PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435398 3MILE DATE- 79 09 18	3H	<300		PCI/L
SIZE-	DISTANCE	0.2		MILES
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435566 3MILE DATE- 79 09 18	AZIMUTH	250		DEG-T
SIZE-	BETA	<2		PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	3	2	PCI/L
435713 3MILE DATE- 79 09 18	ALPHA	<1		PCI/L
SIZE-	3H	<300		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	5	2	PCI/L
435399 3MILE DATE- 79 09 19	AZIMUTH	245		DEG-T
SIZE-	3H	<300		PCI/L
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435567 3MILE DATE- 79 09 19	DISTANCE	0.2		MILES
SIZE-	3H	<300		PCI/L
	AZIMUTH	250		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435714 3MILE DATE- 79 09 19	AZIMUTH	126		DEG-T
SIZE-	BETA	3	2	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	3	2	PCI/L
435400 3MILE DATE- 79 09 20	3H	<300		PCI/L
SIZE-	AZIMUTH	245		DEG-T
	DISTANCE	0.2		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

		ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<300		PCI/L
435568 3MILE	DATE- 79 09 20	DISTANCE	0.2		MILES
SIZE-		BETA	4	2	PCI/L
		AZIMUTH	250		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE		DISTANCE	15.0		MILES
80 1590 043 42 03 20		3H	<290		PCI/L
435715 3MILE	DATE- 79 09 20	ALPHA	<1		PCI/L
SIZE-		BETA	<2		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		AZIMUTH	245		DEG-T
80 1590 043 42 03 20		ALPHA	<1		PCI/L
435401 3MILE	DATE- 79 09 21	DISTANCE	0.2		MILES
SIZE-		BETA	4	2	PCI/L
		3H	<300		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		ALPHA	2	1	PCI/L
80 1590 043 42 03 20		3H	<300		PCI/L
435569 3MILE	DATE- 79 09 21	DISTANCE	0.2		MILES
SIZE-		BETA	6	2	PCI/L
		AZIMUTH	250		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE		AZIMUTH	126		DEG-T
80 1590 043 42 03 20		BETA	3	2	PCI/L
435716 3MILE	DATE- 79 09 21	DISTANCE	15.0		MILES
SIZE-		3H	<290		PCI/L
		ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		AZIMUTH	245		DEG-T
80 1590 043 42 03 20		BETA	4	2	PCI/L
435402 3MILE	DATE- 79 09 22	ALPHA	<1		PCI/L
SIZE-		3H	<300		PCI/L
		DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN		ALPHA	<1		PCI/L
80 1590 043 42 03 20		BETA	5	2	PCI/L
435570 3MILE	DATE- 79 09 22	DISTANCE	0.2		MILES
SIZE-		3H	<300		PCI/L
		AZIMUTH	250		DEG-T
OUTFALL-005-EASTDIKE STORM BASIN		ALPHA	1	1	PCI/L
80 1590 043 42 03 20		3H	<290		PCI/L
435608 3MILE	DATE- 79 09 22	AZIMUTH	120		DEG-T
SIZE-		BETA	4	2	PCI/L
		DISTANCE	0.1		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

		ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE		DISTANCE	15.0		MILES
80 1590 043 42 03 20		3H	<200		PCI/L
435717 3MILE	DATE- 79 09 22	ALPHA	<1		PCI/L
SIZE-		BETA	5	2	PCI/L
		AZIMUTH	126		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE		DISTANCE	15.0		MILES
80 1590 043 42 03 20		BETA	6	2	PCI/L
435718 3MILE	DATE- 79 09 23	ALPHA	<1		PCI/L
SIZE-		3H	<300		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		AZIMUTH	245		DEG-T
80 1590 043 42 03 20		3H	<290		PCI/L
435403 3MILE	DATE- 79 09 24	BETA	3	2	PCI/L
SIZE-		ALPHA	<1		PCI/L
		DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<300		PCI/L
435571 3MILE	DATE- 79 09 24	AZIMUTH	250		DEG-T
SIZE-		BETA	3	2	PCI/L
		DISTANCE	0.2		MILES
OUTFALL-005-EASTDIKE STORM BASIN		ALPHA	2	1	PCI/L
80 1590 043 42 03 20		BETA	5	2	PCI/L
435609 3MILE	DATE- 79 09 24	AZIMUTH	120		DEG-T
SIZE-		3H	<300		PCI/L
		DISTANCE	0.1		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE		DISTANCE	15.0		MILES
80 1590 043 42 03 20		3H	<300		PCI/L
435719 3MILE	DATE- 79 09 24	AZIMUTH	126		DEG-T
SIZE-		BETA	<2		PCI/L
		ALPHA	1	1	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		AZIMUTH	245		DEG-T
80 1590 043 42 03 20		3H	<300		PCI/L
435404 3MILE	DATE- 79 09 25	DISTANCE	0.2		MILES
SIZE-		ALPHA	<1		PCI/L
		BETA	5	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<300		PCI/L
435572 3MILE	DATE- 79 09 25	AZIMUTH	250		DEG-T
SIZE-		BETA	3	2	PCI/L
		DISTANCE	0.2		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	4	2	PCI/L
435720 3MILE DATE- 79 09 25	AZIMUTH	126		DEG-T
SIZE-	3H	<300		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435405 3MILE DATE- 79 09 26	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	3H	<300		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	<2		PCI/L
435573 3MILE DATE- 79 09 26	AZIMUTH	250		DEG-T
SIZE-	3H	<300		PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435721 3MILE DATE- 79 09 26	DISTANCE	15.0		MILES
SIZE-	BETA	6	2	PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<290		PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435406 3MILE DATE- 79 09 27	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435574 3MILE DATE- 79 09 27	AZIMUTH	250		DEG-T
SIZE-	BETA	4	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435722 3MILE DATE- 79 09 27	ALPHA	<1		PCI/L
SIZE-	3H	<290		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435407 3MILE DATE- 79 09 28	ALPHA	<1		PCI/L
SIZE-	BETA	3	2	PCI/L
	AZIMUTH	245		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435575 3MILE DATE- 79 09 28	AZIMUTH	250		DEG-T
SIZE-	BETA	3	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<290		PCI/L
435723 3MILE DATE- 79 09 28	DISTANCE	15.0		MILES
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	BETA	3	2	PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435408 3MILE DATE- 79 09 29	AZIMUTH	245		DEG-T
SIZE-	3H	<300		PCI/L
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	3	2	PCI/L
435576 3MILE DATE- 79 09 29	DISTANCE	0.2		MILES
SIZE-	3H	<290		PCI/L
	AZIMUTH	250		DEG-T
COLUMBIA PA.LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435724 3MILE DATE- 79 09 29	ALPHA	<1		PCI/L
SIZE-	BETA	<2		PCI/L
	AZIMUTH	126		DEG-T
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435725 3MILE DATE- 79 09 30	ALPHA	<1		PCI/L
SIZE-	3H	<310		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	BETA	4	2	PCI/L
435409 3MILE DATE- 79 10 01	ALPHA	<1		PCI/L
SIZE-	3H	<300		PCI/L
	DISTANCE	0.2		MILES
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435577 3MILE DATE- 79 10 01	AZIMUTH	250		DEG-T
SIZE-	BETA	3	2	PCI/L
	DISTANCE	0.2		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-005-EASTDIKE STORM BASIN	ALPHA	4	2	PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435610 3MILE DATE- 79 10 01	DISTANCE	0.1		MILES
SIZE-	BETA	10	2	PCI/L
	AZIMUTH	120		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	1	1	PCI/L
80 1590 043 42 03 20	BETA	6	2	PCI/L
435726 3MILE DATE- 79 10 01	AZIMUTH	126		DEG-T
SIZE-	3H	<310		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	<300		PCI/L
80 1590 043 42 03 20	BETA	3	2	PCI/L
435410 3MILE DATE- 79 10 02	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	1	1	PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435578 3MILE DATE- 79 10 02	AZIMUTH	250		DEG-T
SIZE-	BETA	7	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<310		PCI/L
435727 3MILE DATE- 79 10 02	AZIMUTH	126		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	2	1	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435411 3MILE DATE- 79 10 03	AZIMUTH	245		DEG-T
SIZE-	3H	<290		PCI/L
	BETA	3	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	4	2	PCI/L
435579 3MILE DATE- 79 10 03	DISTANCE	0.2		MILES
SIZE-	3H	<300		PCI/L
	AZIMUTH	250		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	4	2	PCI/L
435728 3MILE DATE- 79 10 03	AZIMUTH	126		DEG-T
SIZE-	3H	<310		PCI/L
	DISTANCE	15.0		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	BETA	4	2	PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435412 3MILE ON- 79 10 03	AZIMUTH	245		DEG-T
SIZE- OFF- 79 10 04	DISTANCE	0.2		MILES
	3H	<290		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	2	1	PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435580 3MILE DATE- 79 10 04	DISTANCE	0.2		MILES
SIZE-	BETA	6	2	PCI/L
	AZIMUTH	250		DEG-T
COLUMBIA PA.LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435729 3MILE DATE- 79 10 04	AZIMUTH	126		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	2	1	PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	3H	<310		PCI/L
435413 3MILE DATE- 79 10 05	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	BETA	<2		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435581 3MILE DATE- 79 10 05	AZIMUTH	250		DEG-T
SIZE-	BETA	2	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA.LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435730 3MILE DATE- 79 10 05	AZIMUTH	126		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	BETA	2	2	PCI/L
435414 3MILE DATE- 79 10 06	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	3H	<290		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	1	1	PCI/L
80 1590 043 42 03 20	BETA	4	2	PCI/L
435582 3MILE DATE- 79 10 06	AZIMUTH	250		DEG-T
SIZE-	3H	<290		PCI/L
	DISTANCE	0.2		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	2	1	PCI/L
80 1590 043 42 03 20	BETA	8	2	PCI/L
435731 3MILE DATE- 79 10 06	AZIMUTH	126		DEG-T
SIZE-	3H	<290		PCI/L
	DISTANCE	15.0		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435732 3MILE DATE- 79 10 07	AZIMUTH	126		DEG-T
SIZE-	BETA	6	2	PCI/L
	ALPHA	3	1	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435415 3MILE ON- 79 10 06	DISTANCE	0.2		MILES
SIZE- OFF- 79 10 08	3H	<310		PCI/L
	BETA	<2		PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<310		PCI/L
435583 3MILE DATE- 79 10 08	AZIMUTH	250		DEG-T
SIZE-	BETA	<2		PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435733 3MILE DATE- 79 10 08	AZIMUTH	126		DEG-T
SIZE-	3H	<300		PCI/L
	ALPHA	2	1	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20 3	3H	<310		PCI/L
435416 3MILE ON- 79 10 08	DISTANCE	0.2		MILES
SIZE- OFF- 79 10 09	BETA	<2		PCI/L
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<310		PCI/L
435584 3MILE DATE- 79 10 09	DISTANCE	0.2		MILES
SIZE-	BETA	4	2	PCI/L
	AZIMUTH	250		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435734 3MILE DATE- 79 10 09	ALPHA	<1		PCI/L
SIZE-	BETA	4	2	PCI/L
	AZIMUTH	126		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435417 3MILE ON- 79 10 09	AZIMUTH	245		DEG-T
SIZE- OFF- 79 10 10	ALPHA	<1		PCI/L
	BETA	3	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	5	2	PCI/L
435585 3MILE DATE- 79 10 10	AZIMUTH	250		DEG-T
SIZE-	3H	<310		PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA.LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	5	2	PCI/L
435735 3MILE DATE- 79 10 10	DISTANCE	15.0		MILES
SIZE-	3H	<300		PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	BETA	3	2	PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435418 3MILE ON- 79 10 10	3H	<290		PCI/L
SIZE- OFF- 79 10 11	DISTANCE	0.2		MILES
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	1	1	PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435586 3MILE DATE- 79 10 11	AZIMUTH	250		DEG-T
SIZE-	BETA	6	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA.LANCASTER CITY WATER INTAKE	ALPHA	2	1	PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435736 3MILE DATE- 79 10 11	AZIMUTH	126		DEG-T
SIZE-	BETA	5	2	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	750	288	PCI/L
435419 3MILE ON- 79 10 11	AZIMUTH	245		DEG-T
SIZE- OFF- 79 10 12	ALPHA	<1		PCI/L
	BETA	3	2	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	2	1	PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435587 3MILE DATE- 79 10 12	DISTANCE	0.2		MILES
SIZE-	BETA	5	2	PCI/L
	AZIMUTH	250		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	5	2	PCI/L
435737 3MILE DATE- 79 10 12	ALPHA	1	1	PCI/L
SIZE-	3H	<300		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435420 3MILE DN- 79 10 12	AZIMUTH	245		DEG-T
SIZE- OFF- 79 10 13	ALPHA	<1		PCI/L
	3H	664	28b	PCI/L
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	3	2	PCI/L
435588 3MILE DATE- 79 10 13	AZIMUTH	250		DEG-T
SIZE-	3H	<290		PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435738 3MILE DATE- 79 10 13	ALPHA	<1		PCI/L
SIZE-	BETA	3	2	PCI/L
	AZIMUTH	126		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435739 3MILE DATE- 79 10 14	AZIMUTH	126		DEG-T
SIZE-	BETA	5	2	PCI/L
	ALPHA	2	1	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435421 3MILE DN- 79 10 13	ALPHA	<1		PCI/L
SIZE- OFF- 79 10 15	BETA	<2		PCI/L
	AZIMUTH	245		DEG-T
OUTFALL-003-COOLING TOWER BLOWDOWN	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435589 3MILE DATE- 79 10 15	DISTANCE	0.2		MILES
SIZE-	BETA	4	2	PCI/L
	AZIMUTH	250		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	3	2	PCI/L
435740 3MILE DATE- 79 10 15	AZIMUTH	126		DEG-T
SIZE-	3H	<300		PCI/L
	DISTANCE	15.0		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435741 3MILE DATE- 79 10 16	AZIMUTH	126		DEG-T
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435742 3MILE DATE- 79 10 17	AZIMUTH	126		DEG-T
SIZE-	3H	<290		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435743 3MILE DATE- 79 10 18	AZIMUTH	126		DEG-T
SIZE-	BETA	3	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435744 3MILE DATE- 79 10 19	ALPHA	<1		PCI/L
SIZE-	3H	<290		PCI/L
	AZIMUTH	126		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435745 3MILE DATE- 79 10 20	AZIMUTH	126		DEG-T
SIZE-	BETA	4	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	3	2	PCI/L
435746 3MILE DATE- 79 10 21	DISTANCE	15.0		MILES
SIZE-	3H	<290		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435747 3MILE DATE- 79 10 22	AZIMUTH	126		DEG-T
SIZE-	BETA	4	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435422 3MILE DATE- 79 10 23	AZIMUTH	245		DEG-T
SIZE-	3H	<300		PCI/L
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435748 3MILE DATE- 79 10 23	DISTANCE	15.0		MILES
SIZE-	BETA	3	2	PCI/L
	AZIMUTH	126		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	4	2	PCI/L
435749 3MILE DATE- 79 10 24	DISTANCE	15.0		MILES
SIZE-	3H	<290		PCI/L
	AZIMUTH	126		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<290		PCI/L
435750 3MILE DATE- 79 10 25	DISTANCE	15.0		MILES
SIZE-	BETA	3	2	PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	6	2	PCI/L
80 1590 043 42 03 20	3H	<300		PCI/L
435423 3MILE ON- 79 10 25	ALPHA	<1		PCI/L
SIZE- OFF- 79 10 26	DISTANCE	0.2		MILES
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435751 3MILE DATE- 79 10 26	ALPHA	<1		PCI/L
SIZE-	3H	<290		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	6	2	PCI/L
435424 3MILE ON- 79 10 26	3H	1521	299	PCI/L
SIZE- OFF- 79 10 27	ALPHA	<1		PCI/L
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435752 3MILE DATE- 79 10 27	ALPHA	<1		PCI/L
SIZE-	BETA	3	2	PCI/L
	AZIMUTH	126		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435753 3MILE DATE- 79 10 28	ALPHA	<1		PCI/L
SIZE-	3H	<290		PCI/L
	AZIMUTH	126		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435425 3MILE DN- 79 10 28	AZIMUTH	245		DEG-T
SIZE- OFF- 79 10 29	3H	471	283	PCI/L
	BETA	3	2	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435754 3MILE DATE- 79 10 29	ALPHA	<1		PCI/L
SIZE-	BETA	2	2	PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435426 3MILE DATE- 79 10 30	ALPHA	<1		PCI/L
SIZE-	BETA	5	2	PCI/L
	3H	1671	301	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435755 3MILE DATE- 79 10 30	AZIMUTH	126		DEG-T
SIZE-	3H	<290		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435427 3MILE DN- 79 10 30	DISTANCE	0.2		MILES
SIZE- OFF- 79 10 31	3H	4177	1563	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<290		PCI/L
435756 3MILE DATE- 79 10 31	ALPHA	<1		PCI/L
SIZE-	BETA	<2		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<300		PCI/L
435428 3MILE DN- 79 10 31	BETA	2	2	PCI/L
SIZE- OFF- 79 11 01	AZIMUTH	245		DEG-T
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<290		PCI/L
435757 3MILE DATE- 79 11 01	ALPHA	<1		PCI/L
SIZE-	BETA	2	2	PCI/L
	DISTANCE	15.0		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435429 3MILE DN- 79 11 01	3H	2402	284	PCI/L
SIZE- OFF- 79 11 02	BETA	2	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	<2		PCI/L
435758 3MILE DATE- 79 11 02	AZIMUTH	126		DEG-T
SIZE-	3H	<290		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	3	2	PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435430 3MILE DATE- 79 11 03	3H	1602	272	PCI/L
SIZE-	ALPHA	<1		PCI/L
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<290		PCI/L
435759 3MILE DATE- 79 11 03	ALPHA	<1		PCI/L
SIZE-	BETA	4	2	PCI/L
	DISTANCE	15.0		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	5	2	PCI/L
435760 3MILE DATE- 79 11 04	ALPHA	<1		PCI/L
SIZE-	3H	<290		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435431 3MILE DN- 79 11 03	BETA	3	2	PCI/L
SIZE- OFF- 79 11 05	3H	<290		PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<290		PCI/L
435761 3MILE DATE- 79 11 05	DISTANCE	15.0		MILES
SIZE-	BETA	5	2	PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435432 3MILE DATE- 79 11 06	ALPHA	<1		PCI/L
SIZE-	BETA	3	2	PCI/L
	AZIMUTH	245		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435762 3MILE DATE- 79 11 06	AZIMUTH	126		DEG-T
SIZE-	3H	<290		PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	<290		PCI/L
435433 3MILE DATE- 79 11 07	AZIMUTH	245		DEG-T
SIZE-	ALPHA	<1		PCI/L
	BETA	<2		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435763 3MILE DATE- 79 11 07	ALPHA	<1		PCI/L
SIZE-	3H	<290		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	3H	<290		PCI/L
435434 3MILE DATE- 79 11 08	BETA	2	2	PCI/L
SIZE-	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<290		PCI/L
435764 3MILE DATE- 79 11 08	ALPHA	<1		PCI/L
SIZE-	BETA	<2		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435435 3MILE DN- 79 11 08	3H	<290		PCI/L
SIZE- OFF- 79 11 09	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435765 3MILE DATE- 79 11 09	AZIMUTH	126		DEG-T
SIZE-	3H	<270		PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	<2		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435436 3MILE DN- 79 11 09	ALPHA	<1		PCI/L
SIZE- OFF- 79 11 10	3H	<290		PCI/L
	AZIMUTH	245		DEG-T

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435766 3MILE DATE- 79 11 10	AZIMUTH	126		DEG-T
SIZE-	3H	<270		PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	1321	268	PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435437 3MILE ON- 79 11 10	AZIMUTH	245		DEG-T
SIZE- OFF- 79 11 11	BETA	4	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	3H	<270		PCI/L
435767 3MILE DATE- 79 11 11	DISTANCE	15.0		MILES
SIZE-	BETA	2	2	PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	2	1	PCI/L
80 1590 043 42 03 20	3H	<270		PCI/L
435768 3MILE DATE- 79 11 12	AZIMUTH	126		DEG-T
SIZE-	BETA	<2		PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	1161	266	PCI/L
435438 3MILE ON- 79 11 12	AZIMUTH	245		DEG-T
SIZE- OFF- 79 11 13	BETA	<2		PCI/L
	ALPHA	<1		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	3	2	PCI/L
435769 3MILE DATE- 79 11 13	DISTANCE	15.0		MILES
SIZE-	3H	<270		PCI/L
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435439 3MILE ON- 79 11 13	3H	1982	278	PCI/L
SIZE- OFF- 79 11 14	BETA	2	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	AZIMUTH	126		DEG-T
80 1590 043 42 03 20	BETA	3	2	PCI/L
435770 3MILE DATE- 79 11 14	ALPHA	<1		PCI/L
SIZE-	3H	<270		PCI/L
	DISTANCE	15.0		MILES

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435440 3MILE DN- 79 11 14	ALPHA	<1		PCI/L
SIZE- OFF- 79 11 15	DISTANCE	0.2		MILES
	3H	1762	275	PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<270		PCI/L
435771 3MILE DATE- 79 11 15	AZIMUTH	126		DEG-T
SIZE-	BETA	3	2	PCI/L
	DISTANCE	15.0		MILES
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435441 3MILE DN- 79 11 15	3H	1301	268	PCI/L
SIZE- OFF- 79 11 16	BETA	<2		PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA.LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435772 3MILE DATE- 79 11 16	DISTANCE	15.0		MILES
SIZE-	3H	<270		PCI/L
	BETA	3	2	PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<270		PCI/L
435442 3MILE DN- 79 11 16	BETA	2	2	PCI/L
SIZE- OFF- 79 11 17	DISTANCE	0.2		MILES
	AZIMUTH	245		DEG-T
COLUMBIA PA.LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435773 3MILE DATE- 79 11 17	ALPHA	<1		PCI/L
SIZE-	3H	<270		PCI/L
	BETA	2	2	PCI/L
COLUMBIA PA.LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435774 3MILE DATE- 79 11 18	ALPHA	<1		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	3H	<270		PCI/L
OUTFALL-001-TMI INDSTRL.WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435443 3MILE DN- 79 11 17	AZIMUTH	245		DEG-T
SIZE- OFF- 79 11 19	3H	<270		PCI/L
	BETA	4	2	PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435775 3MILE DATE- 79 11 19	DISTANCE	15.0		MILES
SIZE-	BETA	2	2	PCI/L
	3H	<270		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435444 3MILE ON- 79 11 19	3H	<270		PCI/L
SIZE- OFF- 79 11 20	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435445 3MILE ON- 79 11 20	DISTANCE	0.2		MILES
SIZE- OFF- 79 11 21	ALPHA	<1		PCI/L
	3H	400	254	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435776 3MILE DATE- 79 11 21	ALPHA	<1		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	3H	<270		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435446 3MILE ON- 79 11 21	ALPHA	<1		PCI/L
SIZE- OFF- 79 11 22	BETA	3	2	PCI/L
	3H	2382	283	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<270		PCI/L
435777 3MILE DATE- 79 11 22	ALPHA	<1		PCI/L
SIZE-	BETA	3	2	PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435447 3MILE ON- 79 11 22	BETA	<2		PCI/L
SIZE- OFF- 79 11 23	3H	<270		PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435778 3MILE DATE- 79 11 23	ALPHA	<1		PCI/L
SIZE-	BETA	2	2	PCI/L
	3H	<270		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	3H	<270		PCI/L
435448 3MILE ON- 79 11 23	BETA	3	2	PCI/L
SIZE- OFF- 79 11 24	ALPHA	<1		PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435779 3MILE DATE- 79 11 24	DISTANCE	15.0		MILES
SIZE-	3H	<270		PCI/L
	BETA	4	2	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435780 3MILE DATE- 79 11 25	ALPHA	<1		PCI/L
SIZE-	BETA	<2		PCI/L
	3H	<270		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435449 3MILE ON- 79 11 25	3H	1902	277	PCI/L
SIZE- OFF- 79 11 26	BETA	3	2	PCI/L
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	2	2	PCI/L
435781 3MILE DATE- 79 11 26	ALPHA	<1		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	3H	<270		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	760	270	PCI/L
435450 3MILE ON- 79 11 26	AZIMUTH	245		DEG-T
SIZE- OFF- 79 11 27	BETA	3	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	3	2	PCI/L
435782 3MILE DATE- 79 11 27	DISTANCE	15.0		MILES
SIZE-	3H	<270		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	BETA	2	1	PCI/L
435451 3MILE ON- 79 11 27	3H	1210	280	PCI/L
SIZE- OFF- 79 11 28	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13				
	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	6	2	PCI/L
435783 3MILE DATE- 79 11 28	ALPHA	1	1	PCI/L
SIZE-	AZIMUTH	126		DEG-T
	3H	<270		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435452 3MILE ON- 79 11 28	ALPHA	<1		PCI/L
SIZE- OFF- 79 11 29	BETA	3	2	PCI/L
	3H	740	270	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435784 3MILE DATE- 79 11 29	ALPHA	2	1	PCI/L
SIZE-	3H	<270		PCI/L
	BETA	4	2	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	3	2	PCI/L
435453 3MILE ON- 79 11 29	3H	860	270	PCI/L
SIZE- OFF- 79 11 30	BETA	7	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	12	2	PCI/L
435785 3MILE DATE- 79 11 30	ALPHA	5	2	PCI/L
SIZE-	AZIMUTH	126		DEG-T
	3H	<270		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	1590	280	PCI/L
435454 3MILE ON- 79 11 30	BETA	7	2	PCI/L
SIZE- OFF- 79 12 01	ALPHA	3	1	PCI/L
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	2	1	PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435786 3MILE DATE- 79 12 01	DISTANCE	15.0		MILES
SIZE-	BETA	7	2	PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	3H	<270		PCI/L
435787 3MILE DATE- 79 12 02	ALPHA	1	1	PCI/L
SIZE-	AZIMUTH	126		DEG-T
	BETA	7	2	PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435455 3MILE ON- 79 12 02	DISTANCE	0.2		MILES
SIZE- OFF- 79 12 03	3H	350	270	PCI/L
	BETA	<2		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435788 3MILE DATE- 79 12 03	ALPHA	<1		PCI/L
SIZE-	3H	<270		PCI/L
	BETA	2	2	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	3H	990	280	PCI/L
435456 3MILE ON- 79 12 03	BETA	<2		PCI/L
SIZE- OFF- 79 12 04	ALPHA	<1		PCI/L
	DISTANCE	0.2		MILES
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	BETA	<2		PCI/L
435457 3MILE ON- 79 12 04	ALPHA	<1		PCI/L
SIZE- OFF- 79 12 05	DISTANCE	0.2		MILES
	3H	<280		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435789 3MILE DATE- 79 12 05	DISTANCE	15.0		MILES
SIZE-	BETA	2	2	PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	<2		PCI/L
435790 3MILE DATE- 79 12 05	DISTANCE	15.0		MILES
SIZE-	3H	<270		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435458 3MILE DATE- 79 12 06	3H	940	270	PCI/L
SIZE-	BETA	3	2	PCI/L
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435791 3MILE DATE- 79 12 06	ALPHA	<1		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	3H	<280		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	3H	1460	280	PCI/L
435459 3MILE DATE- 79 12 07	BETA	<2		PCI/L
SIZE-	ALPHA	<1		PCI/L
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435792 3MILE DATE- 79 12 07	DISTANCE	15.0		MILES
SIZE-	3H	<280		PCI/L
	BETA	3	2	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	3	2	PCI/L
80 1590 043 42 03 20	3H	<270		PCI/L
435460 3MILE DATE- 79 12 08	ALPHA	<1		PCI/L
SIZE-	DISTANCE	0.2		MILES
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435793 3MILE DATE- 79 12 08	ALPHA	<1		PCI/L
SIZE-	3H	<270		PCI/L
	BETA	3	2	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	4	2	PCI/L
435794 3MILE DATE- 79 12 09	ALPHA	<1		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	3H	<280		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	3H	1330	276	PCI/L
435461 3MILE DATE- 79 12 10	DISTANCE	0.2		MILES
SIZE-	ALPHA	<1		PCI/L
	BETA	<2		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435795 3MILE DATE- 79 12 10	ALPHA	<1		PCI/L
SIZE-	3H	<280		PCI/L
	BETA	3	2	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435462 3MILE DATE- 79 12 11	ALPHA	<1		PCI/L
SIZE-	3H	<270		PCI/L
	BETA	3	2	PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<280		PCI/L
435796 3MILE DATE- 79 12 11	DISTANCE	15.0		MILES
SIZE-	AZIMUTH	126		DEG-T
	BETA	5	2	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435463 3MILE DATE- 79 12 12	AZIMUTH	245		DEG-T
SIZE-	BETA	3	2	PCI/L
	3H	440	262	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	2	2	PCI/L
435797 3MILE DATE- 79 12 12	ALPHA	<1		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	3H	<280		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	3010	300	PCI/L
435464 3MILE DATE- 79 12 13	BETA	<2		PCI/L
SIZE-	DISTANCE	0.2		MILES
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435798 3MILE DATE- 79 12 13	DISTANCE	15.0		MILES
SIZE-	BETA	<2		PCI/L
	3H	<260		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435465 3MILE DATE- 79 12 14	3H	<260		PCI/L
SIZE-	DISTANCE	0.2		MILES
	BETA	<2		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435799 3MILE DATE- 79 12 14	ALPHA	<1		PCI/L
SIZE-	3H	<260		PCI/L
	BETA	2	2	PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	2	2	PCI/L
80 1590 043 42 03 20	3H	2100	280	PCI/L
435466 3MILE DATE- 79 12 15	AZIMUTH	245		DEG-T
SIZE-	DISTANCE	0.2		MILES
	ALPHA	<1		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435800 3MILE DATE- 79 12 15	DISTANCE	15.0		MILES
SIZE-	BETA	4	2	PCI/L
	3H	<260		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	2	2	PCI/L
435801 3MILE DATE- 79 12 16	ALPHA	<1		PCI/L
SIZE-	3H	<260		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435467 3MILE DATE- 79 12 17	3H	<260		PCI/L
SIZE-	DISTANCE	0.2		MILES
	BETA	4	2	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	2	2	PCI/L
435802 3MILE DATE- 79 12 17	DISTANCE	15.0		MILES
SIZE-	3H	<260		PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	3H	1150	270	PCI/L
435468 3MILE DATE- 79 12 18	ALPHA	<1		PCI/L
SIZE-	BETA	<2		PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435803 3MILE DATE- 79 12 18	ALPHA	<1		PCI/L
SIZE-	BETA	<2		PCI/L
	3H	<270		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	DISTANCE	0.2		MILES
80 1590 043 42 03 20	BETA	3	2	PCI/L
435469 3MILE DATE- 79 12 19	AZIMUTH	245		DEG-T
SIZE-	ALPHA	<1		PCI/L
	3H	1540	270	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	1	1	PCI/L
80 1590 043 42 03 20	3H	<270		PCI/L
435804 3MILE DATE- 79 12 19	DISTANCE	15.0		MILES
SIZE-	AZIMUTH	126		DEG-T
	BETA	<2		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435470 3MILE DATE- 79 12 20	3H	1080	270	PCI/L
SIZE-	DISTANCE	0.2		MILES
	BETA	<2		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	<2		PCI/L
435805 3MILE DATE- 79 12 20	ALPHA	<1		PCI/L
SIZE-	AZIMUTH	126		DEG-T
	3H	<280		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	AZIMUTH	245		DEG-T
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435471 3MILE DATE- 79 12 21	DISTANCE	0.2		MILES
SIZE-	BETA	<2		PCI/L
	3H	<270		PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435806 3MILE DATE- 79 12 21	DISTANCE	15.0		MILES
SIZE-	BETA	2	2	PCI/L
	3H	<280		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	BETA	<2		PCI/L
80 1590 043 42 03 20	DISTANCE	0.2		MILES
435472 3MILE DATE- 79 12 22	ALPHA	<1		PCI/L
SIZE-	3H	<270		PCI/L
	AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<280		PCI/L
435807 3MILE DATE- 79 12 22	DISTANCE	15.0		MILES
SIZE-	BETA	4	2	PCI/L
	AZIMUTH	126		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	BETA	<2		PCI/L
435808 3MILE DATE- 79 12 23	DISTANCE	15.0		MILES
SIZE-	3H	<280		PCI/L
	AZIMUTH	126		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	AZIMUTH	126		DEG-T
435809 3MILE DATE- 79 12 24	ALPHA	<1		PCI/L
SIZE-	BETA	2	2	PCI/L
	3H	<280		PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA	REPORTED 80/11/13				
		ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		AZIMUTH	126		DEG-T
435810 3MILE	DATE- 79 12 25	DISTANCE	15.0		MILES
SIZE-		BETA	<2		PCI/L
		3H	<280		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		AZIMUTH	245		DEG-T
80 1590 043 42 03 20		3H	330	260	PCI/L
435473 3MILE	DATE- 79 12 26	ALPHA	<1		PCI/L
SIZE-		BETA	<2		PCI/L
		DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		BETA	3	2	PCI/L
435811 3MILE	DATE- 79 12 26	DISTANCE	15.0		MILES
SIZE-		3H	<270		PCI/L
		AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	<270		PCI/L
435474 3MILE	DATE- 79 12 27	DISTANCE	0.2		MILES
SIZE-		BETA	<2		PCI/L
		AZIMUTH	245		DEG-T
COLUMBIA PA,LANCASTER CITY WATER INTAKE		ALPHA	2	1	PCI/L
80 1590 043 42 03 20		AZIMUTH	126		DEG-T
435812 3MILE	DATE- 79 12 27	DISTANCE	15.0		MILES
SIZE-		BETA	3	2	PCI/L
		3H	<270		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		AZIMUTH	245		DEG-T
80 1590 043 42 03 20		3H	1000	270	PCI/L
435475 3MILE	DATE- 79 12 28	ALPHA	<1		PCI/L
SIZE-		BETA	5	2	PCI/L
		DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		AZIMUTH	126		DEG-T
435813 3MILE	DATE- 79 12 28	DISTANCE	15.0		MILES
SIZE-		BETA	4	2	PCI/L
		3H	<270		PCI/L
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE		ALPHA	<1		PCI/L
80 1590 043 42 03 20		3H	350	260	PCI/L
435476 3MILE	DATE- 79 12 29	AZIMUTH	245		DEG-T
SIZE-		DISTANCE	0.2		MILES
		BETA	3	2	PCI/L

TABLE 13-D COMMONWEALTH OF PENNSYLVANIA WATER RESULTS

PENNSYLVANIA REPORTED 80/11/13

	ANALYSIS	RESULT	2SIGMA	UNITS
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	1	1	PCI/L
80 1590 043 42 03 20	3H	<270		PCI/L
435814 3MILE DATE= 79 12 29	DISTANCE	15.0		MILES
SIZE=	AZIMUTH	126		DEG-T
	BETA	4	2	PCI/L
COLUMBIA PA,LANCASTER CITY WATER INTAKE	DISTANCE	15.0		MILES
80 1590 043 42 03 20	BETA	6	2	PCI/L
435815 3MILE DATE= 79 12 30	3H	<270		PCI/L
SIZE=	ALPHA	1	1	PCI/L
	AZIMUTH	126		DEG-T
OUTFALL-001-TMI INDSTRL,WASTE DISCHARGE	3H	430	270	PCI/L
80 1590 043 42 03 20	ALPHA	<1		PCI/L
435477 3MILE DATE= 79 12 31	AZIMUTH	245		DEG-T
SIZE=	BETA	3	2	PCI/L
	DISTANCE	0.2		MILES
COLUMBIA PA,LANCASTER CITY WATER INTAKE	ALPHA	<1		PCI/L
80 1590 043 42 03 20	3H	<270		PCI/L
435816 3MILE DATE= 79 12 31	DISTANCE	15.0		MILES
SIZE=	AZIMUTH	126		DEG-T
	BETA	<2		PCI/L

ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL MONITORING AND SYSTEMS LABORATORY

LAS VEGAS, NEVADA

80/11/05

TABLE 17-A, MET ED AIR RESULTS

NOTE: "NA" INDICATES NO ANALYSIS. "ND" INDICATES NOT DETECTED. WHEN RESULTS ARE GIVEN IN EXPONENTIAL NOTATION THE NUMBER FOLLOWING THE "E" IS THE EXPONENT OF TEN BY WHICH THE PRECEDING NUMBER SHOULD BE MULTIPLIED. A VALUE IN PARENTHESES IS THE ESTIMATED TWO-SIGMA COUNTING ERROR ASSOCIATED WITH THE PRECEDING RESULT. ALL LABELED TWO-SIGMA ERROR TERMS ARE ESTIMATED TWO-SIGMA COUNTING ERRORS. ALL MINIMUM DETECTABLE VALUES INDICATED BY THE SYMBOL "<" FOR SAMPLES COLLECTED PRIOR TO JANUARY 1, 1978, ARE BASED ON A TYPE I ERROR EQUAL TO FIVE PERCENT. ALL MINIMUM DETECTABLE VALUES FOR SAMPLES COLLECTED ON OR AFTER JANUARY 1, 1978 ARE ALSO INDICATED BY "<", BUT ARE BASED ON A TYPE I ERROR EQUAL TO A TYPE II ERROR EQUAL TO FIVE PERCENT (SEE HASL-300 PROCEDURES MANUAL).

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
DRAGER FARM OFF ENGLE TOLLGATE ROAD	137CS	0.00054	0.00047	PCI/M3
86 1590 043 42 03 32	AZIMUTH	SE		
403355 3MILE DN= 78 09 27	DISTANCE	9		MILES
SIZE= 3446 M3 DFF= 78 12 27	7BE	6.0E-02	6.0E-03	PCI/M3
	40K	1.0E-02	6.6E-03	PCI/M3
	ID NO	APT-7F10		
	95NB	0.00052	0.00043	PCI/M3
	SAMPLE NO	99553GB9		
	ANALYSIS BY RMC			
FALMOUTH-COLLINS SUBSTATION	BETA	<2.E-01		PCI/M3
86 1590 043 42 03 32	ID NO	AP-8C1		
402012 3MILE 79 DN= 79 01 03	AZIMUTH	SSE		
SIZE= 200 FT3 DFF= 79 01 10	SAMPLE NO	61678		
	DISTANCE	2.3		MILES
	INSUFFICIENT VOLUME			
	ANALYSIS BY TELEDYNE			
	RESULT NOT WITHIN TECH SPEC			
NORTH SIDE OF OBSERVATION CENTER BLDG,	DISTANCE	0.4		MILES
86 1590 043 42 03 31	AZIMUTH	E		
402207 3MILE DN= 79 01 10	SAMPLE NO	61955		
SIZE= 13700 FT3 DFF= 79 01 17	SIZE	1370		FT3
	131I	<4.0E-02		PCI/M3
	ID NO	AI-5A1		
	DUPLICATE-NO. 61951			
	ANALYSIS BY TELEDYNE			
DISCHARGE PIT	SAMPLE NO	100629G19		
86 1590 043 42 03 30	AZIMUTH	204		DEG-T
436200 3MILE DN= 79 01 03 1215	DISTANCE	0.5		MILES
SIZE= 4300 FT3 DFF= 79 01 31 1630	BETA	1.1E-01	0.1E-01	PCI/M3
	ID.NO.	AP-1C1		
	ANALYSIS BY RMC			
	ID.NO	EWA-10810		
	131I	<4.7E-01		PCI/L
	137CS	4.3E-01	3.9E-01	PCI/L
N. WEATHER STATION	ID NO	AI-1B2		
86 1590 043 42 03 31	AZIMUTH	N		
402227 3MILE DN= 79 02 07	131I	<0.0050		PCI/M3
SIZE= 11600 FT3 DFF= 79 02 14	DISTANCE	0.4		MILES
	SAMPLE NO	63253		
	ANALYSIS BY TELEDYNE			
	DUPLICATE-NO. 63250			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
DISCHARGE PIT	SAMPLE NO	1439G19		
86 1590 043 42 03 30	ID.NO.	AP-15G1		
436201 3MILE DN- 79 02 07 1705	DISTANCE	0.5		MILES
SIZE- 4000 FT3 OFF- 79 02 28 1145	AZIMUTH	204		DEG-T
	BETA	7.4E-02	0.9E-02	PCI/M3
	ANALYSIS BY RMC			
	58CO	1.0E01	1.0E00	PCI/L
	131I	<4.7E-01		PCI/L
	54MN	8.0E-01	3.6E-01	PCI/L
	ID.NO	EWA-10810		
	137CS	<4.7E-01		PCI/L
DISCHARGE PIT	BETA	2.4E-02	0.2E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	0.5		MILES
436203 3MILE DN- 79 03 07 1430	AZIMUTH	204		DEG-T
SIZE- 4600 FT3 OFF- 79 03 21 0835	SAMPLE NO	2189G05		
	ID.NO.	AP-9G1		
	ANALYSIS BY RMC			
	ID.NO	EWA-10810		
	137CS	<7.8E00		PCI/L
	131I	<7.8E00		PCI/L
OBSERVATION CENTER BUILDING	ID NO.	AP-5A1		
86 1590 043 42 03 30	AZIMUTH	E		
431897 3MILE DN- 78 12 27	SAMPLE NO	68896		
SIZE- 5324 M3 OFF- 79 03 29	131I	<9.0E-02		PCI/M3
	DISTANCE	0.4		MILES
	ANALYSIS BY TELEDYNE			
	7BE	0.0245	0.0049	PCI/M3
	FIRST QUARTER			
MIDDLETOWN SUBSTATION	ID NO.	AP-1C1		
86 1590 043 42 03 30	AZIMUTH	N		
431898 3MILE DN- 78 12 27	SAMPLE NO	68897		
SIZE- 3086 M3 OFF- 79 03 29	131I	<2.0E-01		PCI/M3
	DISTANCE	2.6		MILES
	ANALYSIS BY TELEDYNE			
	FIRST QUARTER			
N. WEATHER STATION	ID NO.	AP-1S2		
86 1590 043 42 03 30	AZIMUTH	N		
431899 3MILE DN- 78 12 27	SAMPLE NO	68898		
SIZE- 3285 M3 OFF- 79 03 29	131I	<2.0E-01		PCI/M3
	DISTANCE	0.4		MILES
	ANALYSIS BY TELEDYNE			
	7BE	0.0303	0.0092	PCI/M3
	FIRST QUARTER			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH-COLLINS SUBSTATION	ID NO.	AP-8C1		
86 1590 043 42 03 30	AZIMUTH	SSE		
432100 3MILE DN- 78 12 27	SAMPLE NO	68899		
SIZE- 3426 M3 DFF- 79 03 29	DISTANCE	2.3		MILES
	131I	<2.0E-01		PCI/M3
	ANALYSIS BY TELEDYNE			
	FIRST QUARTER			
FISHING CREEK	SAMPLE NO	68900		
86 1590 043 42 03 30	AZIMUTH	WSW		
432101 3MILE DN- 78 12 27	ID NO.	AP-12B1		
SIZE- 99600 FT3 DFF- 79 03 29	DISTANCE	1.6		MILES
	131I	<5.0E-01		PCI/M3
	7BE	6.08E-02	1.67E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
	FIRST QUARTER			
DRAGER FARM OFF ENGLE TOLLGATE RD	SAMPLE NO	68901		
86 1590 043 42 03 30	DISTANCE	9		MILES
432102 3MILE DN- 78 12 27	131I	<4.0E-01		PCI/M3
SIZE- 74100 FT3 DFF- 79 03 29	AZIMUTH	SE		
	ID NO.	AP-7F1		
	7BE	6.69E-02	1.65E-02	PCI/M3
	137CS	0.0016	0.00072	PCI/M3
	ANALYSIS BY TELEDYNE			
	FIRST QUARTER			
W. FAIRVIEW SUBSTATION	ID NO.	AP-15G1		
86 1590 043 42 03 30	AZIMUTH	NW		
432103 3MILE DN- 78 12 27	SAMPLE NO	68902		
SIZE- 3483 M3 DFF- 79 03 29	DISTANCE	15		MILES
	7BE	4.10E-02	0.90E-02	PCI/M3
	131I	<1.0E-01		PCI/M3
	ANALYSIS BY TELEDYNE			
	FIRST QUARTER			
MET. ED. YORK LOAD DISPATCH STATION	SAMPLE NO	68903		
86 1590 043 42 03 30	AZIMUTH	S		
432104 3MILE DN- 78 12 27	ID NO.	AP-9G1		
SIZE- 4644 M3 DFF- 79 03 29	DISTANCE	13		MILES
	7BE	2.82E-02	0.47E-02	PCI/M3
	131I	<1.0E-01		PCI/M3
	ANALYSIS BY TELEDYNE			
	FIRST QUARTER			
IND	AZIMUTH	UNAV		
86 1590 043 42 03 30	ID NO.	AP-IND		
432133 3MILE DN- 78 12 27	DISTANCE	UNAV		
SIZE- 17953 M3 DFF- 79 03 29	SAMPLE NO	69919		
	ANALYSIS BY TELEDYNE			
	GR-A	0.0014	0.0006	PCI/M3

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
BACKGROUND	GR-B	3.8E-03	1.5E-03	PCI/M3
86 1590 043 42 03 30	AZIMUTH	UNAV		
432134 3MILE DN- 78 12 27	ID NO,	AP-BKG		
SIZE- 10222 M3 DFF- 79 03 29	DISTANCE	UNAV		
	SAMPLE NO	69920		
	ANALYSIS BY TELEDYNE			
IND	90SR	<8.0E-05		PCI/M3
86 1590 043 42 03 30	AZIMUTH	UNAV		
432135 3MILE DN- 78 12 27	ID NO,	AP-IND		
SIZE- 17953 M3 DFF- 79 03 29	DISTANCE	UNAV		
	SAMPLE NO	69919		
	ANALYSIS BY TELEDYNE			
BACKGROUND	90SR	<1.0E-04		PCI/M3
86 1590 043 42 03 30	AZIMUTH	UNAV		
432136 3MILE DN- 78 12 27	ID NO,	AP-BKG		
SIZE- 10222 M3 DFF- 79 03 29	DISTANCE	UNAV		
	SAMPLE NO	69920		
	ANALYSIS BY TELEDYNE			
DISCHARGE PIT	DISTANCE	0.5		MILES
86 1590 043 42 03 30	SAMPLE NO	2188G05		
436204 3MILE DN- 79 03 29 1310	AZIMUTH	204		DEG-T
SIZE- 2200 FT3 DFF- 79 03 29 0735	BETA	2.1E-02	0.2E-02	PCI/M3
	ID,NO,	AP-7F1		
	ANALYSIS BY RMC			
	133XE	3.8E03	3.8E02	PCI/L
	137CS	<7.8E00		PCI/L
	131I	<4.7E00		PCI/L
	ID,NO	EWA-10510		
	133XE(M)	7.8E01		PCI/L
	135XE	4.0E02	4.0E01	PCI/L
MIDDLETOWN SUBSTATION	DISTANCE	2.6		MILES
86 1590 043 42 03 32	ID NO	AP-1C1		
402110 3MILE DN- 79 03 29 1450	AZIMUTH	N		
SIZE- 22600 FT3 DFF- 79 03 31 1250	BETA	2.4E-01	2.0E-02	PCI/M3
	SAMPLE NO	65213		
	ANALYSIS BY TELEDYNE			
DISCHARGE PIT	SAMPLE NO	2366G05		
86 1590 043 42 03 30	ID,NO,	AP-5A1		
436205 3MILE DN- 79 04 01 2020	DISTANCE	0.5		MILES
SIZE- 5900 FT3 DFF- 79 04 01 2020	AZIMUTH	204		DEG-T
	BETA	2.2E-02	0.2E-02	PCI/M3
	ANALYSIS BY RMC			
	ID,NO	EWA-10510		
	131I	7.1E01	1.1E01	PCI/L
	137CS	<9.3E00		PCI/L

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
DISCHARGE PIT	SAMPLE NO	2726305		
86 1590 043 42 03 30	AZIMUTH	204		DEG-T
436206 3MILE DN- 79 04 02 1130	DISTANCE	0.5		MILES
SIZE- 4100 FT3 DFF- 79 04 02 1130	BETA	2.4E-02	0.3E-02	PCI/M3
	ID.NO.	AP-182		
	ANALYSIS BY RMC			
	ID.NO	EWA-10810		
	137CS	<7.8E00		PCI/L
	131I	5.4E01	1.1E01	PCI/L
YORK LOAD DISPATCH STATION	SAMPLE NO	65418		
86 1590 043 42 03 31	AZIMUTH	S		
402273 3MILE DN- 79 03 31 0855	131I	3.55E-01	1.02E-01	PCI/M3
SIZE- 5100 FT3 DFF- 79 04 03 0920	DISTANCE	13		MILES
	ID.NO.	AI-9G1		
	ANALYSIS BY TELEDYNE			
MET ED YORK LOAD DISPATCH STATION	BETA	4.5E-02	7.0E-03	PCI/M3
86 1590 043 42 03 32	SAMPLE NO	65406		
402121 3MILE DN- 79 03 31 0855	DISTANCE	13		MILES
SIZE- 5100. FT3 DFF- 79 04 03 0920	ID NO	AP-9G1		
	AZIMUTH	S		
	ANALYSIS BY TELEDYNE			
ADJACENT TO FISHING CREEK	DISTANCE	1.6		MILES
86 1590 043 42 03 31	SAMPLE NO	65417		
402272 3MILE DN- 79 03 31 0945	AZIMUTH	WSW		
SIZE- 3400 FT3 DFF- 79 04 03 1030	ID NO	AI-12B1		
DISCHARGE PIT	ID.NO.	AP-8C1		
86 1590 043 42 03 30	AZIMUTH	204		DEG-T
436207 3MILE DN- 79 04 03 1540	BETA	6.9E-02	1.0E-02	PCI/M3
SIZE- 3300 FT3 DFF- 79 04 03 1540	DISTANCE	0.5		MILES
	SAMPLE NO	2500N05		
	ANALYSIS BY RMC			
	137CS	<6.2E00		PCI/L
	131I	<7.8E00		PCI/L
	ID.NO	EWA-10810		
ADJACENT TO FISHING CREEK	DISTANCE	1.6		MILES
86 1590 043 42 03 30	ID.NO.	AP-12B1		
436202 3MILE DN- 79 04 18 1545	SAMPLE NO	66644		
SIZE- 3900 FT3 DFF- 79 04 21 1010	AZIMUTH	WSW		
	BETA	8.9E-02	1.0E-02	PCI/M3
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION	ID NO	AP-1C1Q		
86 1590 043 42 03 32	AZIMUTH	W		
403411 3MILE DN- 79 04 18 1200	BETA	8.68E-02	1.5E-02	PCI/M3
SIZE- 113.3 M3 OFF- 79 04 21 1255	DISTANCE	2.6		MILES
	SAMPLE NO	4119BD3		
	ANALYSIS BY RMC			
WEST FAIRVIEW SUBSTATION	ID NO	AI-15G1		
86 1590 043 42 03 31	AZIMUTH	NW		
402326 3MILE DN- 79 04 21 0835	DISTANCE	15.		MILES
SIZE- 4100 FT3 OFF- 79 04 24 1145	SAMPLE NO	66851		
	131I	<6.5E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	SAMPLE NO	4532GI8		
86 1590 043 42 03 30	40K	4.1E+00	1.2E+00	PCI/M3
431471 3MILE DN- 79 04 24	AZIMUTH	SE		
SIZE- 4000 FT3 OFF- 79 04 27 1725	ID NO.	AI-7F1Q		
	137CS	6.8E-02	4.7E-02	PCI/M3
	DISTANCE	9		MILES
	ANALYSIS BY RMC			
	131I	0.051		PCI/M3
IND	7BE	1.16E-01	0.12E-01	PCI/M3
86 1590 043 42 03 30	AZIMUTH	UNAV		
432123 3MILE DN- 79 03 29	ID NO.	AP-IND		
SIZE- 6570 M3 OFF- 79 04 30	DISTANCE	UNAV		
	131I	<2.0E-02		PCI/M3
	SAMPLE NO	69191		
	40K	4.12E-02	1.56E-02	PCI/M3
	137CS	2.79E-03	0.78E-03	PCI/M3
	ANALYSIS BY TELEDYNE			
BACKGROUND	ID NO.	AP-BKG		
86 1590 043 42 03 30	DISTANCE	UNAV		
432124 3MILE DN- 79 03 29	7BE	2.35E-01	0.24E-01	PCI/M3
SIZE- 3540 M3 OFF- 79 04 30	AZIMUTH	UNAV		
	SAMPLE NO	69192		
	131I	<3.0E-02		PCI/M3
	40K	7.37E-02	2.95E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
N. FAIRVIEW SUBSTATION	ID NO.	AI-15G1		
86 1590 043 42 03 30	131I	<1.4E-01		PCI/M3
431628 3MILE DN- 79 04 27 0820	AZIMUTH	NW		
SIZE- 4000 FT3 OFF- 79 04 30 0715	SAMPLE NO	67178		
	DISTANCE	15		MILES
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05	ANALYSIS	RESULT	2SIGMA	UNITS
N. FAIRVIEW SUBSTATION	SAMPLE NO	67169		
86 1590 043 42 03 30	AZIMUTH	NW		
431847 3MILE DN- 79 04 27 0820	GR-B	3.5E-02	0.8E-02	PCI/M3
SIZE- 4000 FT3 OFF- 79 04 30 0715	DISTANCE	15		MILES
	ID NO.	AP-15G1		
	ANALYSIS BY TELEDYNE			
FISHING CREEK	ID NO.	AI-1281		
86 1590 043 42 03 30	131I	<1.6E-01		PCI/M3
431629 3MILE DN- 79 04 27 0820	AZIMUTH	WSW		
SIZE- 3400 FT3 OFF- 79 04 30 0800	SAMPLE NO	67179		
	DISTANCE	1.6		MILES
	ANALYSIS BY TELEDYNE			
FISHING CREEK	SAMPLE NO	67170		
86 1590 043 42 03 30	AZIMUTH	WSW		
431848 3MILE DN- 79 04 27 1840	GR-B	5.1E-02	1.0E-02	PCI/M3
SIZE- 3400 FT3 OFF- 79 04 30 0800	DISTANCE	1.6		MILES
	ID NO.	AP-12B1		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	BETA	3.03E-02	1.0E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	N		
431449 3MILE DN- 79 04 27	SAMPLE NO	4685BD3		
SIZE- 107.6 M3 OFF- 79 04 30 1320	ID NO.	AP-1C1Q		
	DISTANCE	2.6		MILES
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	SAMPLE NO	9687G15		
86 1590 043 42 03 30	ID NO.	AI-1C1Q		
431491 3MILE DN- 79 04 27 1840	137CS	6.7E-02	5.0E-02	PCI/M3
SIZE- 3800 FT3 OFF- 79 04 30 1320	DISTANCE	2.6		MILES
	40K	3.2E+00	1.1E+00	PCI/M3
	AZIMUTH	N		
	ANALYSIS BY RMC			
	131I	0.058		PCI/M3
MIDDLETOWN SUBSTATION	ID NO.	AI-1C1		
86 1590 043 42 03 30	131I	<4.2E-02		PCI/M3
431633 3MILE DN- 79 04 27 1635	AZIMUTH	N		
SIZE- 4600 FT3 OFF- 79 04 30 1320	SAMPLE NO	67183		
	DISTANCE	2.6		MILES
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	SAMPLE NO	67174		
86 1590 043 42 03 30	AZIMUTH	N		
431852 3MILE DN- 79 04 27 1635	GR-B	3.9E-02	0.7E-02	PCI/M3
SIZE- 4600 FT3 OFF- 79 04 30 1320	DISTANCE	2.6		MILES
	ID NO.	AP-1C1		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
OBSERVATION CENTER BUILDING		ID NO.	AI-5A1		
86 1590 043 42 03 30		131I	6.47E-01	0.91E-01	PCI/M3
431627 3MILE	ON- 79 04 27 1650	AZIMUTH	E		
SIZE- 5600 FT3	OFF- 79 04 30 1345	SAMPLE NO	67177		
		DISTANCE	0.4		MILES
		ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING		SAMPLE NO	67168		
86 1590 043 42 03 30		AZIMUTH	E		
431846 3MILE	ON- 79 04 27 1650	GP-B	5.3E-02	0.7E-02	PCI/M3
SIZE- 5600 FT3	OFF- 79 04 30 1345	DISTANCE	0.4		MILES
		ID NO.	AP-5A1		
		ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION		ID NO.	AI-8C1		
86 1590 043 42 03 30		131I	<1.7E-01		PCI/M3
431626 3MILE	ON- 79 04 27 1710	AZIMUTH	SSE		
SIZE- 3200 FT3	OFF- 79 04 30 1420	SAMPLE NO	67176		
		DISTANCE	2.3		MILES
		ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION		SAMPLE NO	67167		
86 1590 043 42 03 30		AZIMUTH	SSE		
431845 3MILE	ON- 79 04 27 1710	GP-B	3.4E-02	0.9E-02	PCI/M3
SIZE- 3200 FT3	OFF- 79 04 30 1420	DISTANCE	2.3		MILES
		ID NO.	AP-8C1		
		ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD		DISTANCE	9		MILES
86 1590 043 42 03 30		AZIMUTH	SE		
419986 3MILE	ON- 79 04 27	BETA	3.34E-02	1.1E-02	PCI/M3
SIZE- 96.2 M3	OFF- 79 04 30 1435	ID NO.	APT-7F1Q		
		SAMPLE NO	4686BD3		
		ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD		ID NO.	AI-7F1Q		
86 1590 043 42 03 30		SAMPLE NO	4686GI5		
431472 3MILE	ON- 79 04 27	DISTANCE	9		MILES
SIZE- 3400 FT3	OFF- 79 04 30 1435	40K	3.8E+00	1.3E+00	PCI/M3
		AZIMUTH	SE		
		ANALYSIS BY RMC			
		131I	0.76		PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE RD.		ID NO.	AI-7F1		
86 1590 043 42 03 30		131I	<2.3E-01		PCI/M3
431630 3MILE	ON- 79 04 27 1730	AZIMUTH	SE		
SIZE- 2300 FT3	OFF- 79 04 30 1435	SAMPLE NO	67180		
		DISTANCE	9		MILES
		ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
DRAGER FARM OFF ENGLE TOLLGATE RD,		ID NO,	AI-7F1		
86 1590 043 42 03 30		131I	<8,5E-02		PCI/M3
431631 3MILE	DN- 79	AZIMUTH	SE		
SIZE- 2300 FT3	OFF- 79 04 30 1435	SAMPLE NO	67181		
		DISTANCE	9		MILES
		ANALYSIS BY TELEDYNE			
		DUPLICATE	67180		
DRAGER FARM OFF ENGLE TOLLGATE RD,		SAMPLE NO	67171		
86 1590 043 42 03 30		AZIMUTH	SE		
431849 3MILE	DN- 79 04 27 1730	GR-B	7,3E-02	1,4E-02	PCI/M3
SIZE- 2300 FT3	OFF- 79 04 30 1435	DISTANCE	9		MILES
		ID NO,	AP-7F1		
		ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD		SAMPLE NO	67172		
86 1590 043 42 03 30		AZIMUTH	SE		
431850 3MILE	DN- 79 04 27 1730	GR-B	6,8E-02	1,4E-02	PCI/M3
SIZE- 2300 FT3	OFF- 79 04 30 1435	DISTANCE	9		MILES
		ID NO,	AP-7F1		
		DUPLICATE	67171		
		ANALYSIS BY TELEDYNE			
MET, ED, YORK LOAD DISPATCH STATION		ID NO,	AI-9G1		
86 1590 043 42 03 30		131I	<6,2E-02		PCI/M3
431632 3MILE	DN- 79 04 27 1945	AZIMUTH	S		
SIZE- 4600 FT3	OFF- 79 04 30 1535	SAMPLE NO	67182		
		DISTANCE	13		MILES
		ANALYSIS BY TELEDYNE			
MET, ED, YORK LOAD DISPATCH STATION		SAMPLE NO	67173		
86 1590 043 42 03 30		AZIMUTH	S		
431851 3MILE	DN- 79 04 27 1945	GR-B	4,2E-02	0,7E-02	PCI/M3
SIZE- 4600 FT3	OFF- 79 04 30 1535	DISTANCE	13		MILES
		ID NO,	AP-9G1		
		ANALYSIS BY TELEDYNE			
N, WEATHER STATION		ID NO,	AI-1B2		
86 1590 043 42 03 30		131I	<4,6E-02		PCI/M3
431625 3MILE	DN- 79 04 27 1610	AZIMUTH	N		
SIZE- 4000 FT3	OFF- 79 04 30 1900	SAMPLE NO	67175		
		DISTANCE	0,4		MILES
		ANALYSIS BY TELEDYNE			
N, WEATHER STATION		SAMPLE NO	67166		
86 1590 043 42 03 30		AZIMUTH	N		
431844 3MILE	DN- 79 04 27 1610	GR-B	3,1E-02	0,8E-02	PCI/M3
SIZE- 4000 FT3	OFF- 79 04 30 1900	DISTANCE	0,4		MILES
		ID NO,	AP-1B2		
		ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
W.FAIRVIEW SUBSTATION		AZIMUTH	NW		
86 1590 043 42 03 30		BETA	0.060	0.09	PCI/M3
418498 3MILE	DN- 79 04 30 0715	DISTANCE	15		MILES
SIZE- 4000 FT3	OFF- 79 05 03 0710	ID.NO	AP-15C1		
		ANALYSIS	TELEDYNE		
		SAMPLE NO	67361		
W.FAIRVIEW SUBSTATION		DISTANCE	15		MILES
86 1590 043 42 03 30		AZIMUTH	NW		
418559 3MILE	DN- 79 04 30 0715	SAMPLE NO	67370		
SIZE- 4000 FT3	OFF- 79 05 03 0710	ID.NO.	AI-15C1		
		131I	<0.087		PCI/M3
		ANALYSIS BY TELEDYNE			
GOLDSBORO AIR STATION		BETA	0.057	0.09	PCI/M3
86 1590 043 42 03 30		AZIMUTH	WSW		
418531 3MILE	DN- 79 04 30 0800	DISTANCE	1.6		MILES
SIZE- 4100 FT3	OFF- 79 05 03 0750	SAMPLE NO	67362		
		ID.NO	AP-12B1		
		ANALYSIS BY TELEDYNE			
GOLDSBORO AIR STATION		ID.NO.	AI-12B1		
86 1590 043 42 03 30		SAMPLE NO	67371		
418597 3MILE	DN- 79 04 30 0800	DISTANCE	1.6		MILES
SIZE- 4100 FT3	OFF- 79 05 03 0750	AZIMUTH	WSW		
		131I	<0.085		PCI/M3
		ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION		BETA	0.058	0.09	PCI/M3
86 1590 043 42 03 30		AZIMUTH	N		
418517 3MILE	DN- 79 04 30 1320	ID.NO	AP-1C1		
SIZE- 4200 FT3	OFF- 79 05 03 1315	DISTANCE	2.6		MILES
		SAMPLE NO	67365		
		ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION		DISTANCE	2.6		MILES
86 1590 043 42 03 30		AZIMUTH	N		
418581 3MILE	DN- 79 04 30 1320	131I	<0.077		PCI/M3
SIZE- 4200 FT3	OFF- 79 05 03 1315	SAMPLE NO	67374		
		ID.NO.	AI-1C1		
		ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION		AZIMUTH	N		
86 1590 043 42 03 30		BETA	4.61E-02	1.1E-02	PCI/M3
431450 3MILE	DN- 79 04 30 1320	DISTANCE	2.6		MILES
SIZE-~407.6 M3	OFF- 79 05 03 1315	SAMPLE NO	4782BD3		
		ID NO.	AP-1C1Q		
		ANALYSIS BY RMC			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
	ANALYSIS	RESULT	2SIGMA	UNITS	
MIDDLETOWN SUBSTATION	SAMPLE NO	67366			
86 1590 043 42 03 30	AZIMUTH	N			
431854 3MILE DN= 79 04 30 1320	GR-B	5.3E-02	0.8E-02	PCI/M3	
SIZE= 4200 FT3 DFF= 79 05 03 1315	DISTANCE	2.6		MILES	
	ID NO,	AP-1C1			
	DUPLICATE	67365			
	ANALYSIS BY TELEDYNE				
MIDDLETOWN SUBSTATION	SAMPLE NO	4786GIS			
86 1590 043 42 03 30	ID NO,	AI-1C10			
431492 3MILE DN= 79 04 30 1320	DISTANCE	2.6		MILES	
SIZE= 3800 FT3 DFF= 79 05 03 1320	40K	3.5E+00	1.1E+00	PCI/M3	
	AZIMUTH	N			
	ANALYSIS BY RMC				
	131I	0.051		PCI/M3	
MIDDLETOWN SUBSTATION	DISTANCE	2.6		MILES	
86 1590 043 42 03 30	40K	4.2E+00	1.3E+00	PCI/M3	
431493 3MILE DN= 79 04 30 1320	AZIMUTH	N			
SIZE= 3800 FT3 DFF= 79 05 03 1320	ID NO,	AI-1C10			
	SAMPLE NO	4784GIS			
	ANALYSIS BY RMC				
	131I	0.068		PCI/M3	
MIDDLETOWN SUBSTATION	ID NO,	AI-1C1			
86 1590 043 42 03 30	131I	<6.2E-02		PCI/M3	
431634 3MILE DN= 79 04 30 1320	AZIMUTH	N			
SIZE= 4200 FT3 DFF= 79 05 03 1320	SAMPLE NO	67375			
	DISTANCE	2.6		MILES	
	ANALYSIS BY TELEDYNE				
	DUPLICATE	67374			
MET.ED. YORK LOAD DISPATCH STATION	DISTANCE	13		MILES	
86 1590 043 42 03 30	AZIMUTH	S			
418536 3MILE DN= 79 04 30 1535	SAMPLE NO	67364			
SIZE= 5000 FT3 DFF= 79 05 03 1540	ID.NO	AP-9G1			
	BETA	0.051	0.07	PCI/M3	
	ANALYSIS BY TELEDYNE				
MET.ED.YORK LOAD DISPATCH STA.	DISTANCE	13		MILES	
86 1590 043 42 03 30	AZIMUTH	S			
418603 3MILE DN= 79 04 30 1535	131I	<0.070		PCI/M3	
SIZE= 5000 FT3 DFF= 79 05 03 1540	SAMPLE NO	67373			
	ID.NO,	AI-9G1			
	ANALYSIS BY TELEDYNE				

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
DRAGER FARM ENGLE TOLLGATE RD.		DISTANCE	9		MILES
86 1590 043 42 03 30		1311	<0.13		PCI/M3
418565 3MILE	ON- 79 04 30 1435	SAMPLE NO	67372		
SIZE- 2400 FT3	OFF- 79 05 03 1805	ID.NO.	AI-7F1		
		AZIMUTH	SE		
		ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD		DISTANCE	9		MILES
86 1590 043 42 03 30		AZIMUTH	SE		
419987 3MILE	ON- 79 04 30 1435	BETA	3.54E-02	1.1E-02	PCI/M3
SIZE- 104.7 M3	OFF- 79 05 03 1805	ID NO.	AP-7F10		
		SAMPLE NO	47858D3		
		ANALYSIS BY RMC			
		TYPE	= AIR PARTICULATE		
		DUPLICATE	47818D3		
DRAGER FARM OFF ENGLE TOLLGATE ROAD		SAMPLE NO	47818D3		
86 1590 043 42 03 30		DISTANCE	9		MILES
419989 3MILE	ON- 79 04 30 1435	ID NO.	AP7F10		
SIZE- 104.7 M3	OFF- 79 05 03 1805	AZIMUTH	SE		
		BETA	5.31E-02	1.2E-02	PCI/M3
		ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD		137CS	7.8E-02	5.7E-02	PCI/M3
86 1590 043 42 03 30		ID NO.	AI-7F10		
431473 3MILE	ON- 79 04 30 1435	SAMPLE NO	4783GI5		
SIZE- 3700 FT3	OFF- 79 05 03 1805	40K	3.0E+00	1.2E+00	PCI/M3
		AZIMUTH	SE		
		DISTANCE	9		MILES
		ANALYSIS BY RMC			
		1311	0.066		PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE RD.		SAMPLE NO	67363		
86 1590 043 42 03 30		AZIMUTH	SE		
431853 3MILE	ON- 79 04 30 1435	GR-B	1.1E-01	0.2E-01	PCI/M3
SIZE- 2400 FT3	OFF- 79 05 03 1805	DISTANCE	9		MILES
		ID NO.	AP-7F1		
		ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION		AZIMUTH	SSE		
86 1590 043 42 03 30		ID.NO.	AP-8C1		
418488 3MILE	ON- 79 04 30 1420	DISTANCE	2.3		MILES
SIZE- 4300 FT3	OFF- 79 05 03 1825	SAMPLE NO	67359		
		BETA	0.052	0.08	PCI/M3
		ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05					
				ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH-COLLINS SUBSTATION				ID,NO	AI-8C1		
86 1590 043 42 03 30				DISTANCE	2.3		MILES
418547 3MILE	ON- 79 04 30 1420			SAMPLE NO	67368		
SIZE- 4300 FT3	OFF- 79 05 03 1625			AZIMUTH	SSE		
				1311	<0.081		PCI/M3
				ANALYSIS BY TELEDYNE			
N,SIDE OF OBSERVATION CENTER BLDG,				AZIMUTH	E		
86 1590 043 42 03 30				SAMPLE NO	67360		
418493 3MILE	ON- 79 04 30 1345			DISTANCE	0.40		MILES
SIZE- 6500 FT3	OFF- 79 05 03 1835			ID,NO,	AP-5A1		
				BETA	0.036	0.05	PCI/M3
				ANALYSIS BY TELEDYNE			
N,SIDE OF OBSERVATION CENTER BLDG,				SAMPLE NO	67369		
86 1590 043 42 03 30				AZIMUTH	E		
418553 3MILE	ON- 79 04 30 1345			1311	0.077	0.023	PCI/M3
SIZE- 6500 FT3	OFF- 79 05 03 1835			ID,NO,	AI-5A1		
				DISTANCE	0.4		MILES
				ANALYSIS BY TELEDYNE			
N,WEATHER STATION				AZIMUTH	N		
86 1590 043 42 03 30				ID,NO	AP-1S2		
418483 3MILE	ON- 79 04 30 1900			DISTANCE	0.40		MILES
SIZE- 4000 FT3	OFF- 79 05 03 1850			BETA	0.058	0.09	PCI/M3
				SAMPLE NO	67358		
				ANALYSIS BY TELEDYNE			
N,WEATHER STATION				DISTANCE	0.4		MILES
86 1590 043 42 03 30				AZIMUTH	N		
418541 3MILE	ON- 79 04 30 1900			1311	<0.081		PCI/M3
SIZE- 4000 FT3	OFF- 79 05 03 1850			ID,NO	AI-1S2		
				SAMPLE NO	67367		
				ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION				AZIMUTH	SSE		
86 1590 043 42 03 30				BETA	0.037	0.08	PCI/M3
418489 3MILE	ON- 79 05 03			DISTANCE	2.3		MILES
SIZE- 3600 FT3	OFF- 79 05 06			ID,NO	AP-8C1		
				ANALYSIS	TELEDYNE		
				SAMPLE NO	67593		
MIDDLETOWN SUBSTATION				ID,NO,	AP-1C1		
86 1590 043 42 03 30				AZIMUTH	N		
418518 3MILE	ON- 79 05 03 1315			BETA	0.053	0.09	PCI/M3
SIZE- 3900 FT3	OFF- 79 05 06 0800			DISTANCE	2.6		MILES
				SAMPLE NO	67599		
				ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
	ANALYSIS	RESULT	2SIGMA	UNITS	
MIDDLETOWN SUBSTATION	DISTANCE	2.6		MILES	
86 1590 043 42 03 30	AZIMUTH	N			
418582 3MILE ON- 79 05 03 1315	ID.NO.	AI-1C1			
SIZE- 3900 FT3 OFF- 79 05 06 0800	SAMPLE NO	67607			
	131I	<0.10		PCI/M3	
	ANALYSIS BY TELEDYNE				
MIDDLETOWN SUBSTATION	ID NO.	AP-1C1Q			
86 1590 043 42 03 30	AZIMUTH	N			
431451 3MILE ON- 79 05 03 1315	SAMPLE NO	5045BD3			
SIZE- 104.7 M3 OFF- 79 05 06 0800	BETA	4.39E-02	1.2E-02	PCI/M3	
	DISTANCE	2.6		MILES	
	ANALYSIS BY RMC				
MIDDLETOWN SUBSTATION	40K	2.8E+00	1.2E+00	PCI/M3	
86 1590 043 42 03 30	137CS	7.4E-02	5.6E-02	PCI/M3	
431494 3MILE ON- 79 05 03 1315	ID NO.	AI-1C1Q			
SIZE- 3700 FT3 OFF- 79 05 06 0800	AZIMUTH	N			
	SAMPLE NO	5047GI5			
	DISTANCE	2.6		MILES	
	ANALYSIS BY RMC				
	131I	0.057		PCI/M3	
N.SIDE OF OBSERVATION CENTER BLDG.	AZIMUTH	E			
86 1590 043 42 03 30	ID.NO.	AP-5A1			
418494 3MILE ON- 79 05 03 1835	DISTANCE	0.40		MILES	
SIZE- 5300 FT3 OFF- 79 05 06 0835	SAMPLE NO	67594			
	BETA	0.030	0.06	PCI/M3	
	ANALYSIS BY TELEDYNE				
N.SIDE OF OBSERVATION CENTER BLDG.	SAMPLE NO	67602			
86 1590 043 42 03 30	AZIMUTH	E			
418554 3MILE ON- 79 05 03 1835	ID.NO.	AI-5A1			
SIZE- 5300 FT3 OFF- 79 05 06 0835	131I	<0.075		PCI/M3	
	DISTANCE	0.4		MILES	
	ANALYSIS BY TELEDYNE				
FALMOUTH-COLLINS SUBSTATION	DISTANCE	2.3		MILES	
86 1590 043 42 03 30	AZIMUTH	SSE			
418548 3MILE ON- 79 05 03 1825	131I	<0.047		PCI/M3	
SIZE- 3600 FT3 OFF- 79 05 06 0905	SAMPLE NO	67601			
	ID.NO	AI-8C1			
	ANALYSIS BY TELEDYNE				
DRAGER FARM ENGLE TOLLGATE RD.	DISTANCE	9		MILES	
86 1590 043 42 03 30	ID.NO	AI-7F1			
418566 3MILE ON- 79 05 03 1805	SAMPLE NO	67605			
SIZE- 2000 FT3 OFF- 79 05 06 0920	AZIMUTH	SE			
	131I	<0.073		PCI/M3	
	ANALYSIS BY TELEDYNE				

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
DRAGER FARM OFF ENGLE TOLLGATE ROAD	AZIMUTH	SE		
86 1590 043 42 03 30	BETA	5.42E-02	1.4E-02	PCI/M3
419990 3MILE DN- 79 05 03 1805	DISTANCE	9		MILES
SIZE- 90.6 M3 OFF- 79 05 06 0920	SAMPLE NO	5044BD3		
	ID NO.	AP-7F1Q		
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	ID NO.	AI-7F1Q		
86 1590 043 42 03 30	AZIMUTH	SE		
431474 3MILE DN- 79 05 03 1805	137CS	8.3E-02	5.4E-02	PCI/M3
SIZE- 3200 FT3 OFF- 79 05 06 0920	DISTANCE	9		MILES
	40K	2.7E+00	1.2E+00	PCI/M3
	SAMPLE NO	5046GI5		
	ANALYSIS BY RMC			
	131I	0.056		PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE RD.	SAMPLE NO	67597		
86 1590 043 42 03 30	AZIMUTH	SE		
431855 3MILE DN- 79 05 03 1805	GR-B	9.3E-02	1.6E-02	PCI/M3
SIZE- 2000 FT3 OFF- 79 05 06 0920	DISTANCE	9		MILES
	ID NO.	AP-7F1		
	ANALYSIS BY TELEDYNE			
MET.ED. YORK LOAD DISPATCH STATION	BETA	0.057	0.08	PCI/M3
86 1590 043 42 03 30	AZIMUTH	S		
418537 3MILE DN- 79 05 03 1540	ID.NO.	AP-9G1		
SIZE- 4600 FT3 OFF- 79 05 06 1020	DISTANCE	13		MILES
	SAMPLE NO	67598		
	ANALYSIS BY TELEDYNE			
MET.ED.YORK LOAD DISPATCH STA.	DISTANCE	13		MILES
86 1590 043 42 03 30	AZIMUTH	S		
418604 3MILE DN- 79 05 03 1540	ID.NO.	AI-9G1		
SIZE- 4600 FT3 OFF- 79 05 06 1020	131I	<0.057		PCI/M3
	SAMPLE NO	67606		
	ANALYSIS BY TELEDYNE			
W.FAIRVIEW SUBSTATION	AZIMUTH	NW		
86 1590 043 42 03 30	SAMPLE NO	67595		
418499 3MILE DN- 79 05 03 0710	DISTANCE	15		MILES
SIZE- 4500 FT3 OFF- 79 05 06 1230	ID.NO.	AP-15G1		
	BETA	0.052	0.08	PCI/M3
	ANALYSIS BY TELEDYNE			
W.FAIRVIEW SUBSTATION	DISTANCE	15		MILES
86 1590 043 42 03 30	AZIMUTH	NW		
418560 3MILE DN- 79 05 03 0710	SAMPLE NO	67603		
SIZE- 4500 FT3 OFF- 79 05 06 1230	ID.NO	AI-15G1		
	131I	<0.057		PCI/M3
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
GOLDSBORO AIR STATION	ID,NO,	AP-12B1		
86 1590 043 42 03 30	AZIMUTH	WSW		
418532 3MILE DN- 79 05 03 0750	DISTANCE	1.6		MILES
SIZE- 4400 FT3 OFF- 79 05 06 1305	BETA	0.048	0.08	PCI/M3
	SAMPLE NO	67596		
	ANALYSIS BY TELEDYNE			
GOLDSBORO AIR STATION	DISTANCE	1.6		MILES
86 1590 043 42 03 30	AZIMUTH	WSW		
418598 3MILE DN- 79 05 03 0750	SAMPLE NO	67604		
SIZE- 4400 FT3 OFF- 79 05 06 1305	131I	<0.057		PCI/M3
	ID,NO,	AI-12B1		
	ANALYSIS BY TELEDYNE			
N,WEATHER STATION	AZIMUTH	N		
86 1590 043 42 03 30	SAMPLE NO	67592		
418484 3MILE DN- 79 05 03 1850	DISTANCE	0.40		MILES
SIZE- 3800 FT3 OFF- 79 05 06 1430	ID,NO	AP-1B2		
	BETA	0.050	0.09	PCI/M3
	ANALYSIS BY TELEDYNE			
N,WEATHER STATION	DISTANCE	0.4		MILES
86 1590 043 42 03 30	AZIMUTH	N		
418542 3MILE DN- 79 05 03 1850	ID,NO,	AI-1B2		
SIZE- 3800 FT3 OFF- 79 05 06 1430	131I	<0.10		PCI/M3
	SAMPLE NO	67600		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	BETA	0.060	0.08	PCI/M3
86 1590 043 42 03 30	AZIMUTH	N		
418519 3MILE DN- 79 05 06 0800	ID,NO,	AP-1C1		
SIZE- 4000 FT3 OFF- 79 05 09 0750	DISTANCE	2.6		MILES
	SAMPLE NO	67737		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	DISTANCE	2.6		MILES
86 1590 043 42 03 30	AZIMUTH	N		
418583 3MILE DN- 79 05 06 0800	ID,NO,	AI-1C1		
SIZE- 4000 FT3 OFF- 79 05 09 0750	131I	<0.07		PCI/M3
	SAMPLE NO	67746		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	ID NO,	AP-1C10		
86 1590 043 42 03 30	BETA	5.49E-02	1.1E-02	PCI/M3
431452 3MILE DN- 79 05 06 0800	AZIMUTH	N		
SIZE- 107.6 M3 OFF- 79 05 09 0750	SAMPLE NO	5305BD3		
	DISTANCE	2.6		MILES
	ANALYSIS BY RMC			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION	AZIMUTH	N		
86 1590 043 42 03 30	137CS	1.0E-01	5.5E-02	PCI/M3
431495 3MILE DN- 79 05 06 0800	ID NO.	AI-1C10		
SIZE- 3800 FT3 DFF- 79 05 09 0750	DISTANCE	2.6		MILES
	SAMPLE NO	5307GIS		
	ANALYSIS BY RMC			
	131I	0.052		PCI/M3
N.SIDE OF OBSERVATION CENTER BLDG.	AZIMUTH	E		
86 1590 043 42 03 30	BETA	0.075	0.09	PCI/M3
418495 3MILE DN- 79 05 06 0835	DISTANCE	0.40		MILES
SIZE- 5900 FT3 DFF- 79 05 09 0815	ID.NO.	AP-5A1		
	SAMPLE NO	67732		
	ANALYSIS BY TELEDYNE			
N.SIDE OF OBSERVATION CENTER BLDG.	131I	<0.07		PCI/M3
86 1590 043 42 03 30	AZIMUTH	E		
418555 3MILE DN- 79 05 06 0835	DISTANCE	0.4		MILES
SIZE- 5900 FT3 DFF- 79 05 09 0815	ID.NO.	AI-5A1		
	SAMPLE NO	67741		
	ANALYSIS BY TELEDYNE			
W.FAIRVIEW SUBSTATION	SAMPLE NO	67733		
86 1590 043 42 03 30	AZIMUTH	NW		
418500 3MILE DN- 79 05 06 1230	BETA	0.054	0.08	PCI/M3
SIZE- 4000 FT3 DFF- 79 05 09 1305	DISTANCE	15		MILES
	ID.NO	AP-15G1		
	ANALYSIS BY TELEDYNE			
W.FAIRVIEW SUBSTATION	DISTANCE	15		MILES
86 1590 043 42 03 30	AZIMUTH	NW		
418561 3MILE DN- 79 05 06 1230	SAMPLE NO	67742		
SIZE- 4000 FT3 DFF- 79 05 09 1305	ID. NO	AI-15G1		
	131I	<0.05		PCI/M3
	ANALYSIS BY TELEDYNE			
GOLDSBORO AIR STATION	SAMPLE NO	67734		
86 1590 043 42 03 30	AZIMUTH	WSW		
418533 3MILE DN- 79 05 06 1305	DISTANCE	1.6		MILES
SIZE- 4000 FT3 DFF- 79 05 09 1400	ID.NO	AP-12B1		
	BETA	0.180	0.02	PCI/M3
	ANALYSIS BY TELEDYNE			
GOLDSBORO AIR STATION	DISTANCE	1.6		MILES
86 1590 043 42 03 30	131I	<0.07		PCI/M3
418599 3MILE DN- 79 05 06 1305	SAMPLE NO	67743		
SIZE- 4000 FT3 DFF- 79 05 09 1400	ID.NO.	AI-12B1		
	AZIMUTH	WSW		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
MET.ED. YORK LOAD DISPATCH STATION		ID.NO	AP-9G1		
86 1590 043 42 03 30		AZIMUTH	S		
418538 3MILE	ON- 79 05 06 1020	DISTANCE	13		MILES
SIZE- 5000 FT3	OFF- 79 05 09 1500	BETA	0.080	0.010	PCI/M3
		SAMPLE NO	67736		
		ANALYSIS BY TELEDYNE			
MET.ED.YORK LOAD DISPATCH STA.		DISTANCE	13		MILES
86 1590 043 42 03 30		AZIMUTH	S		
418605 3MILE	ON- 79 05 06 1020	SAMPLE NO	67745		
SIZE- 5000 FT3	OFF- 79 05 09 1500	ID.NO	AI-9G1		
		131I	<0.05		PCI/M3
		ANALYSIS BY TELEDYNE			
DRAGER FARM ENGLE TOLLGATE RD.		DISTANCE	9		MILES
86 1590 043 42 03 30		AZIMUTH	SE		
418567 3MILE	ON- 79 05 06 0920	ID.NO	AI-7F1		
SIZE- 2700 FT3	OFF- 79 05 09 1645	SAMPLE NO	67744		
		131I	<0.05		PCI/M3
		ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD		ID NO.	AP-7F10		
86 1590 043 42 03 30		AZIMUTH	SE		
419991 3MILE	ON- 79 05 06 0920	BETA	3.86E-02	9.9E-03	PCI/M3
SIZE- 110.4 M3	OFF- 79 05 09 1645	DISTANCE	9		MILES
		SAMPLE NO	5304BD3		
		ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD		ID NO.	AI-7F10		
86 1590 043 42 03 30		SAMPLE NO	5306GI5		
431475 3MILE	ON- 79 05 06 0920	DISTANCE	9		MILES
SIZE- 3900 FT3	OFF- 79 05 09 1645	AZIMUTH	SE		
		ANALYSIS BY RMC			
		RESULTS BELOW LLD			
		131I	0.050		PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE RD.		SAMPLE NO	67735		
86 1590 043 42 03 30		AZIMUTH	SE		
431857 3MILE	ON- 79 05 06 0920	GR-B	7.0E-02	0.8E-02	PCI/M3
SIZE- 2700 FT3	OFF- 79 05 09 1645	DISTANCE	9		MILES
		ID NO.	AP-7F1		
		ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION		AZIMUTH	SSE		
86 1590 043 42 03 30		SAMPLE NO	67730		
418490 3MILE	ON- 79 05 06 0905	DISTANCE	2.3		MILES
SIZE- 4400 FT3	OFF- 79 05 09 1805	ID.NO.	AP-8C1		
		ANALYSIS	TELEDYNE		
		BETA	0.074	0.09	PCI/M3

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	67739		
86 1590 043 42 03 30	AZIMUTH	SSE		
418549 3MILE DN- 79 05 06 0905	DISTANCE	2.3		MILES
SIZE- 4400 FT3 OFF- 79 05 09 1805	131I	<0.09		PCI/M3
	ID.NO	AI-8C1		
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	131I	<4.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	SSE		
431635 3MILE DN- 79 05 06 0905	SAMPLE NO	67740		
SIZE- 4400 FT3 OFF- 79 05 09 1805	DISTANCE	2.3		MILES
	ID NO.	AI-8C1		
	ANALYSIS BY TELEDYNE			
	DUPLICATE	67739		
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	67731		
86 1590 043 42 03 30	AZIMUTH	SSE		
431856 3MILE DN- 79 05 06 0905	GR-B	6.4E-02	0.7E-02	PCI/M3
SIZE- 4400 FT3 OFF- 79 05 09 1805	DISTANCE	2.6		MILES
	ID NO.	AP-8C1		
	ANALYSIS BY TELEDYNE			
	DUPLICATE	67730		
N.WEATHER STATION	AZIMUTH	N		
86 1590 043 42 03 30	ID.NO.	AP-1S2		
418485 3MILE DN- 79 05 06 1430	DISTANCE	0.40		MILES
SIZE- 4100 FT3 OFF- 79 05 09 1840	SAMPLE NO	67729		
	BETA	0.067	0.09	PCI/M3
	ANALYSIS BY TELEDYNE			
N.WEATHER STATION	DISTANCE	0.4		MILES
86 1590 043 42 03 30	AZIMUTH	N		
418543 3MILE DN- 79 05 06 1430	ID.NO	AI-1S2		
SIZE- 4100 FT3 OFF- 79 05 09 1840	131I	<0.10		PCI/M3
	SAMPLE NO	67738		
	ANALYSIS BY TELEDYNE			
N.SIDE OF OBSERVATION CENTER BLDG.	AZIMUTH	E		
86 1590 043 42 03 30	SAMPLE NO	67979		
418496 3MILE DN- 79 05 09 0815	DISTANCE	0.40		MILES
SIZE- 5700 FT3 OFF- 79 05 12 0655	ID.NO.	AP-5A1		
	BETA	0.037	0.06	PCI/M3
	ANALYSIS BY TELEDYNE			
N.SIDE OF OBSERVATION CENTER BLDG.	ID.NO.	AI-5A1		
86 1590 043 42 03 30	AZIMUTH	E		
418556 3MILE DN- 79 05 09 0815	DISTANCE	0.4		MILES
SIZE- 5700 FT3 OFF- 79 05 12 0655	SAMPLE NO	6798		
	131I	<0.07		PCI/M3
	ANALYSIS BY TELEDYNE			

TABLE 17-A. MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
W.FAIRVIEW SUBSTATION	BETA	0.062	0.01	PCI/M3
86 1590 043 42 03 30	AZIMUTH	NW		
418501 3MILE DN- 79 05 09 1305	SAMPLE NO	67980		
SIZE- 3600 FT3 OFF- 79 05 12 0750	DISTANCE	15		MILES
	ID.NO.	AP-15G1		
	ANALYSIS BY TELEDYNE			
W.FAIRVIEW SUBSTATION	DISTANCE	15		MILES
86 1590 043 42 03 30	AZIMUTH	NW		
418562 3MILE DN- 79 05 09 1305	131I	<0.06		PCI/M3
SIZE- 3600 FT3 OFF- 79 05 12 0750	ID. NO	AI-15G1		
	SAMPLE NO	67989		
	ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION	SAMPLE NO	67990		
86 1590 043 42 03 30	AZIMUTH	NW		
431636 3MILE DN- 79 05 09 1305	131I	<1.0E-01		PCI/M3
SIZE- 3600 FT3 OFF- 79 05 12 0750	DISTANCE	15		MILES
	ID NO.	AI-15G1		
	ANALYSIS BY TELEDYNE			
	DUPLICATE	67989		
W. FAIRVIEW SUBSTATION	SAMPLE NO	67981		
86 1590 043 42 03 30	AZIMUTH	NW		
431858 3MILE DN- 79 05 09 1305	GR-B	5.1E-02	0.9E-02	PCI/M3
SIZE- 3600 FT3 OFF- 79 05 12 0750	DISTANCE	15		MILES
	ID NO.	AP-15G1		
	DUPLICATE	67980		
	ANALYSIS BY TELEDYNE			
GOLDSBORO AIR STATION	ID.NO.	AP-12B1		
86 1590 043 42 03 30	AZIMUTH	WBW		
418534 3MILE DN- 79 05 09 1400	DISTANCE	1.6		MILES
SIZE- 4200 FT3 OFF- 79 05 12 0920	SAMPLE NO	67982		
	BETA	0.050	0.08	PCI/M3
	ANALYSIS BY TELEDYNE			
GOLDSBORO AIR STATION	DISTANCE	1.6		MILES
86 1590 043 42 03 30	AZIMUTH	WBW		
418600 3MILE DN- 79 05 09 1400	131I	<0.08		PCI/M3
SIZE- 4200 FT3 OFF- 79 05 12 0920	ID.NO.	AI-12B1		
	SAMPLE NO	67991		
	ANALYSIS BY TELEDYNE			
MET.ED. YORK LOAD DISPATCH STATION	ID.NO.	AP-9G1		
86 1590 043 42 03 30	AZIMUTH	S		
418539 3MILE DN- 79 05 09 1500	DISTANCE	13		MILES
SIZE- 4900 FT3 OFF- 79 05 12 1030	BETA	0.045	0.07	PCI/M3
	SAMPLE NO	67984		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05	ANALYSIS	RESULT	2SIGMA	UNITS
MET.ED.YORK LOAD DISPATCH STA.	DISTANCE	13		MILES
86 1590 043 42 03 30	ID.NO.	AI-9G1		
418606 3MILE ON- 79 05 09 1500	SAMPLE NO	67993		
SIZE- 4900 FT3 OFF- 79 05 12 1030	AZIMUTH	S		
	131I	<0.07		PCI/M3
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.	ID.NO	AI-7F1		
86 1590 043 42 03 30	SAMPLE NO	67992		
418568 3MILE ON- 79 05 09 1645	DISTANCE	9		MILES
SIZE- 2200 FT3 OFF- 79 05 12 1205	AZIMUTH	SE		
	131I	<0.08		PCI/M3
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	BETA	5.31E-02	1.2E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	SE		
419992 3MILE ON- 79 05 09 1645	DISTANCE	9		MILES
SIZE- 101.9 M3 OFF- 79 05 12 1205	ID NO.	AP-7F1Q		
	SAMPLE NO	5455BD3		
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	40K	3.5E+00	1.3E+00	PCI/M3
86 1590 043 42 03 30	137CS	9.0E-02	5.8E-02	PCI/M3
431476 3MILE ON- 79 05 09 1645	ID NO.	AI-7F1Q		
SIZE- 3600 FT3 OFF- 79 05 12 1205	AZIMUTH	SE		
	SAMPLE NO	5457GI5		
	DISTANCE	9		MILES
	ANALYSIS BY RMC			
	131I	0.056		PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE RD.	SAMPLE NO	67983		
86 1590 043 42 03 30	AZIMUTH	SE		
431859 3MILE ON- 79 05 09 1645	GR-B	8.6E-02	1.6E-02	PCI/M3
SIZE- 2200 FT3 OFF- 79 05 12 1205	DISTANCE	9		MILES
	ID NO.	AP-7F1		
	ANALYSIS BY TELEDYNE			
FALMOUTH COLLINS SUBSTATION	AZIMUTH	SSE		
86 1590 043 42 03 30	SAMPLE NO	67978		
418491 3MILE ON- 79 05 09 1805	DISTANCE	2.3		MILES
SIZE- 3800 FT3 OFF- 79 05 12 1420	ID.NO	AP-9C1		
	BETA	0.039	0.08	PCI/M3
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	ID.NO	AI-8C1		
86 1590 043 42 03 30	AZIMUTH	SSE		
418550 3MILE ON- 79 05 09 1805	DISTANCE	2.3		MILES
SIZE- 3800 FT3 OFF- 79 05 12 1420	SAMPLE NO	67987		
	131I	<0.1		PCI/M3
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
	ANALYSIS	RESULT	2SIGMA	UNITS	
MIDDLETOWN SUBSTATION	SAMPLE NO	67985			
86 1590 043 42 03 30	AZIMUTH	N			
418520 3MILE ON- 79 05 09 0750	ID,NO	AP-1C1			
SIZE- 4500 FT3 OFF- 79 05 12 1520	DISTANCE	2.6		MILES	
	BETA	0.048	0.08	PCI/M3	
	ANALYSIS BY TELEDYNE				
MIDDLETOWN SUBSTATION	DISTANCE	2.6		MILES	
86 1590 043 42 03 30	AZIMUTH	N			
418584 3MILE ON- 79 05 09 0750	SAMPLE NO	67994			
SIZE- 4500 FT3 OFF- 79 05 12 1520	ID,NO	AI-1C1			
	131I	<0.07		PCI/M3	
	ANALYSIS BY TELEDYNE				
MIDDLETOWN SUBSTATION	BETA	3.81E-02	9.6E-03	PCI/M3	
86 1590 043 42 03 30	ID NO.	AP-1C1Q			
431453 3MILE ON- 79 05 09 0750	AZIMUTH	N			
SIZE- 116 M3 OFF- 79 05 12 1520	SAMPLE NO	5456BD3			
	DISTANCE	2.6		MILES	
	ANALYSIS BY RMC				
MIDDLETOWN SUBSTATION	141CE	6.8E-02	5.1E-02	PCI/M3	
86 1590 043 42 03 30	ID NO.	AI-1C1Q			
431496 3MILE ON- 79 05 09 0750	40K	3.3E+00	1.1E+00	PCI/M3	
SIZE- 4100 FT3 OFF- 79 05 12 1520	AZIMUTH	N			
	SAMPLE NO	5458GI5			
	137CS	5.0E-02	4.3E-02	PCI/M3	
	DISTANCE	2.6		MILES	
	ANALYSIS BY RMC				
	131I	0.056		PCI/M3	
N.WEATHER STATION	AZIMUTH	N			
86 1590 043 42 03 30	BETA	0.040	0.08	PCI/M3	
418486 3MILE ON- 79 05 09 1840	DISTANCE	0.40		MILES	
SIZE- 4400 FT3 OFF- 79 05 12 1800	ID,NO.	AP-1S2			
	SAMPLE NO	67977			
	ANALYSIS BY TELEDYNE				
N.WEATHER STATION	131I	<0.09		PCI/M3	
86 1590 043 42 03 30	DISTANCE	0.4		MILES	
418544 3MILE ON- 79 05 09 1840	ID,NO	AI-1S2			
SIZE- 4400 FT3 OFF- 79 05 12 1800	AZIMUTH	N			
	SAMPLE NO	67986			
	ANALYSIS BY TELEDYNE				
MIDDLETOWN SUBSTATION	SAMPLE NO	68079			
86 1590 043 42 03 30	AZIMUTH	N			
418521 3MILE ON- 79 05 12 1520	ID,NO	AP-1C1			
SIZE- 3700 FT3 OFF- 79 05 15 0720	DISTANCE	2.6		MILES	
	BETA	0.086	0.017	PCI/M3	
	ANALYSIS BY TELEDYNE				

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION		DISTANCE	2.6		MILES
86 1590 043 42 03 30		ID.NO.	AI-1C1		
418585 3MILE	DN- 79 05 12 1520	SAMPLE NO	68088		
SIZE- 3700 FT3	OFF- 79 05 15 0720	AZIMUTH	W		
		131I	<0.1		PCI/M3
		ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION		ID NO.	AP-1C10		
86 1590 043 42 03 30		BETA	3.73E-02	1.2E-02	PCI/M3
431454 3MILE	DN- 79 05 12 1520	AZIMUTH	W		
SIZE- 96.2 M3	OFF- 79 05 15 0720	SAMPLE NO	5633BD3		
		DISTANCE	2.6		MILES
		ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION		AZIMUTH	W		
86 1590 043 42 03 30		SAMPLE NO	5635GI5		
431497 3MILE	DN- 79 05 12 1520	DISTANCE	2.6		MILES
SIZE- 3400 FT3	OFF- 79 05 15 0720	137CS	1.0E-01	5.6E-02	PCI/M3
		ID NO.	AI-1C10		
		40K	3.3E+00	1.3E+00	PCI/M3
		ANALYSIS BY RMC			
		131I	0.069		PCI/M3
W.FAIRVIEW SUBSTATION		ID.NO.	AP-15G1		
86 1590 043 42 03 30		AZIMUTH	NW		
418502 3MILE	DN- 79 05 12 0750	SAMPLE NO	68074		
SIZE- 4200 FT3	OFF- 79 05 15 1035	DISTANCE	15		MILES
		BETA	0.034	0.07	PCI/M3
		ANALYSIS BY TELEDYNE			
W.FAIRVIEW SUBSTATION		DISTANCE	15		MILES
86 1590 043 42 03 30		131I	<0.08		PCI/M3
418563 3MILE	DN- 79 05 12 0750	ID. NO	AI-15G1		
SIZE- 4200 FT3	OFF- 79 05 15 1035	SAMPLE NO	68083		
		AZIMUTH	NW		
		ANALYSIS BY TELEDYNE			
GOLDSBORO AIR STATION		DISTANCE	1.6		MILES
86 1590 043 42 03 30		AZIMUTH	WSW		
418535 3MILE	DN- 79 05 12 0920	SAMPLE NO	68075		
SIZE- 4600 FT3	OFF- 79 05 15 1125	ID.NO	AP-12B1		
		BETA	0.032	0.07	PCI/M3
		ANALYSIS BY TELEDYNE			
GOLDSBORO AIR STATION		DISTANCE	1.6		MILES
86 1590 043 42 03 30		131I	<0.08		PCI/M3
418601 3MILE	DN- 79 05 12 0920	SAMPLE NO	68084		
SIZE- 4600 FT3	OFF- 79 05 15 1125	ID.NO.	AI-12B1		
		AZIMUTH	WSW		
		ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05	ANALYSIS	RESULT	2SIGMA	UNITS
MET,ED, YORK LOAD DISPATCH STATION	DISTANCE	13		MILES
86 1590 043 42 03 30	AZIMUTH	S		
418540 3MILE DN- 79 05 12 1030	BETA	0,049	0,09	PCI/M3
SIZE- 5600 FT3 OFF- 79 05 15 1220	ID,NO	AP-9G1		
	SAMPLE NO	68078		
	ANALYSIS BY TELEDYNE			
MET,ED,YORK LOAD DISPATCH STA,	DISTANCE	13		MILES
86 1590 043 42 03 30	AZIMUTH	S		
418607 3MILE DN- 79 05 12 1030	ID,NO,	AI-9G1		
SIZE- 5600 FT3 OFF- 79 05 15 1220	SAMPLE NO	68087		
	131I	<0,07		PCI/M3
	ANALYSIS BY TELEDYNE			
DRAGER FARM ENGLE TOLLGATE RD,	DISTANCE	9		MILES
86 1590 043 42 03 30	AZIMUTH	SE		
418569 3MILE DN- 79 05 12 1205	SAMPLE NO	68085		
SIZE- 1900 FT3 OFF- 79 05 15 1400	131I	<0,1		PCI/M3
	ID,NO	AI-7F1		
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	SAMPLE NO	5632BD3		
86 1590 043 42 03 30	DISTANCE	9		MILES
419993 3MILE DN- 79 05 12 1205	ID NO,	AP-7F10		
SIZE- 116 M3 OFF- 79 05 15 1400	AZIMUTH	SE		
	BETA	2,70E-02	9,7E-03	PCI/M3
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	40K	2,9E+00	1,0E+00	PCI/M3
86 1590 043 42 03 30	ID NO,	AI-7F10		
431477 3MILE DN- 79 05 12 1205	SAMPLE NO	5634GI5		
SIZE- 4100 FT3 OFF- 79 05 15 1400	DISTANCE	9		MILES
	137CS	8,5E-02	5,2E-02	PCI/M3
	AZIMUTH	SE		
	ANALYSIS BY RMC			
	131I	0,05		PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE RD,	ID NO,	AI-7F1		
86 1590 043 42 03 30	DISTANCE	9		MILES
431637 3MILE DN- 79 05 12 1205	131I	<1,0E-01		PCI/M3
SIZE- 1900 FT3 OFF- 79 05 15 1400	AZIMUTH	SE		
	SAMPLE NO	68086		
	DUPLICATE	68085		
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD,	SAMPLE NO	68076		
86 1590 043 42 03 30	AZIMUTH	SE		
431860 3MILE DN- 79 05 12 1205	GR-B	8,9E-02	1,7E-02	PCI/M3
SIZE- 1900 FT3 OFF- 79 05 15 1400	DISTANCE	9		MILES
	ID NO,	AP-7F1		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
DRAGER FARM OFF ENGLE TOLLGATE RD.	SAMPLE NO	68077		
86 1590 043 42 03 30	AZIMUTH	SE		
431861 3MILE ON- 79 05 12 1205	DISTANCE	9		MILES
SIZE- 1900 FT3 OFF- 79 05 15 1400	ID NO.	AP-7F1		
	ANALYSIS BY TELEDYNE			
	BETA	0.029	0.0060	PCI/M3
	DUPLICATE	68076		
FALMOUTH-COLLINS SUBSTATION	AZIMUTH	SSE		
86 1590 043 42 03 30	BETA	0.031	0.08	PCI/M3
418492 3MILE ON- 79 05 12 1420	DISTANCE	2.3		MILES
SIZE- 3900 FT3 OFF- 79 05 15 1420	ID.NO.	AP-8C1		
	SAMPLE NO	68072		
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	68081		
86 1590 043 42 03 30	AZIMUTH	SSE		
418551 3MILE ON- 79 05 12 1420	DISTANCE	2.3		MILES
SIZE- 3900 FT3 OFF- 79 05 15 1420	ID.NO	AI-8C1		
	131I	<0.04		PCI/M3
	ANALYSIS BY TELEDYNE			
N.SIDE OF OBSERVATION CENTER BLDG.	AZIMUTH	E		
86 1590 043 42 03 30	ID. NO	AP-5A1		
418497 3MILE ON- 79 05 12 0655	DISTANCE	0.40		MILES
SIZE- 6700 FT3 OFF- 79 05 15 1530	SAMPLE NO	68073		
	BETA	0.027	0.005	PCI/M3
	ANALYSIS BY TELEDYNE			
N.SIDE OF OBSERVATION CENTER BLDG.	DISTANCE	0.4		MILES
86 1590 043 42 03 30	AZIMUTH	E		
418557 3MILE ON- 79 05 12 0655	SAMPLE NO	68082		
SIZE- 6700 FT3 OFF- 79 05 15 1530	ID.NO.	AI-5A1		
	131I	<0.05		PCI/M3
	ANALYSIS BY TELEDYNE			
N.WEATHER STATION	AZIMUTH	N		
86 1590 043 42 03 30	SAMPLE NO	68071		
418487 3MILE ON- 79 05 12 1800	DISTANCE	0.40		MILES
SIZE- 4300 FT3 OFF- 79 05 15 1540	ID.NO.	AP-1B2		
	BETA	0.033	0.007	PCI/M3
	ANALYSIS BY TELEDYNE			
N.WEATHER STATION	DISTANCE	0.4		MILES
86 1590 043 42 03 30	AZIMUTH	N		
418545 3MILE ON- 79 05 12 1800	ID.NO.	AI-1B2		
SIZE- 4300 FT3 OFF- 79 05 15 1540	131I	<0.07		PCI/M3
	SAMPLE NO	68080		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION		DISTANCE	2.6		MILES
86 1590 043 42 03 30		AZIMUTH	N		
418586 3MILE	DN- 79 05 15 0720	ID,NO	AI-1C1		
SIZE- 4300 FT3	OFF- 79 05 18 0745	SAMPLE NO	68313		
		131I	<0.08		PCI/M3
		ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION		BETA	4.07E-02	1.1E-02	PCI/M3
86 1590 043 42 03 30		AZIMUTH	N		
431455 3MILE	DN- 79 05 15 0720	ID NO,	AP-1C10		
SIZE- 110.4 M3	OFF- 79 05 18 0745	DISTANCE	2.6		MILES
		SAMPLE NO	57968D3		
		ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION		BETA	3.98E-02	1.1E-02	PCI/M3
86 1590 043 42 03 30		ID NO,	AP-1C10		
431456 3MILE	DN- 79 05 15 0720	SAMPLE NO	57978D3		
SIZE- 110.4 M3	OFF- 79 05 18 0745	AZIMUTH	N		
		DISTANCE	2.6		MILES
		ANALYSIS BY RMC			
		DUPLICATE	57968D3		
MIDDLETOWN SUBSTATION		ID NO,	AI-1C10		
86 1590 043 42 03 30		SAMPLE NO	5800GI5		
431498 3MILE	DN- 79 05 15 0720	AZIMUTH	N		
SIZE- 110.4 M3	OFF- 79 05 18 0745	40K	4.1E+00	1.1E+00	PCI/M3
		DISTANCE	2.6		MILES
		ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION		131I	<9.0E-02		PCI/M3
86 1590 043 42 03 30		ID NO,	AI-1C1		
431638 3MILE	DN- 79 05 15 0720	SAMPLE NO	68314		
SIZE- 4300 FT3	OFF- 79 05 18 0745	AZIMUTH	N		
		DISTANCE	2.6		MILES
		ANALYSIS BY TELEDYNE			
		DUPLICATE	68313		
MIDDLETOWN SUBSTATION		SAMPLE NO	68304		
86 1590 043 42 03 30		GR-B	5.9E-02	0.8E-02	PCI/M3
431869 3MILE	DN- 79 05 15 0720	ID NO,	AP-1C1		
SIZE- 4300 FT3	OFF- 79 05 18 0745	AZIMUTH	N		
		DISTANCE	2.6		MILES
		ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION		SAMPLE NO	68305		
86 1590 043 42 03 30		DISTANCE	2.6		MILES
431870 3MILE	DN- 79 05 15 0720	ID NO,	AP-1C1		
SIZE- 4300 FT3	OFF- 79 05 18 0745	AZIMUTH	N		
		GR-B	6.9E-02	0.9E-02	PCI/M3
		ANALYSIS BY TELEDYNE			
		DUPLICATE	68304		

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
W.FAIRVIEW SUBSTATION	ID.NO.	AI-15G1		
86 1590 043 42 03 30	AZIMUTH	NW		
418564 3MILE DN- 79 05 15 1035	DISTANCE	15		MILES
SIZE- 4000 FT3 OFF- 79 05 18 0900	131I	<0.05		PCI/M3
	SAMPLE NO	68309		
	ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION	SAMPLE NO	68300		
86 1590 043 42 03 30	GR-B	3.6E-02	0.7E-02	PCI/M3
431865 3MILE DN- 79 05 15 1035	ID NO.	AP-15G1		
SIZE- 4000 FT3 OFF- 79 05 18 0900	AZIMUTH	NW		
	DISTANCE	15		MILES
	ANALYSIS BY TELEDYNE			
GOLDSBORO AIR STATION	DISTANCE	1.6		MILES
86 1590 043 42 03 30	AZIMUTH	WSW		
418602 3MILE DN- 79 05 15 1125	131I	<0.08		PCI/M3
SIZE- 4300 FT3 OFF- 79 05 18 1000	ID.NO.	AI-12B1		
	SAMPLE NO	68310		
	ANALYSIS BY TELEDYNE			
FISHING CREEK	SAMPLE NO	68301		
86 1590 043 42 03 30	GR-B	0.054	0.008	PCI/M3
431866 3MILE DN- 79 05 15 1125	ID NO.	AP-12B1		
SIZE- 4300 FT3 OFF- 79 05 18 1000	AZIMUTH	WSW		
	DISTANCE	1.6		MILES
	ANALYSIS BY TELEDYNE			
MET.ED.YORK LOAD DISPATCH STA.	DISTANCE	13		MILES
86 1590 043 42 03 30	SAMPLE NO	68312		
418608 3MILE DN- 79 05 15 1220	ID.NO.	AI-9G1		
SIZE- 5300 FT3 OFF- 79 05 18 1105	AZIMUTH	S		
	131I	<0.06		PCI/M3
	ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION	SAMPLE NO	68303		
86 1590 043 42 03 30	GR-B	4.5E-02	0.7E-02	PCI/M3
431868 3MILE DN- 79 05 15 1220	ID NO.	AP-9G1		
SIZE- 5300 FT3 OFF- 79 05 18 1105	AZIMUTH	S		
	DISTANCE	13		MILES
	ANALYSIS BY TELEDYNE			
DRAGER FARM ENGLE TOLLGATE RD.	DISTANCE	9		MILES
86 1590 043 42 03 30	131I	<0.1		PCI/M3
418570 3MILE DN- 79 05 15 1400	SAMPLE NO	68311		
SIZE- 1200 FT3 OFF- 79 05 18 1300	ID.NO.	AI-7F1		
	AZIMUTH	SE		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
DRAGER FARM OFF ENGLE TOLLGATE ROAD 86 1590 043 42 03 30 419994 3MILE DN- 79 05 15 1400 SIZE- 116 M3 OFF- 79 05 18 1300	SAMPLE NO DISTANCE BETA AZIMUTH ID NO. ANALYSIS BY RMC	5795BD3 9 3.92E-02	1.1E-02	MILES PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE ROAD 86 1590 043 42 03 30 431478 3MILE DN- 79 05 15 1400 SIZE- 4100 FT3 OFF- 79 05 18 1300	40K AZIMUTH DISTANCE SAMPLE NO ID NO. ANALYSIS BY RMC 131I	2.5E+00 SE 9 5798GI5 AI-7F10 0.056	1.0E+00	PCI/M3 MILES PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE ROAD 86 1590 043 42 03 30 431479 3MILE DN- 79 05 15 1400 SIZE- 4100 FT3 OFF- 79 05 18 1300	SAMPLE NO 137CS DISTANCE 40K AZIMUTH ID NO. ANALYSIS BY RMC DUPLICATE 131I	5798GI5 1.0E-01 9 3.0E+00 SE AI-7F10 5798GI5 0.061	5.4E-02 1.0E+00	PCI/M3 MILES PCI/M3 PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE RD. 86 1590 043 42 03 30 431867 3MILE DN- 79 05 15 1400 SIZE- 1200 FT3 OFF- 79 05 18 1300	SAMPLE NO GR-B ID NO. AZIMUTH DISTANCE ANALYSIS BY TELEDYNE	68302 1.4E-01 AP-7F1 . SE 9	0.3E-01	PCI/M3 MILES
FALMOUTH-COLLINS SUBSTATION 86 1590 043 42 03 30 418552 3MILE DN- 79 05 15 1420 SIZE- 4000 FT3 OFF- 79 05 18 1320	ID.NO AZIMUTH 131I SAMPLE NO DISTANCE ANALYSIS BY TELEDYNE	AI-8C1 SSE <0.09 68307 2.3		 PCI/M3 MILES
FALMOUTH-COLLINS SUBSTATION 86 1590 043 42 03 30 431863 3MILE DN- 79 05 15 1420 SIZE- 4000 FT3 OFF- 79 05 18 1320	SAMPLE NO AZIMUTH GR-B DISTANCE ID NO. ANALYSIS BY TELEDYNE	68298 SSE 4.0E-02 2.3 AP-8C1	0.8E-02	 PCI/M3 MILES

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05						
				ANALYSIS	RESULT	2SIGMA	UNITS
N,SIDE OF OBSERVATION CENTER BLDG.				DISTANCE	0.4		MILES
86 1590 043 42 03 30				AZIMUTH	E		
418558 3MILE	ON- 79 05 15 1530			SAMPLE NO	68308		
SIZE- 5900 FT3	OFF- 79 05 18 1355			ID,NO,	AI-5A1		
				131I	<0.06		PCI/M3
				ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING				SAMPLE NO	68299		
86 1590 043 42 03 30				GR-B	5.3E-02	0.7E-02	PCI/M3
431864 3MILE	ON- 79 05 15 1530			ID NO,	AP-5A1		
SIZE- 5900 FT3	OFF- 79 05 18 1355			AZIMUTH	E		
				DISTANCE	0.4		MILES
				ANALYSIS BY TELEDYNE			
N,WEATHER STATION				DISTANCE	0.4		MILES
86 1590 043 42 03 30				AZIMUTH	W		
418546 3MILE	ON- 79 05 15 1540			ID,NO	AI-1B2		
SIZE- 4800 FT3	OFF- 79 05 18 1405			SAMPLE NO	68306		
				131I	<0.08		PCI/M3
				ANALYSIS BY TELEDYNE			
N, WEATHER STATION				SAMPLE NO	68297		
86 1590 043 42 03 30				AZIMUTH	W		
431862 3MILE	ON- 79 05 15 1540			GR-B	4.6E-02	0.7E-02	PCI/M3
SIZE- 4800 FT3	OFF- 79 05 18 1405			DISTANCE	0.4		MILES
				ID NO,	AP-1B2		
				ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION				ID NO,	AP-1C10		
86 1590 043 42 03 30				BETA	3.3BE-02	1.1E-02	PCI/M3
431457 3MILE	ON- 79 05 18 0745			AZIMUTH	N		
SIZE- 104.7 M3	OFF- 79 05 21 0740			DISTANCE	2.6		MILES
				SAMPLE NO	5887BD3		
				ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION				SAMPLE NO	5889GI5		
86 1590 043 42 03 30				ID NO,	AI-1C10		
431499 3MILE	ON- 79 05 18 0745			40K	4.0E+00	1.3E+00	PCI/M3
SIZE- 3700 FT3	OFF- 79 05 21 0740			DISTANCE	2.6		MILES
				AZIMUTH	N		
				ANALYSIS BY RMC			
				131I	0.052		PCI/M3
MIDDLETOWN SUBSTATION				SAMPLE NO	68409		
86 1590 043 42 03 30				ID NO,	AI-1C1		
431646 3MILE	ON- 79 05 18 0745			131I	<7.0E-02		PCI/M3
SIZE- 4100 FT3	OFF- 79 05 21 0740			AZIMUTH	N		
				DISTANCE	2.6		MILES
				ANALYSIS BY TELEDYNE			

TABLE 17-A. MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION	ID NO.	AP-1C1		
86 1590 043 42 03 30	AZIMUTH	W		
431878 3MILE DN- 79 05 18 0745	SAMPLE NO	68401		
SIZE- 4100 FT3 OFF- 79 05 21 0740	DISTANCE	2.6		MILES
	GR-B	3.9E-02	0.8E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION	SAMPLE NO	68405		
86 1590 043 42 03 30	AZIMUTH	NW		
431642 3MILE DN- 79 05 18 0900	131I	<9.0E-02		PCI/M3
SIZE- 4100 FT3 OFF- 79 05 21 1000	ID NO.	AI-15G1		
	DISTANCE	15		MILES
	ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION	SAMPLE NO	68397		
86 1590 043 42 03 30	AZIMUTH	NW		
431874 3MILE DN- 79 05 18 0900	ID NO.	AP-15G1		
SIZE- 4100 FT3 OFF- 79 05 21 1000	DISTANCE	15		MILES
	GR-B	3.2E-02	0.7E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
FISHING CREEK	ID NO.	AI-12B1		
86 1590 043 42 03 30	AZIMUTH	WSW		
431643 3MILE DN- 79 05 18 1000	131I	<7.0E-02		PCI/M3
SIZE- 4400 FT3 OFF- 79 05 21 1050	DISTANCE	1.6		MILES
	SAMPLE NO	68406		
	ANALYSIS BY TELEDYNE			
FISHING CREEK	SAMPLE NO	68398		
86 1590 043 42 03 30	AZIMUTH	WSW		
431875 3MILE DN- 79 05 18 1000	ID NO.	AP-12B1		
SIZE- 4400 FT3 OFF- 79 05 21 1050	DISTANCE	1.6		MILES
	GR-B	3.4E-02	0.7E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION	ID NO.	AI-9G1		
86 1590 043 42 03 30	DISTANCE	13		MILES
431645 3MILE DN- 79 05 18 1105	SAMPLE NO	68408		
SIZE- 4100 FT3 OFF- 79 05 21 1200	AZIMUTH	S		
	131I	<6.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION	SAMPLE NO	68400		
86 1590 043 42 03 30	AZIMUTH	S		
431877 3MILE DN- 79 05 18 1105	ID NO.	AP-9G1		
SIZE- 4100 FT3 OFF- 79 05 21 1200	DISTANCE	13		MILES
	GR-B	2.8E-02	0.6E-02	PCI/M3
	ANALYSIS BY TELEDYNE			

TABLE 17-A. MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05				
	ANALYSIS	RESULT	2SIGMA	UNITS
DRAGER FARM OFF ENGLE TOLLGATE ROAD	ID NO.	AP-7F10		
86 1590 043 42 03 30	DISTANCE	9		MILES
419995 3MILE DN- 79 05 18 1300	BETA	2.86E-02	1.0E-02	PCI/M3
SIZE- 113.2 M3 OFF- 79 05 21 1340	AZIMUTH	SE		
	SAMPLE NO	5986BD3		
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	AZIMUTH	SE		
86 1590 043 42 03 30	SAMPLE NO	5988GI5		
431480 3MILE DN- 79 05 18 1300	ID NO.	AI-7F10		
SIZE- 4000 FT3 OFF- 79 05 21 1340	40K	3.1E+00	1.1E+00	PCI/M3
	DISTANCE	9		MILES
	ANALYSIS BY RMC			
		0.033		PCI/M3
	131I	0.033		PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE RD.	131I	<6.0E-02		PCI/M3
86 1590 043 42 03 30	ID NO.	AI-7F1		
431644 3MILE DN- 79 05 18 1300	SAMPLE NO	68407		
SIZE- 2600 FT3 OFF- 79 05 21 1340	DISTANCE	9		MILES
	AZIMUTH	SE		
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.	SAMPLE NO	68399		
86 1590 043 42 03 30	AZIMUTH	SE		
431876 3MILE DN- 79 05 18 1300	ID NO.	AP-7F1		
SIZE- 2600 FT3 OFF- 79 05 21 1340	DISTANCE	9		MILES
	GR-B	4.7E-02	1.1E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	68403		
86 1590 043 42 03 30	AZIMUTH	SSE		
431640 3MILE DN- 79 05 18 1320	131I	<5.0E-02		PCI/M3
SIZE- 4000 FT3 OFF- 79 05 21 1400	ID NO.	AI-8C1		
	DISTANCE	2.3		MILES
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	68395		
86 1590 043 42 03 30	AZIMUTH	SSE		
431872 3MILE DN- 79 05 18 1320	ID NO.	AP-8C1		
SIZE- 4000 FT3 OFF- 79 05 21 1400	DISTANCE	2.3		MILES
	GR-B	2.6E-02	0.7E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	SAMPLE NO	68404		
86 1590 043 42 03 30	AZIMUTH	E		
431641 3MILE DN- 79 05 18 1355	131I	<6.0E-02		PCI/M3
SIZE- 6200 FT3 OFF- 79 05 21 1505	ID NO.	AI-5A1		
	DISTANCE	0.4		MILES
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
OBSERVATION CENTER BUILDING	SAMPLE NO	68396		
86 1590 043 42 03 30	AZIMUTH	E		
431873 3MILE DN- 79 05 18 1355	ID NO.	AP-5A1		
SIZE- 6200 FT3 DFF- 79 05 21 1505	DISTANCE	0.4		MILES
	GR-B	2.0E-02	0.8E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	ID NO.	AI-1B2		
86 1590 043 42 03 30	AZIMUTH	N		
431639 3MILE DN- 79 05 18 1405	SAMPLE NO	68402		
SIZE- 4300 FT3 DFF- 79 05 21 1520	DISTANCE	0.4		MILES
	131I	<9.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	SAMPLE NO	68394		
86 1590 043 42 03 30	AZIMUTH	N		
431871 3MILE DN- 79 05 18 1405	ID NO.	AP-1B2		
SIZE- 4200 FT3 DFF- 79 05 21 1520	DISTANCE	0.4		MILES
	GR-B	3.0E-02	0.7E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	SAMPLE NO	606280J		
86 1590 043 42 03 30	DISTANCE	2.6		MILES
431458 3MILE DN- 79 05 21 0740	BETA	3.77E-02	1.2E-02	PCI/M3
SIZE- 99.1 M3 DFF- 79 05 24 0815	AZIMUTH	W		
	ID NO.	AP-1C1Q		
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	131I	<8.10E-02		PCI/M3
86 1590 043 42 03 30	SAMPLE NO	6064I15		
431500 3MILE DN- 79 05 21 0740	DISTANCE	2.6		MILES
SIZE- 3500 FT3 DFF- 79 05 24 0815	AZIMUTH	W		
	ID NO.	AI-1C1Q		
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	131I	<6.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	W		
431655 3MILE DN- 79 05 21 0740	ID NO.	AI-1C1		
SIZE- 4200 FT3 DFF- 79 05 24 0815	DISTANCE	2.6		MILES
	SAMPLE NO	68702		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	SAMPLE NO	68693		
86 1590 043 42 03 30	GR-B	4.1E-02	0.7E-02	PCI/M3
431887 3MILE DN- 79 05 21 0740	ID NO.	AP-1C1		
SIZE- 4200 FT3 DFF- 79 05 24 0815	AZIMUTH	W		
	DISTANCE	2.6		MILES
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05					
		ANALYSIS	RESULT	2SIGMA	UNITS	
W. FAIRVIEW SUBSTATION		ID NO.	AI-15G1			
86 1590 043 42 03 30		DISTANCE	15		MILES	
431651 3MILE	DN- 79 05 21 1000	131I	<7.0E-02		PCI/M3	
SIZE- 4000 FT3	OFF- 79 05 24 0950	AZIMUTH	NW			
		SAMPLE NO	68698			
		ANALYSIS BY TELEDYNE				
W. FAIRVIEW SUBSTATION		SAMPLE NO	68689			
86 1590 043 42 03 30		AZIMUTH	NW			
431883 3MILE	DN- 79 05 21 1000	ID NO.	AP-15G1			
SIZE- 4000 FT3	OFF- 79 05 24 0950	GR-B	3.7E-02	0.7E-02	PCI/M3	
		DISTANCE	15		MILES	
		ANALYSIS BY TELEDYNE				
FISHING CREEK		131I	<5.0E-02		PCI/M3	
86 1590 043 42 03 30		ID NO.	AI-12B1			
431652 3MILE	DN- 79 05 21 1050	SAMPLE NO	68699			
SIZE- 4300 FT3	OFF- 79 05 24 1050	AZIMUTH	NW			
		DISTANCE	15		MILES	
		ANALYSIS BY TELEDYNE				
FISHING CREEK		SAMPLE NO	68690			
86 1590 043 42 03 30		AZIMUTH	WSW			
431884 3MILE	DN- 79 05 21 1050	ID NO.	AP-12B1			
SIZE- 4300 FT3	OFF- 79 05 24 1050	GR-B	3.5E-02	0.7E-02	PCI/M3	
		DISTANCE	1.6		MILES	
		ANALYSIS BY TELEDYNE				
MET. ED. YORK LOAD DISPATCH STATION		SAMPLE NO	68701			
86 1590 043 42 03 30		AZIMUTH	S			
431654 3MILE	DN- 79 05 21 1200	131I	<5.0E-02		PCI/M3	
SIZE- 4900 FT3	OFF- 79 05 24 1210	ID NO.	AI-9G1			
		DISTANCE	13		MILES	
		ANALYSIS BY TELEDYNE				
MET. ED. YORK LOAD DISPATCH STATION		SAMPLE NO	68692			
86 1590 043 42 03 30		AZIMUTH	S			
431886 3MILE	DN- 79 05 21 1200	ID NO.	AP-9G1			
SIZE- 4900 FT3	OFF- 79 05 24 1210	GR-B	3.9E-02	0.7E-02	PCI/M3	
		DISTANCE	13		MILES	
		ANALYSIS BY TELEDYNE				
OBSERVATION CENTER BUILDING		SAMPLE NO	68697			
86 1590 043 42 03 30		DISTANCE	0.4		MILES	
431650 3MILE	DN- 79 05 21 1505	131I	<5.0E-02		PCI/M3	
SIZE- 6000 FT3	OFF- 79 05 24 1340	ID NO.	AI-5A1			
		AZIMUTH	E			
		ANALYSIS BY TELEDYNE				

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05				
	ANALYSIS	RESULT	2SIGMA	UNITS
OBSERVATION CENTER BUILDING	SAMPLE NO	68688		
86 1590 043 42 03 30	AZIMUTH	E		
431882 3MILE DN- 79 05 21 1505	ID NO.	AP-5A1		
SIZE- 6000 FT3 DFF- 79 05 24 1340	GR-B	2.0E-02	0.7E-02	PCI/M3
	DISTANCE	0.4		MILES
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	BETA	4.24E-02	1.1E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	9		MILES
419996 3MILE DN- 79 05 21 1340	AZIMUTH	SE		
SIZE- 113.2 M3 DFF- 79 05 24 1355	ID NO.	AP-7F10		
	SAMPLE NO	60618D3		
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	131I	<5.90E-02		PCI/M3
86 1590 043 42 03 30	SAMPLE NO	6063I18		
431481 3MILE DN- 79 05 21 1340	ID NO.	AI-7F10		
SIZE- 4000 FT3 DFF- 79 05 24 1355	DISTANCE	9		MILES
	AZIMUTH	SE		
	ANALYSIS BY RMC			
N. WEATHER STATION	SAMPLE NO	68694		
86 1590 043 42 03 30	DISTANCE	0.4		MILES
431647 3MILE DN- 79 05 21 1520	131I	<7.0E-02		PCI/M3
SIZE- 4100 FT3 DFF- 79 05 24 1355	ID NO.	AI-182		
	AZIMUTH	N		
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.	SAMPLE NO	68700		
86 1590 043 42 03 30	DISTANCE	9		MILES
431653 3MILE DN- 79 05 21 1340	ID NO.	AI-7F1		
SIZE- 2300 FT3 DFF- 79 05 24 1355	AZIMUTH	SE		
	131I	<5.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	ID NO.	AP-182		
86 1590 043 42 03 30	DISTANCE	0.4		MILES
431879 3MILE DN- 79 05 21 1520	SAMPLE NO	68695		
SIZE- 4100 FT3 DFF- 79 05 24 1355	AZIMUTH	N		
	GR-B	4.3E-02	0.8E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.	SAMPLE NO	68691		
86 1590 043 42 03 30	AZIMUTH	SE		
431885 3MILE DN- 79 05 21 1340	ID NO.	AP-7F1		
SIZE- 2300 FT3 DFF- 79 05 24 1355	GR-B	8.9E-02	1.4E-02	PCI/M3
	DISTANCE	9		MILES
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05					
				ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH-COLLINS SUBSTATION				SAMPLE NO	68695		
86 1590 043 42 03 30				DISTANCE	2.3		MILES
431648 3MILE	DN- 79 05 21 1400			131I	<5.0E-02		PCI/M3
SIZE- 3700 FT3	OFF- 79 05 24 1420			ID NO.	AI-8C1		
				AZIMUTH	SSE		
				ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION				SAMPLE NO	68696		
86 1590 043 42 03 30				DISTANCE	2.3		MILES
431649 3MILE	DN- 79 05 21 1400			131I	<4.0E-02		PCI/M3
SIZE- 3700 FT3	OFF- 79 05 24 1420			ID NO.	AI-8C1		
				AZIMUTH	SSE		
				ANALYSIS BY TELEDYNE			
				DUPLICATE	68695		
FALMOUTH-COLLINS SUBSTATION				SAMPLE NO	68686		
86 1590 043 42 03 30				AZIMUTH	SSE		
431880 3MILE	DN- 79 05 21 1400			ID NO.	AP-8C1		
SIZE- 3700 FT3	OFF- 79 05 24 1420			DISTANCE	2.3		MILES
				GR-B	3.6E-02	0.8E-02	PCI/M3
				ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION				SAMPLE NO	68687		
86 1590 043 42 03 30				AZIMUTH	SSE		
431881 3MILE	DN- 79 05 21 1400			ID NO.	AP-8C1		
SIZE- 3700 FT3	OFF- 79 05 24 1420			GR-B	3.6E-02	0.8E-02	PCI/M3
				DISTANCE	2.3		MILES
				ANALYSIS BY TELEDYNE			
				DUPLICATE	68686		
W. FAIRVIEW SUBSTATION				SAMPLE NO	68766		
86 1590 043 42 03 30				AZIMUTH	NW		
431659 3MILE	DN- 79 05 24 0950			ID NO.	AI-15G1		
SIZE- 5200 FT3	OFF- 79 05 27 0800			DISTANCE	15		MILES
				131I	<8.0E-02		PCI/M3
				ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION				SAMPLE NO	68767		
86 1590 043 42 03 30				AZIMUTH	NW		
431660 3MILE	DN- 79 05 24 0950			131I	<4.0E-02		PCI/M3
SIZE- 5200 FT3	OFF- 79 05 27 0800			ID NO.	AI-15G1		
				DISTANCE	15		MILES
				DUPLICATE	68766		
				ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION				ID NO.	AP-15G1		
86 1590 043 42 03 30				AZIMUTH	NW		
431891 3MILE	DN- 79 05 24 0950			SAMPLE NO	68757		
SIZE- 5200 FT3	OFF- 79 05 27 0800			GR-B	2.6E-02	0.5E-02	PCI/M3
				DISTANCE	15		MILES
				ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
W. FAIRVIEW SUBSTATION		ID NO.	AP-15G1		
86 1590 043 42 03 30		AZIMUTH	NW		
431892 3MILE	ON- 79 05 24 0950	SAMPLE NO	68758		
SIZE- 5200 FT3	OFF- 79 05 27 0800	GR-B	2.2E-02	0.5E-02	PCI/M3
		DISTANCE	15		MILES
		ANALYSIS BY TELEDYNE			
		DUPLICATE			
FISHING CREEK		ID NO.	AI-12B1		
86 1590 043 42 03 30		AZIMUTH	WSW		
431661 3MILE	ON- 79 05 24 1050	131I	<7.0E-02		PCI/M3
SIZE- 4200 FT3	OFF- 79 05 27 0850	DISTANCE	1.6		MILES
		SAMPLE NO	68768		
		ANALYSIS BY TELEDYNE			
FISHING CREEK		ID NO.	AP-12B1		
86 1590 043 42 03 30		GR-B	2.7E-02	0.6E-02	PCI/M3
431893 3MILE	ON- 79 05 24 1050	SAMPLE NO	68759		
SIZE- 4200 FT3	OFF- 79 05 27 0850	AZIMUTH	WSW		
		DISTANCE	1.6		MILES
		ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION		DISTANCE	13		MILES
86 1590 043 42 03 30		AZIMUTH	S		
431663 3MILE	ON- 79 05 24 1210	SAMPLE NO	68770		
SIZE- 5100 FT3	OFF- 79 05 27 1000	ID NO.	AI-9G1		
		131I	<6.0E-02		PCI/M3
		ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION		SAMPLE NO	68761		
86 1590 043 42 03 30		GR-B	2.6E-02	0.5E-02	PCI/M3
431895 3MILE	ON- 79 05 24 1210	ID NO.	AP-9G1		
SIZE- 5100 FT3	OFF- 79 05 27 1000	AZIMUTH	S		
		DISTANCE	13		MILES
		ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD		SAMPLE NO	6080BD3		
86 1590 043 42 03 30		DISTANCE	9		MILES
419997 3MILE	ON- 79 05 24 1355	ID NO.	AP-7F10		
SIZE- 104.7 FT3	OFF- 79 05 27 1130	AZIMUTH	SE		
		BETA	3.92E-02	1.1E-02	PCI/M3
		ANALYSIS BY RMC			
		DUPLICATE	4781BD3		
DRAGER FARM OFF ENGLE TOLLGATE ROAD		131I	<5.68E-02		PCI/M3
86 1590 043 42 03 30		AZIMUTH	SE		
431482 3MILE	ON- 79 05 24 1355	SAMPLE NO	6082I15		
SIZE- 3700 FT3	OFF- 79 05 27 1130	ID NO.	AI-7F10		
		DISTANCE	9		MILES
		ANALYSIS BY RMC			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
DRAGER FARM OFF ENGLE TOLLGATE RD.	131I	<7.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	SE		
431662 3MILE DN- 79 05 24 1355	SAMPLE NO	68769		
SIZE- 2100 FT3 OFF- 79 05 27 1130	ID NO.	AI-7F1		
	DISTANCE	9		MILES
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.	SAMPLE NO	68760		
86 1590 043 42 03 30	AZIMUTH	SE		
431894 3MILE DN- 79 05 24 1355	ID NO.	AP-7F1		
SIZE- 2100 FT3 OFF- 79 05 27 1130	GR-B	5.9E-02	1.3E-02	PCI/M3
	DISTANCE	9		MILES
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	131I	<5.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	SSE		
431657 3MILE DN- 79 05 24 1420	SAMPLE NO	68764		
SIZE- 3800 FT3 OFF- 79 05 27 1150	ID NO.	AI-8C1		
	DISTANCE	2.3		MILES
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	ID NO.	AP-8C1		
86 1590 043 42 03 30	AZIMUTH	SSE		
431889 3MILE DN- 79 05 24 1420	SAMPLE NO	68755		
SIZE- 3800 FT3 OFF- 79 05 27 1150	GR-B	2.7E-02	0.7E-02	PCI/M3
	DISTANCE	2.3		MILES
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	ID NO.	AP-1C1Q		
86 1590 043 42 03 30	BETA	2.96E-02	1.0E-02	PCI/M3
431459 3MILE DN- 79 05 24 0815	DISTANCE	2.6		MILES
SIZE- 107.6 M3 OFF- 79 05 27 1240	SAMPLE NO	60818D3		
	AZIMUTH	N		
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	131I	<0.0578		PCI/M3
86 1590 043 42 03 30	ID NO.	AI-1C1Q		
431501 3MILE DN- 79 05 24 0815	DISTANCE	2.6		MILES
SIZE- 3800 FT3 OFF- 79 05 27 1240	SAMPLE NO	6083115		
	AZIMUTH	N		
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	SAMPLE NO	68771		
86 1590 043 42 03 30	AZIMUTH	N		
431684 3MILE DN- 79 05 24 0815	DISTANCE	2.6		MILES
SIZE- 4600 FT3 OFF- 79 05 27 1240	ID NO.	AI-1C1		
	131I	<6.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION	ID NO.	AP-1C1		
86 1590 043 42 03 30	AZIMUTH	N		
431896 3MILE DN- 79 05 24 0815	SAMPLE NO	68762		
SIZE- 4600 FT3 DFF- 79 05 27 1240	GR-B	2.9E-02	0.6E-02	PCI/M3
	DISTANCE	2.6		MILES
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	SAMPLE NO	68765		
86 1590 043 42 03 30	AZIMUTH	E		
431658 3MILE DN- 79 05 24 1340	131I	<6.0E-02		PCI/M3
SIZE- 6100 FT3 DFF- 79 05 27 1425	ID NO.	AI-5A1		
	DISTANCE	0.4		MILES
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	ID NO.	AP-5A1		
86 1590 043 42 03 30	AZIMUTH	E		
431890 3MILE DN- 79 05 24 1340	SAMPLE NO	68756		
SIZE- 6100 FT3 DFF- 79 05 27 1425	GR-B	2.5E-02	0.5E-02	PCI/M3
	DISTANCE	0.4		MILES
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	131I	<9.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	N		
431656 3MILE DN- 79 05 24 1355	SAMPLE NO	68763		
SIZE- 4300 FT3 DFF- 79 05 27 1440	ID NO.	AI-1B2		
	DISTANCE	0.4		MILES
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	ID NO.	AP-1B2		
86 1590 043 42 03 30	AZIMUTH	N		
431888 3MILE DN- 79 05 24 1355	SAMPLE NO	68754		
SIZE- 4300 FT3 DFF- 79 05 27 1440	GR-B	4.1E-02	0.7E-02	PCI/M3
	DISTANCE	0.4		MILES
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	ID NO.	AP-1C10		
86 1590 043 42 03 30	DISTANCE	2.6		MILES
431460 3MILE DN- 79 05 27 1240	SAMPLE NO	62428D3		
SIZE- 96.2 M3 DFF- 79 05 30 0745	BETA	3.53E-02	1.2E-02	PCI/M3
	AZIMUTH	N		
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	SAMPLE NO	6244I18		
86 1590 043 42 03 30	131I	<6.93E-02		PCI/M3
431502 3MILE DN- 79 05 27 1240	DISTANCE	2.6		MILES
SIZE- 3400 FT3 DFF- 79 05 30 0745	ID NO.	AI-1C10		
	AZIMUTH	N		
	ANALYSIS BY RMC			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05	ANALYSIS	RESULT	2SIGMA	UNITS
W. FAIRVIEW SUBSTATION	SAMPLE NO	69004		
86 1590 043 42 03 30	AZIMUTH	NW		
431668 3MILE DN- 79 05 27 0800	DISTANCE	15		MILES
SIZE- 3800 FT3 OFF- 79 05 30 0800	131I	<9.0E-02		PCI/M3
	ID NO.	AI-15G1		
	ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION	SAMPLE NO	68995		
86 1590 043 42 03 30	AZIMUTH	NW		
432108 3MILE DN- 79 05 27 0800	ID NO.	AP-15G1		
SIZE- 3800 FT3 OFF- 79 05 30 0800	DISTANCE	15		MILES
	GR-B	4.2E-02	0.8E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
FISHING CREEK	ID NO.	AI-12B1		
86 1590 043 42 03 30	AZIMUTH	WSW		
431669 3MILE DN- 79 05 27 0850	131I	<9.0E-02		PCI/M3
SIZE- 4500 FT3 OFF- 79 05 30 0850	SAMPLE NO	69005		
	DISTANCE	1.6		MILES
	ANALYSIS BY TELEDYNE			
FISHING CREEK	SAMPLE NO	68996		
86 1590 043 42 03 30	AZIMUTH	WSW		
432109 3MILE DN- 79 05 27 0850	ID NO.	AP-12B1		
SIZE- 4500 FT3 OFF- 79 05 30 0850	DISTANCE	1.6		MILES
	GR-B	4.3E-02	0.7E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION	SAMPLE NO	69008		
86 1590 043 42 03 30	AZIMUTH	S		
431672 3MILE DN- 79 05 27 1000	131I	<8.0E-02		PCI/M3
SIZE- 5400 FT3 OFF- 79 05 30 1115	ID NO.	AI-9G1		
	DISTANCE	13		MILES
	ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION	GR-B	4.2E-02	0.6E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	13		MILES
432112 3MILE DN- 79 05 27 1000	SAMPLE NO	68999		
SIZE- 5400 FT3 OFF- 79 05 30 1115	AZIMUTH	S		
	ID NO.	AP-9G1		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	131I	<1.0E-01		PCI/M3
86 1590 043 42 03 30	AZIMUTH	N		
431673 3MILE DN- 79 05 27 1240	DISTANCE	2.6		MILES
SIZE- 4000 FT3 OFF- 79 05 30 1240	ID NO.	AI-1C1		
	SAMPLE NO	69009		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/08

	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION	SAMPLE NO	69000		
86 1590 043 42 03 30	AZIMUTH	N		
432113 3MILE ON- 79 05 27 1240	GR-B	5.7E-02	0.8E-02	PCI/M3
SIZE- 4000 FT3 OFF- 79 05 30 1240	DISTANCE	2.6		MILES
	ID NO.	AP-1C1		
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF EAGLE TOLLGATE ROAD	DISTANCE	9		MILES
86 1590 043 42 03 30	BETA	3.37E-02	1.0E-02	PCI/M3
419998 3MILE ON- 79 05 27 1130	AZIMUTH	SE		
SIZE- 113.2 M3 OFF- 79 05 30 1245	SAMPLE NO	6241BD3		
	ID NO.	AP-7F10		
	ANALYSIS BY RMC			
DRAGER FARM OFF EAGLE TOLLGATE ROAD	SAMPLE NO	6243I15		
86 1590 043 42 03 30	131I	<6.66E-02		PCI/M3
431483 3MILE ON- 79 05 27 1130	ID NO.	AI-7F10		
SIZE- 4000 FT3 OFF- 79 05 30 1245	AZIMUTH	SE		
	DISTANCE	9		MILES
	ANALYSIS BY RMC			
DRAGER FARM OFF EAGLE TOLLGATE RD.	SAMPLE NO	69006		
86 1590 043 42 03 30	ID NO.	AI-7F1		
431670 3MILE ON- 79 05 27 1130	131I	<1.0E-01		PCI/M3
SIZE- 2200 FT3 OFF- 79 05 30 1245	AZIMUTH	SE		
	DISTANCE	9		MILES
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF EAGLE TOLLGATE RD	ID NO.	AI-7F1		
86 1590 043 42 03 30	AZIMUTH	SE		
431671 3MILE ON- 79 05 27 1130	SAMPLE NO	69007		
SIZE- 2200 FT3 OFF- 79 05 30 1245	DISTANCE	9		MILES
	131I	<1.0E-01		PCI/M3
	ANALYSIS BY TELEDYNE			
	DUPLICATE	69006		
DRAGER FARM OFF EAGLE TOLLGATE RD.	SAMPLE NO	68997		
86 1590 043 42 03 30	AZIMUTH	SE		
432110 3MILE ON- 79 05 27 1130	GR-B	6.8E-02	1.3E-02	PCI/M3
SIZE- 2200 FT3 OFF- 79 05 30 1245	DISTANCE	9		MILES
	ID NO.	AP-7F1		
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF EAGLE TOLLGATE RD.	SAMPLE NO	68998		
86 1590 043 42 03 30	DISTANCE	9		MILES
432111 3MILE ON- 79 05 27 1130	GR-B	9.8E-02	1.5E-02	PCI/M3
SIZE- 2200 FT3 OFF- 79 05 30 1245	AZIMUTH	SE		
	ID NO.	AP-7F1		
	DUPLICATE	68997		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	69002		
86 1590 043 42 03 30	AZIMUTH	SSE		
431666 3MILE DN- 79 05 27 1150	DISTANCE	2.3		MILES
SIZE- 4300 FT3 DFF- 79 05 30 1305	ID NO.	AI-SC1		
	131I	<8.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	68993		
86 1590 043 42 03 30	AZIMUTH	SSE		
432106 3MILE DN- 79 05 27 1150	ID NO.	AP-SC1		
SIZE- 4300 FT3 DFF- 79 05 30 1305	DISTANCE	2.3		MILES
	GR-B	4.9E-02	0.8E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	SAMPLE NO	69003		
86 1590 043 42 03 30	AZIMUTH	E		
431667 3MILE DN- 79 05 27 1425	DISTANCE	0.4		MILES
SIZE- 6200 FT3 DFF- 79 05 30 1355	ID NO.	AI-SA1		
	131I	<5.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	SAMPLE NO	68994		
86 1590 043 42 03 30	AZIMUTH	E		
432107 3MILE DN- 79 05 27 1425	ID NO.	AP-SA1		
SIZE- 6200 FT3 DFF- 79 05 30 1355	DISTANCE	0.4		MILES
	GR-B	2.7E-02	0.5E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	SAMPLE NO	69001		
86 1590 043 42 03 30	AZIMUTH	N		
431665 3MILE DN- 79 05 27 1440	DISTANCE	0.4		MILES
SIZE- 4300 FT3 DFF- 79 05 30 1415	ID NO.	AI-1S2		
	131I	<8.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	SAMPLE NO	68992		
86 1590 043 42 03 30	AZIMUTH	N		
432105 3MILE DN- 79 05 27 1440	ID NO.	AP-1S2		
SIZE- 4300 FT3 DFF- 79 05 30 1415	DISTANCE	0.4		MILES
	GR-B	5.3E-02	0.8E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
IND	40K	6.65E-03	1.66E-03	PCI/M3
86 1590 043 42 03 30	AZIMUTH	UNAV		
432181 3MILE DN- 79 04 30	ID NO.	AP-IND		
SIZE- 7193 M3 DFF- 79 06 02	SAMPLE NO	72000		
	7BE	2.68E-02	0.27E-02	PCI/M3
	DISTANCE	UNAV		
	131I	<1.0E-02		PCI/M3
	137CS	2.91E-04	0.80E-04	PCI/M3
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
BACKGROUND		ID NO.	AP-BKG		
86 1590 043 42 03 30		AZIMUTH	UNAV		
432182 3MILE	DN- 79 04 30	137CS	9.85E-04	4.76E-04	PCI/M3
SIZE- 3568 M3	OFF- 79 06 02	DISTANCE	UNAV		
		SAMPLE NO	72001		
		7BE	7.32E-02	1.01E-02	PCI/M3
		131I	<7.0E-02		PCI/M3
		ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD		ID NO.	AP-7F10		
86 1590 043 42 03 30		DISTANCE	9		MILES
419999 3MILE	DN- 79 05 30 1245	BETA	6.52E-02	1.4E-02	PCI/M3
SIZE- 99.1 M3	OFF- 79 06 02 0705	AZIMUTH	SE		
		SAMPLE NO	6349BD3		
		ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD		ID NO.	AI-7F10		
86 1590 043 42 03 30		SAMPLE NO	6352115		
431484 3MILE	DN- 79 05 30 1245	AZIMUTH	SE		
SIZE- 3500 FT3	OFF- 79 06 02 0705	DISTANCE	9		MILES
		131I	<7.87E-02		PCI/M3
		ANALYSIS BY RMC			
			<0.0787		PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE RD.		DISTANCE	9		MILES
86 1590 043 42 03 30		ID NO.	AI-7F1		
431679 3MILE	DN- 79 05 30 1245	131I	<1.0E-01		PCI/M3
SIZE- 2200 FT3	OFF- 79 06 02 0705	AZIMUTH	SE		
		SAMPLE NO	69143		
		ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.		GR-B	1.0E-01	0.2E-01	PCI/M3
86 1590 043 42 03 30		AZIMUTH	SE		
432119 3MILE	DN- 79 05 30 1245	ID NO.	AP-7F1		
SIZE- 2200 FT3	OFF- 79 06 02 0705	DISTANCE	9		MILES
		SAMPLE NO	69134		
		ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION		131I	<8.0E-02		PCI/M3
86 1590 043 42 03 30		AZIMUTH	S		
431680 3MILE	DN- 79 05 30 1115	DISTANCE	13		MILES
SIZE- 4900 FT3	OFF- 79 06 02 0810	ID NO.	AI-9G1		
		SAMPLE NO	69144		
		ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION		GR-B	4.0E-02	0.6E-02	PCI/M3
86 1590 043 42 03 30		DISTANCE	13		MILES
432120 3MILE	DN- 79 05 30 1115	ID NO.	AP-9G1		
SIZE- 4900 FT3	OFF- 79 06 02 0810	AZIMUTH	S		
		SAMPLE NO	69135		
		ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05						
		ANALYSIS	RESULT	2SIGMA	UNITS		
W. FAIRVIEW SUBSTATION		ID NO.	AI-15G1				
86 1590 043 42 03 30		AZIMUTH	NW				
431677 3MILE	DN- 79	131I	<8.0E-02		PCI/M3		
SIZE- 4300 FT3	DFF- 79 06 02 0930	DISTANCE	15		MILES		
		SAMPLE NO	69141				
		ANALYSIS BY TELEDYNE					
W. FAIRVIEW SUBSTATION		GR-B	4.2E-02	0.7E-02	PCI/M3		
86 1590 043 42 03 30		AZIMUTH	NW				
432117 3MILE	DN- 79 05 30 0900	ID NO.	AP-15G1				
SIZE- 4300 FT3	DFF- 79 06 02 0930	DISTANCE	15		MILES		
		ANALYSIS BY TELEDYNE					
		SAMPLE NO	69132				
FISHING CREEK		DISTANCE	1.6		MILES		
86 1590 043 42 03 30		AZIMUTH	WSW				
431678 3MILE	DN- 79 05 30 0955	131I	<1.0E-01		PCI/M3		
SIZE- 4200 FT3	DFF- 79 06 02 0945	ID NO.	AI-12B1				
		SAMPLE NO	69142				
		ANALYSIS BY TELEDYNE					
FISHING CREEK		ID NO.	AP-12B1				
86 1590 043 42 03 30		AZIMUTH	WSW				
432118 3MILE	DN- 79 05 30 0955	GR-B	5.3E-02	0.8E-02	PCI/M3		
SIZE- 4200 FT3	DFF- 79 06 02 0945	DISTANCE	1.6		MILES		
		SAMPLE NO	69133				
		ANALYSIS BY TELEDYNE					
MIDDLETOWN SUBSTATION		ID NO.	AP-1C1Q				
86 1590 043 42 03 30		BETA	5.74E-02	1.3E-02	PCI/M3		
431461 3MILE	DN- 79 05 30 0745	DISTANCE	2.6		MILES		
SIZE- 101.9 M3	DFF- 79 06 02 1030	SAMPLE NO	6350BD3				
		AZIMUTH	N				
		ANALYSIS BY RMC					
MIDDLETOWN SUBSTATION		SAMPLE NO	6354I15				
86 1590 043 42 03 30		ID NO.	AI-1C1Q				
431503 3MILE	DN- 79 05 30 0745	131I	<8.04E-02		PCI/M3		
SIZE- 3600 FT3	DFF- 79 06 02 1030	AZIMUTH	N				
		DISTANCE	2.6		MILES		
		ANALYSIS BY RMC					
MIDDLETOWN SUBSTATION		131I	<0.0776		PCI/M3		
86 1590 043 42 03 30		ID NO.	AI-1C1Q				
431504 3MILE	DN- 79 05 30 0745	SAMPLE NO	6353I15				
SIZE- 3600 FT3	DFF- 79 06 02 1030	AZIMUTH	N				
		DISTANCE	2.6		MILES		
		ANALYSIS BY RMC					

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
	ANALYSIS	RESULT	2SIGMA	UNITS	
MIDDLETOWN SUBSTATION	DISTANCE	2.6		MILES	
86 1590 043 42 03 30	AZIMUTH	N			
431681 3MILE DN- 79 05 30 0745	131I	<1.0E-01		PCI/M3	
SIZE- 4200 FT3 OFF- 79 06 02 1030	ID NO.	AI-1C1			
	SAMPLE NO	69145			
	ANALYSIS BY TELEDYNE				
MIDDLETOWN SUBSTATION	DISTANCE	2.6		MILES	
86 1590 043 42 03 30	AZIMUTH	N			
431682 3MILE DN- 79 05 30 0745	131I	<5.0E-02		PCI/M3	
SIZE- 4200 FT3 OFF- 79 06 02 1030	SAMPLE NO	69146			
	ID NO.	AI-1C1			
	ANALYSIS BY TELEDYNE				
	DUPLICATE	9145			
MIDDLETOWN SUBSTATION	ID NO.	AP-1C1			
86 1590 043 42 03 30	DISTANCE	2.6		MILES	
432121 3MILE DN- 79 05 30 0745	GR-B	5.5E-02	0.8E-02	PCI/M3	
SIZE- 4200 FT3 OFF- 79 06 02 1030	AZIMUTH	N			
	SAMPLE NO	69136			
	ANALYSIS BY TELEDYNE				
MIDDLETOWN SUBSTATION	GR-B	6.0E-02	0.8E-02	PCI/M3	
86 1590 043 42 03 30	AZIMUTH	N			
432122 3MILE DN- 79 05 30 0745	ID NO.	AP-1C1			
SIZE- 4200 FT3 OFF- 79 06 02 1030	DISTANCE	2.6		MILES	
	SAMPLE NO	69137			
	DUPLICATE	69136			
	ANALYSIS BY TELEDYNE				
FALMOUTH-COLLINS SUBSTATION	DISTANCE	2.3		MILES	
86 1590 043 42 03 30	AZIMUTH	SSE			
431675 3MILE DN- 79 05 30 1305	131I	<8.0E-02		PCI/M3	
SIZE- 4500 FT3 OFF- 79 06 02 1110	ID NO.	AI-8C1			
	SAMPLE NO	69139			
	ANALYSIS BY TELEDYNE				
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	69130			
86 1590 043 42 03 30	AZIMUTH	SSE			
432115 3MILE DN- 79 05 30 1305	GR-B	3.4E-02	0.6E-02	PCI/M3	
SIZE- 4500 FT3 OFF- 79 06 02 1110	DISTANCE	2.3		MILES	
	ID NO.	AP-8C1			
	ANALYSIS BY TELEDYNE				
OBSERVATION CENTER BUILDING	DISTANCE	0.4		MILES	
86 1590 043 42 03 30	AZIMUTH	E			
431676 3MILE DN- 79 05 30 1355	131I	<6.0E-02		PCI/M3	
SIZE- 5800 FT3 OFF- 79 06 02 1305	ID NO.	AI-5A1			
	SAMPLE NO	69140			
	ANALYSIS BY TELEDYNE				

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05	ANALYSIS	RESULT	2SIGMA	UNITS
OBSERVATION CENTER BUILDING	SAMPLE NO	69131		
86 1590 043 42 03 30	AZIMUTH	E		
432116 3MILE ON- 79 05 30 1355	GR-B	3.2E-02	0.5E-02	PCI/M3
SIZE- 5800 FT3 OFF- 79 06 02 1305	DISTANCE	0.4		MILES
	ID NO.	AP-5A1		
	ANALYSIS BY TELEDYNE			
N, WEATHER STATION	DISTANCE	0.4		MILES
86 1590 043 42 03 30	AZIMUTH	N		
431674 3MILE ON- 79 05 30 1415	131I	<4.0E-02		PCI/M3
SIZE- 4100 FT3 OFF- 79 06 02 1340	ID NO.	AI-152		
	SAMPLE NO	69138		
	ANALYSIS BY TELEDYNE			
N, WEATHER STATION	SAMPLE NO	69129		
86 1590 043 42 03 30	AZIMUTH	N		
432114 3MILE ON- 79 05 30 1415	GR-B	6.4E-02	0.9E-02	PCI/M3
SIZE- 4100 FT3 OFF- 79 06 02 1340	DISTANCE	0.4		MILES
	ID NO.	AP-152		
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	AZIMUTH	SE		
86 1590 043 42 03 30	DISTANCE	9		MILES
431641 3MILE ON- 79 06 02 0705	SAMPLE NO	6759BD3		
SIZE- 249.1 M3 OFF- 79 06 09 0755	BETA	4.51E-02	6.8E-03	PCI/M3
	ID NO.	AP-7F10		
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	SAMPLE NO	6761I19		
86 1590 043 42 03 30	131I	<1.10E-02		PCI/M3
431685 3MILE ON- 79 06 02 0705	AZIMUTH	SE		
SIZE- 9800 FT3 OFF- 79 06 09 0755	ID NO.	AI-7F10		
	DISTANCE	9		MILES
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE RD.	DISTANCE	9		MILES
86 1590 043 42 03 30	AZIMUTH	SE		
431688 3MILE ON- 79 06 02 0705	SAMPLE NO	69584		
SIZE- 5500 FT3 OFF- 79 06 09 0755	ID NO.	AI-7F1		
	131I	<4.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.	ID NO.	AP-7F1		
86 1590 043 42 03 30	AZIMUTH	SE		
432130 3MILE ON- 79 06 02 0705	GR-B	9.2E-02	0.9E-02	PCI/M3
SIZE- 5500 FT3 OFF- 79 06 09 0755	DISTANCE	9		MILES
	SAMPLE NO	69576		
	ANALYSIS BY TELEDYNE			

TABLE 17-A. MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05	ANALYSIS	RESULT	2SIGMA	UNITS
MET. ED.YORK LOAD DISPATCH STATION	131I	<4.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	S		
431689 3MILE DN- 79 06 02 0810	DISTANCE	13		MILES
SIZE- 1180 FT3 DFF- 79 06 09 0910	SAMPLE NO	69585		
	ID NO.	AI-9G1		
	ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION	GR-B	4.1E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	13		MILES
432131 3MILE DN- 79 06 02 0810	ID NO.	AP-9G1		
SIZE- 1180 FT3 DFF- 79 06 09 0910	AZIMUTH	S		
	SAMPLE NO	69577		
	ANALYSIS BY TELEDYNE			
FISHING CREEK	DISTANCE	1.6		MILES
86 1590 043 42 03 30	SAMPLE NO	69583		
431687 3MILE DN- 79 06 02 0945	131I	<5.0E-02		PCI/M3
SIZE- 9200 FT3 DFF- 79 06 09 1050	AZIMUTH	WSW		
	ID NO.	AI-12B1		
	ANALYSIS BY TELEDYNE			
FISHING CREEK	GR-B	4.0E-02	0.5E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	WSW		
432129 3MILE DN- 79 06 02 0945	ID NO.	AP-12B1		
SIZE- 9200 FT3 DFF- 79 06 09 1050	DISTANCE	1.6		MILES
	SAMPLE NO	69575		
	ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION	SAMPLE NO	69582		
86 1590 043 42 03 30	AZIMUTH	NW		
431686 3MILE DN- 79 06 02 0930	DISTANCE	15		MILES
SIZE- 1000 FT3 DFF- 79 06 09 1130	ID NO.	AI-15G1		
	131I	<4.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION	GR-B	5.2E-02	0.5E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	15		MILES
432128 3MILE DN- 79 06 02 0930	ID NO.	AP-15G1		
SIZE- 1000 FT3 DFF- 79 06 09 1130	AZIMUTH	NW		
	SAMPLE NO	69574		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	AZIMUTH	N		
86 1590 043 42 03 30	BETA	4.53E-02	7.1E-03	PCI/M3
431462 3MILE DN- 79 06 02 1030	ID NO.	AP-1C10		
SIZE- 229.4 M3 DFF- 79 06 09 1220	SAMPLE NO	6760BD3		
	DISTANCE	2.6		MILES
	ANALYSIS BY RMC			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION	ID NO.	AI-1C1Q		
86 1590 043 42 03 30	131I	<1.14E-02		PCI/M3
431505 3MILE DN- 79 06 02 1030	AZIMUTH	N		
SIZE- 8100 FT3 OFF- 79 06 09 1220	SAMPLE NO	6762I19		
	DISTANCE	2.6		MILES
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	131I	<4.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	N		
431690 3MILE DN- 79 06 02 1030	DISTANCE	2.6		MILES
SIZE- 9700 FT3 OFF- 79 06 09 1220	SAMPLE NO	69586		
	ID NO.	AI-1C1		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	GR-B	4.3E-02	0.5E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	N		
432132 3MILE DN- 79 06 02 1030	ID NO.	AP-1C1		
SIZE- 9700 FT3 OFF- 79 06 09 1220	DISTANCE	2.6		MILES
	SAMPLE NO	69578		
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	69580		
86 1590 043 42 03 30	AZIMUTH	SSE		
431684 3MILE DN- 79 06 02 1110	131I	<4.0E-02		PCI/M3
SIZE- 1010 FT3 OFF- 79 06 09 1245	ID NO.	AI-8C1		
	DISTANCE	2.3		MILES
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	GR-B	4.0E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	2.3		MILES
432126 3MILE DN- 79 06 02 1110	ID NO.	AP-8C1		
SIZE- 1010 FT3 OFF- 79 06 09 1245	AZIMUTH	SSE		
	SAMPLE NO	69572		
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	131I	<2.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	E		
431685 3MILE DN- 79 06 02 1305	ID NO.	AI-5A1		
SIZE- 1470 FT3 OFF- 79 06 09 1445	SAMPLE NO	69581		
	DISTANCE	0.4		MILES
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	GR-B	3.4E-02	0.3E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	0.4		MILES
432127 3MILE DN- 79 06 02 1305	ID NO.	AP-5A1		
SIZE- 1470 FT3 OFF- 79 06 09 1445	AZIMUTH	E		
	SAMPLE NO	69573		
	ANALYSIS BY TELEDYNE			

TABLE 17-A. MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05	ANALYSIS	RESULT	2SIGMA	UNITS
N. WEATHER STATION	DISTANCE	0.4		MILES
86 1590 043 42 03 30	AZIMUTH	N		
431683 3MILE DN- 79 06 02 1340	ID NO.	AI-182		
SIZE- 9800 FT3 OFF- 79 06 09 1800	SAMPLE NO	69579		
	131I	<2.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	ID NO.	AP-182		
86 1590 043 42 03 30	DISTANCE	0.4		MILES
432125 3MILE DN- 79 06 02 1340	GR-B	4.6E-02	0.5E-02	PCI/M3
SIZE- 9800 FT3 OFF- 79 06 09 1500	AZIMUTH	N		
	SAMPLE NO	69571		
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	ID NO.	AP-7F10		
86 1590 043 42 03 30	DISTANCE	9		MILES
431442 3MILE DN- 79 06 09 0755	BETA	5.03E-02	7.1E-03	PCI/M3
SIZE- 249.1 M3 OFF- 79 06 16 0805	AZIMUTH	SE		
	SAMPLE NO	69918D3		
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE RD.	DISTANCE	9		MILES
86 1590 043 42 03 30	AZIMUTH	SE		
431697 3MILE DN- 79 06 09 0755	131I	<2.0E-02		PCI/M3
SIZE- 6000 FT3 OFF- 79 06 16 0805	SAMPLE NO	69938		
	ID NO.	AI-7F1		
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.	GR-B	1.0E-01	0.1E-01	PCI/M3
86 1590 043 42 03 30	AZIMUTH	SE		
432143 3MILE DN- 79 06 09 0755	ID NO.	AP-7F1		
SIZE- 6000 FT3 OFF- 79 06 16 0805	DISTANCE	9		MILES
	SAMPLE NO	69947		
	ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION	131I	<2.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	S		
431698 3MILE DN- 79 06 09 0910	DISTANCE	13		MILES
SIZE- 1190 FT3 OFF- 79 06 16 0955	ID NO.	AI-9G1		
	SAMPLE NO	69939		
	ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION	GR-B	5.1E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	S		
432144 3MILE DN- 79 06 09 0910	ID NO.	AP-9G1		
SIZE- 1190 FT3 OFF- 79 06 16 0955	DISTANCE	13		MILES
	SAMPLE NO	69948		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
FISHING CREEK	DISTANCE	1.6		MILES
86 1590 043 42 03 30	AZIMUTH	WSW		
431696 3MILE DN- 79 06 09 1050	131I	<3.0E-02		PCI/M3
SIZE- 8700 FT3 DFF- 79 06 16 1050	ID NO.	AI-12B1		
	SAMPLE NO	69937		
	ANALYSIS BY TELEDYNE			
FISHING CREEK	GR-B	5.2E-02	0.5E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	WSW		
432142 3MILE DN- 79 06 09 1050	ID NO.	AP-12B1		
SIZE- 8700 FT3 DFF- 79 06 16 1050	DISTANCE	1.6		MILES
	SAMPLE NO	69946		
	ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION	DISTANCE	15		MILES
86 1590 043 42 03 30	ID NO.	AI-15G1		
431695 3MILE DN- 79 06 09 1130	131I	<4.0E-02		PCI/M3
SIZE- 9300 FT3 DFF- 79 06 16 1145	SAMPLE NO	69936		
	AZIMUTH	NW		
	ANALYSIS BY TELEDYNE			
W. FAIRVIEW SUBSTATION	GR-B	3.8E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	NW		
432141 3MILE DN- 79 06 09 1130	ID NO.	AP-15G1		
SIZE- 9300 FT3 DFF- 79 06 16 1145	DISTANCE	15		MILES
	SAMPLE NO	69945		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	BETA	3.89E-02	6.9E-03	PCI/M3
86 1590 043 42 03 30	ID NO.	AP-1C10		
431463 3MILE DN- 79 06 09 1220	AZIMUTH	N		
SIZE- 223.7 M3 DFF- 79 06 16 1305	SAMPLE NO	6992BD3		
	DISTANCE	2.6		MILES
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	SAMPLE NO	6994I19		
86 1590 043 42 03 30	DISTANCE	2.6		MILES
431506 3MILE DN- 79 06 09 1220	AZIMUTH	N		
SIZE- 7900 FT3 DFF- 79 06 16 1305	131I	<1.15E-02		PCI/M3
	ID NO.	AI-1C10		
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	ID NO.	AI-1C1		
86 1590 043 42 03 30	AZIMUTH	N		
431699 3MILE DN- 79 06 09 1220	DISTANCE	2.6		MILES
SIZE- 9500 FT3 DFF- 79 06 16 1305	SAMPLE NO	69940		
	131I	<2.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION	GR-B	5.2E-02	0.5E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	2.6		MILES
432145 3MILE DN- 79 06 09 1220	ID NO.	AP-1C1		
SIZE- 9500 FT3 OFF- 79 06 16 1305	AZIMUTH	N		
	SAMPLE NO	69949		
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	DISTANCE	2.3		MILES
86 1590 043 42 03 30	AZIMUTH	SSE		
431692 3MILE DN- 79 06 09 1245	131I	<2.0E-02		PCI/M3
SIZE- 9000 FT3 OFF- 79 06 16 1330	ID NO.	AI-8C1		
	SAMPLE NO	69933		
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	ID NO.	AI-8C1		
86 1590 043 42 03 30	AZIMUTH	SSE		
431693 3MILE DN- 79 06 09 1245	SAMPLE NO	69934		
SIZE- 9000 FT3 OFF- 79 06 16 1330	DISTANCE	2.3		MILES
	131I	<2.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
	DUPLICATE	69933		
FALMOUTH-COLLINS SUBSTATION	GR-B	3.8E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	2.3		MILES
432138 3MILE DN- 79 06 09 1245	ID NO.	AP-8C1		
SIZE- 9000 FT3 OFF- 79 06 16 1330	AZIMUTH	SSE		
	SAMPLE NO	69942		
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	GR-B	3.8E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	2.3		MILES
432139 3MILE DN- 79 06 09 1245	ID NO.	AP-8C1		
SIZE- 9000 FT3 OFF- 79 06 16 1330	AZIMUTH	SSE		
	SAMPLE NO	69943		
	ANALYSIS BY TELEDYNE			
	DUPLICATE	69942		
OBSERVATION CENTER BUILDING	DISTANCE	0.4		MILES
86 1590 043 42 03 30	SAMPLE NO	69935		
431694 3MILE DN- 79 06 09 1445	131I	<3.0E-02		PCI/M3
SIZE- 1490 FT3 OFF- 79 06 16 1525	ID NO.	AI-5A1		
	AZIMUTH	E		
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	GR-B	4.7E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	E		
432140 3MILE DN- 79 06 09 1445	ID NO.	AP-5A1		
SIZE- 1490 FT3 OFF- 79 06 16 1525	DISTANCE	0.4		MILES
	SAMPLE NO	69944		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05			
	ANALYSIS	RESULT	2SIGMA	UNITS
N, WEATHER STATION 86 1590 043 42 03 30 431691 3MILE DN- 79 06 09 1500 SIZE- 1010 FT3 OFF- 79 06 16 1535	SAMPLE NO AZIMUTH 1311 DISTANCE ID NO. ANALYSIS BY TELEDYNE	69932 N <4.0E-02 0.4 AI-182		 PCI/M3 MILES
N, WEATHER STATION 86 1590 043 42 03 30 432137 3MILE DN- 79 06 09 1500 SIZE- 1010 FT3 OFF- 79 06 16 1535	ID NO. AZIMUTH GR-B DISTANCE SAMPLE NO ANALYSIS BY TELEDYNE	AP-182 N 5.9E-02 0.4 69941	0.5E-02	 PCI/M3 MILES
DRAGER FARM OFF ENGLE TOLLGATE ROAD 86 1590 043 42 03 30 431443 3MILE DN- 79 06 16 0805 SIZE- 249.2 M3 OFF- 79 06 23 0830	DISTANCE SAMPLE NO ID NO. AZIMUTH BETA ANALYSIS BY RMC	9 72728D3 AP-7F10 SE 8.34E-02	8.9E-03	MILES PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE ROAD 86 1590 043 42 03 30 431486 3MILE DN- 79 06 16 0805 SIZE- 8800 FT3 OFF- 79 06 23 0830	SAMPLE NO 1311 DISTANCE ID NO. AZIMUTH ANALYSIS BY RMC	7274I19 <0.011 9 AI-7F10 SE		 PCI/M3 MILES
DRAGER FARM OFF ENGLE TOLLGATE RD. 86 1590 043 42 03 30 431806 3MILE DN- 79 06 16 0805 SIZE- 5300 FT3 OFF- 79 06 23 0830	DISTANCE AZIMUTH 1311 ID NO. SAMPLE NO ANALYSIS BY TELEDYNE	9 SE <3.0E-02 AI-7F1 70296		MILES PCI/M3
DRAGER FARM OFF ENGLE TOLLGATE RD. 86 1590 043 42 03 30 432152 3MILE DN- 79 06 16 0805 SIZE- 5300 FT3 OFF- 79 06 23 0830	SAMPLE NO DISTANCE GR-B AZIMUTH ID NO. ANALYSIS BY TELEDYNE	70289 9 5.7E-02 SE AP-7F1	0.7E-02	 MILES PCI/M3
MET. ED. YORK LOAD DISPATCH STATION 86 1590 043 42 03 30 431807 3MILE DN- 79 06 16 0955 SIZE- 1190 FT3 OFF- 79 06 23 1030	ID NO. AZIMUTH SAMPLE NO DISTANCE 1311 ANALYSIS BY TELEDYNE	AI-9G1 S 70299 13 <3.0E-02		 MILES PCI/M3

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

		ANALYSIS	RESULT	2SIGMA	UNITS
MET. ED. YORK LOAD DISPATCH STATION		GR-B	3.7E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30		SAMPLE NO	70290		
432153 3MILE	DN= 79 06 16 0955	ID NO.	AP-9G1		
SIZE= 1190 FT3	OFF= 79 06 23 1030	AZIMUTH	S		
		DISTANCE	13		MILES
		ANALYSIS BY TELEDYNE			
FISHING CREEK		SAMPLE NO	70297		
86 1590 043 42 03 30		AZIMUTH	WSW		
431805 3MILE	DN= 79 06 16 1050	131I	<4.0E-02		PCI/M3
SIZE= 8700 FT3	OFF= 79 06 23 1145	ID NO.	AI-12B1		
		DISTANCE	1.6		MILES
		ANALYSIS BY TELEDYNE			
FISHING CREEK		ID NO.	AP-12B1		
86 1590 043 42 03 30		DISTANCE	1.6		MILES
432151 3MILE	DN= 79 06 16 1050	GR-B	4.3E-02	0.5E-02	PCI/M3
SIZE= 8700 FT3	OFF= 79 06 23 1145	AZIMUTH	WSW		
		SAMPLE NO	70289		
		ANALYSIS BY TELEDYNE			
N. FAIRVIEW SUBSTATION		ID NO.	AI-15G1		
86 1590 043 42 03 30		AZIMUTH	NW		
431803 3MILE	DN= 79 06 16 1145	DISTANCE	15		MILES
SIZE= 8900 FT3	OFF= 79 06 23 1225	SAMPLE NO	70295		
		131I	<2.0E-02		PCI/M3
		ANALYSIS BY TELEDYNE			
N. FAIRVIEW SUBSTATION		DISTANCE	15		MILES
86 1590 043 42 03 30		AZIMUTH	NW		
431804 3MILE	DN= 79 06 16 1145	131I	<2.0E-02		PCI/M3
SIZE= 8900 FT3	OFF= 79 06 23 1225	ID NO.	AI-15G1		
		SAMPLE NO	70296		
		DUPLICATE	70295		
		ANALYSIS BY TELEDYNE			
N. FAIRVIEW SUBSTATION		GR-B	4.7E-02	0.5E-02	PCI/M3
86 1590 043 42 03 30		DISTANCE	15		MILES
432149 3MILE	DN= 79 06 16 1145	ID NO.	AP-15G1		
SIZE= 8900 FT3	OFF= 79 06 23 1225	SAMPLE NO	70286		
		AZIMUTH	NW		
		ANALYSIS BY TELEDYNE			
N. FAIRVIEW SUBSTATION		SAMPLE NO	70287		
86 1590 043 42 03 30		DISTANCE	15		MILES
432150 3MILE	DN= 79 06 16 1145	ID NO.	AP-15G1		
SIZE= 8900 FT3	OFF= 79 06 23 1225	AZIMUTH	NW		
		GR-B	4.8E-02	0.5E-02	PCI/M3
		ANALYSIS BY TELEDYNE			
		DUPLICATE	70286		

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION	BETA	6.92E-03	9.0E-03	PCI/M3
86 1590 043 42 03 30	SAMPLE NO	7273BD3		
431464 3MILE ON- 79 06 16 1305	ID NO.	AP-1C10		
SIZE- 209.5 M3 OFF- 79 06 23 1400	AZIMUTH	N		
	DISTANCE	2.6		MILES
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	ID NO.	AI-1C10		
86 1590 043 42 03 30	AZIMUTH	N		
431507 3MILE ON- 79 06 16 1305	131I	<1.26E-02		PCI/M3
SIZE- 7400 FT3 OFF- 79 06 23 1400	DISTANCE	2.6		MILES
	SAMPLE NO	7275I19		
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	131I	<4.0E-02		PCI/M3
86 1590 043 42 03 30	SAMPLE NO	70300		
431908 3MILE ON- 79 06 16 1305	DISTANCE	2.6		MILES
SIZE- 9600 FT3 OFF- 79 06 23 1400	ID NO.	AI-1C1		
	AZIMUTH	N		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	GR-B	4.4E-02	0.5E-02	PCI/M3
86 1590 043 42 03 30	SAMPLE NO	70291		
432154 3MILE ON- 79 06 16 1305	ID NO.	AP-1C1		
SIZE- 9600 FT3 OFF- 79 06 23 1400	AZIMUTH	N		
	DISTANCE	2.6		MILES
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	ID NO.	AI-8C1		
86 1590 043 42 03 30	SAMPLE NO	70293		
431801 3MILE ON- 79 06 16 1330	131I	<4.0E-02		PCI/M3
SIZE- 9800 FT3 OFF- 79 06 23 1430	AZIMUTH	SSE		
	DISTANCE	2.3		MILES
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	GR-B	3.7E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	2.3		MILES
432147 3MILE ON- 79 06 16 1330	ID NO.	AP-8C1		
SIZE- 9800 FT3 OFF- 79 06 23 1430	AZIMUTH	SSE		
	SAMPLE NO	70284		
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	131I	<3.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	E		
431802 3MILE ON- 79 06 16 1525	DISTANCE	0.4		MILES
SIZE- 1490 FT3 OFF- 79 06 23 1620	SAMPLE NO	70294		
	ID NO.	AI-5A1		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
OBSERVATION CENTER BUILDING	GR-B	3.8E-02	0.3E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	0.4		MILES
432148 3MILE DN- 79 06 16 1525	ID NO.	AP-5A1		
SIZE- 1490 FT3 OFF- 79 06 23 1620	SAMPLE NO	70285		
	AZIMUTH	E		
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	DISTANCE	0.4		MILES
86 1590 043 42 03 30	AZIMUTH	N		
431800 3MILE DN- 79 06 16 1535	131I	<4.0E-02		PCI/M3
SIZE- 9600 FT3 OFF- 79 06 23 1635	ID NO.	AI-1B2		
	SAMPLE NO	70292		
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	ID NO.	AP-1B2		
86 1590 043 42 03 30	DISTANCE	0.4		MILES
432146 3MILE DN- 79 06 16 1535	GR-B	4.1E-02	0.4E-02	PCI/M3
SIZE- 9600 FT3 OFF- 79 06 23 1635	AZIMUTH	N		
	SAMPLE NO	70283		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	GR-B	3.5E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	2.6		MILES
432163 3MILE DN- 79 06 23	ID NO.	AP-1C1		
SIZE- 9400 FT3 OFF- 79 06 30	SAMPLE NO	70643		
	AZIMUTH	W		
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	DISTANCE	2.3		MILES
86 1590 043 42 03 30	AZIMUTH	SSE		
431810 3MILE DN- 79 06 23 1430	131I	<3.0E-02		PCI/M3
SIZE- 9700 FT3 OFF- 79 06 30 0750	SAMPLE NO	70645		
	ID NO.	AI-8C1		
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS	GR-B	1.3E-02	0.3E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	2.3		MILES
432156 3MILE DN- 79 06 23 1430	ID NO.	AP-8C1		
SIZE- 9700 FT3 OFF- 79 06 30 0750	SAMPLE NO	70636		
	AZIMUTH	SSE		
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	DISTANCE	0.4		MILES
86 1590 043 42 03 30	AZIMUTH	E		
431811 3MILE DN- 79 06 23 1620	131I	<2.0E-02		PCI/M3
SIZE- 1420 FT3 OFF- 79 06 30 0820	SAMPLE NO	70646		
	ID NO.	AI-5A1		
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
	ANALYSIS	RESULT	2SIGMA	UNITS	
OBSERVATION CENTER BUILDING	GR-B	2.2E-02	0.3E-02	PCI/M3	
86 1590 043 42 03 30	DISTANCE	0.4		MILES	
432157 3MILE DN- 79 06 23 1620	ID NO.	AP-5A1			
SIZE- 1420 FT3 DFF- 79 06 30 0820	SAMPLE NO	70637			
	AZIMUTH	E			
	ANALYSIS BY TELEDYNE				
MIDDLETOWN SUBSTATION	ID NO.	AP-1C1Q			
86 1590 043 42 03 30	BETA	2.29E-02	5.9E-03	PCI/M3	
431465 3MILE DN- 79 06 23 1400	AZIMUTH	N			
SIZE- 203.8 M3 DFF- 79 06 30 0855	SAMPLE NO	7529BD3			
	DISTANCE	2.6		MILES	
	ANALYSIS BY RMC				
MIDDLETOWN SUBSTATION	BETA	3.50E-02	6.9E-03	PCI/M3	
86 1590 043 42 03 30	DISTANCE	2.6		MILES	
431466 3MILE DN- 79 06 23 1400	ID NO.	AP-1C1Q			
SIZE- 203.8 M3 DFF- 79 06 30 0855	AZIMUTH	N			
	SAMPLE NO	7529BD3			
	ANALYSIS BY RMC				
MIDDLETOWN SUBSTATION	131I	<1.17E-02		PCI/M3	
86 1590 043 42 03 30	DISTANCE	2.6		MILES	
431508 3MILE DN- 79 06 23 1400	SAMPLE NO	7531I19			
SIZE- 7200 FT3 DFF- 79 06 30 0855	AZIMUTH	N			
	ID NO.	AI-1C1Q			
	ANALYSIS BY RMC				
MIDDLETOWN SUBSTATION	ID NO.	AI-1C1			
86 1590 043 42 03 30	AZIMUTH	N			
431817 3MILE DN- 79 06 23 1400	DISTANCE	2.6		MILES	
SIZE- 9400 FT3 DFF- 79 06 30 0855	SAMPLE NO	70652			
	131I	<3.0E-02		PCI/M3	
	ANALYSIS BY TELEDYNE				
N. FAIRVIEW SUBSTATION	SAMPLE NO	70647			
86 1590 043 42 03 30	AZIMUTH	NW			
431812 3MILE DN- 79 06 23 1225	131I	<2.0E-02		PCI/M3	
SIZE- 8900 FT3 DFF- 79 06 30 1045	ID NO.	AI-15G1			
	DISTANCE	15		MILES	
	ANALYSIS BY TELEDYNE				
N. FAIRVIEW SUBSTATION	GR-B	3.5E-02	0.5E-02	PCI/M3	
86 1590 043 42 03 30	DISTANCE	15		MILES	
432158 3MILE DN- 79 06 23 1225	ID NO.	AP-15G1			
SIZE- 8900 FT3 DFF- 79 06 30 1045	AZIMUTH	NW			
	SAMPLE NO	70638			
	ANALYSIS BY TELEDYNE				

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05					
	ANALYSIS	RESULT	2SIGMA	UNITS	
FISHING CREEK	131I	<3.0E-02		PCI/M3	
86 1590 043 42 03 30	AZIMUTH	WSW			
431813 3MILE DN- 79 06 23 1145	DISTANCE	1.6		MILES	
SIZE- 9500 FT3 OFF- 79 06 30 1255	ID NO.	AI-12B1			
	SAMPLE NO	70648			
	ANALYSIS BY TELEDYNE				
FISHING CREEK	ID NO.	AP-12B1			
86 1590 043 42 03 30	DISTANCE	1.6		MILES	
432159 3MILE DN- 79 06 23 1145	GR-B	3.9E-02	0.5E-02	PCI/M3	
SIZE- 9500 FT3 OFF- 79 06 30 1255	AZIMUTH	WSW			
	SAMPLE NO	70639			
	ANALYSIS BY TELEDYNE				
MET. ED. YORK LOAD DISPATCH STATION	131I	<2.0E-02		PCI/M3	
86 1590 043 42 03 30	ID NO.	AI-9G1			
431816 3MILE DN- 79 06 23 1030	DISTANCE	13		MILES	
SIZE- 1210 FT3 OFF- 79 06 30 1405	SAMPLE NO	70651			
	AZIMUTH	E			
	ANALYSIS BY TELEDYNE				
MET. ED. YORK LOAD DISPATCH STATION	GP-B	3.4E-02	0.7E-02	PCI/M3	
86 1590 043 42 03 30	SAMPLE NO	70642			
432162 3MILE DN- 79 06 23 1030	ID NO.	AP-9G1			
SIZE- 1210 FT3 OFF- 79 06 30 1405	AZIMUTH	E			
	DISTANCE	13		MILES	
	ANALYSIS BY TELEDYNE				
DRAGER FARM OFF ENGLE TOLLGATE ROAD	BETA	2.74E-02	5.4E-03	PCI/M3	
86 1590 043 42 03 30	ID NO.	AP-7F10			
431444 3MILE DN- 79 06 23 0830	AZIMUTH	SE			
SIZE- 260.5 M3 OFF- 79 06 30 1615	DISTANCE	9		MILES	
	SAMPLE NO	75288D3			
	ANALYSIS BY RMC				
DRAGER FARM OFF ENGLE TOLLGATE ROAD	AZIMUTH	SE			
86 1590 043 42 03 30	ID NO.	AP-7F10			
431445 3MILE DN- 79 06 23 0830	SAMPLE NO	75288D3			
SIZE- 260.5 M3 OFF- 79 06 30 1615	BETA	1.79E-02	4.6E-03	PCI/M3	
	DISTANCE	9		MILES	
	ANALYSIS BY RMC				
DRAGER FARM OFF ENGLE TOLLGATE ROAD	131I	<9.20E-03		PCI/M3	
86 1590 043 42 03 30	AZIMUTH	SE			
431487 3MILE DN- 79 06 23 0830	DISTANCE	9		MILES	
SIZE- 9200 FT3 OFF- 79 06 30 1615	SAMPLE NO	7530I19			
	ID NO.	AI-7F10			
	ANALYSIS BY RMC				

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
DRAGER FARM OFF ENGLE TOLLGATE RD,		SAMPLE NO	70649		
86 1590 043 42 03 30		AZIMUTH	SE		
431814 3MILE	DN- 79 06 23 0830	DISTANCE	9		MILES
SIZE- 5500 FT3	OFF- 79 06 30 1615	ID NO,	AI-7F1		
		1311	<3.0E-02		PCI/M3
		ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD		ID NO,	AI-7F1		
86 1590 043 42 03 30		SAMPLE NO	70650		
431815 3MILE	DN- 79 06 23 0830	1311	<5.0E-02		PCI/M3
SIZE- 5500 FT3	OFF- 79 06 30 1615	AZIMUTH	SE		
		DISTANCE	9		MILES
		DUPLICATE	70649		
		ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD,		SAMPLE NO	70640		
86 1590 043 42 03 30		DISTANCE	9		MILES
432160 3MILE	DN- 79 06 23 0830	GR-B	5.2E-02	0.7E-02	PCI/M3
SIZE- 5500 FT3	OFF- 79 06 30 1615	AZIMUTH	SE		
		ID NO,	AP-7F1		
		ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD,		GR-B	5.4E-02	0.7E-02	PCI/M3
86 1590 043 42 03 30		SAMPLE NO	70641		
432161 3MILE	DN- 79 06 23 0830	ID NO,	AP-7F1		
SIZE- 5500 FT3	OFF- 79 06 30 1615	AZIMUTH	SE		
		DISTANCE	9		MILES
		ANALYSIS BY TELEDYNE			
		DUPLICATE	70640		
N, WEATHER STATION		ID NO,	AI-152		
86 1590 043 42 03 30		AZIMUTH	N		
431809 3MILE	DN- 79 06 23 1635	DISTANCE	0.4		MILES
SIZE- 9900 FT3	OFF- 79 06 30 1835	SAMPLE NO	70644		
		1311	<3.0E-02		PCI/M3
		ANALYSIS BY TELEDYNE			
N, WEATHER STATION		SAMPLE NO	70635		
86 1590 043 42 03 30		DISTANCE	0.4		MILES
432155 3MILE	DN- 79 06 23 1635	GR-B	3.1E-02	0.4E-02	PCI/M3
SIZE- 9900 FT3	OFF- 79 06 30 1835	AZIMUTH	N		
		ID NO,	AP-152		
		ANALYSIS BY TELEDYNE			
N, FAIRVIEW SUBSTATION		SAMPLE NO	71108		
86 1590 043 42 03 30		AZIMUTH	NW		
431821 3MILE	DN- 79 06 30 1045	DISTANCE	15		MILES
SIZE- 8900 FT3	OFF- 79 07 07 0915	ID NO,	AI-15G1		
		1311	<3.0E-02		PCI/M3
		ANALYSIS BY TELEDYNE			

TABLE 17-A. MET ED AIR RESULTS

PENNSYLVANIA	REPORTED 80/11/05				
		ANALYSIS	RESULT	2SIGMA	UNITS
W. FAIRVIEW SUBSTATION		ID NO.	AP-15G1		
86 1590 043 42 03 30		DISTANCE	15		MILES
432167 3MILE	DN- 79 06 30 1045	GR-B	3.3E-02	0.4E-02	PCI/M3
SIZE- 8900 FT3	OFF- 79 07 07 0915	AZIMUTH	NW		
		SAMPLE NO	71099		
		ANALYSIS BY	TELEDYNE		
FISHING CREEK		DISTANCE	1.6		MILES
86 1590 043 42 03 30		SAMPLE NO	71109		
431822 3MILE	DN- 79 06 30 1255	131I	<3.0E-02		PCI/M3
SIZE- 9900 FT3	OFF- 79 07 07 1010	ID NO.	AI-12B1		
		AZIMUTH	WSW		
		ANALYSIS BY	TELEDYNE		
FISHING CREEK		SAMPLE NO	71100		
86 1590 043 42 03 30		DISTANCE	1.6		MILES
432168 3MILE	DN- 79 06 30 1255	GR-B	3.1E-02	0.4E-02	PCI/M3
SIZE- 9900 FT3	OFF- 79 07 07 1010	AZIMUTH	WSW		
		ID NO.	AP-12B1		
		ANALYSIS BY	TELEDYNE		
MET. ED. YORK LOAD DISPATCH STATION		DISTANCE	13		MILES
86 1590 043 42 03 30		ID NO.	AI-9G1		
431824 3MILE	DN- 79 06 30 1405	131I	<2.0E-02		PCI/M3
SIZE- 1150 FT3	OFF- 79 07 07 1115	SAMPLE NO	71111		
		AZIMUTH	S		
		ANALYSIS BY	TELEDYNE		
MET. ED. YORK LOAD DISPATCH STATION		GR-B	3.1E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30		SAMPLE NO	71102		
432170 3MILE	DN- 79 06 30 1405	ID NO.	AP-9G1		
SIZE- 1150 FT3	OFF- 79 07 07 1115	AZIMUTH	S		
		DISTANCE	13		MILES
		ANALYSIS BY	TELEDYNE		
DRAGER FARM OFF ENGLE TOLLGATE ROAD		ID NO.	AP-7F1G		
86 1590 043 42 03 30		AZIMUTH	SE		
431446 3MILE	DN- 79 06 30 1615	BETA	2.9E-02	6.1E-03	PCI/M3
SIZE- 246.3 M3	OFF- 79 07 07 1315	SAMPLE NO	7941BD3		
		DISTANCE	9		MILES
		ANALYSIS BY	RMC		
DRAGER FARM OFF ENGLE TOLLGATE ROAD		DISTANCE	9		MILES
86 1590 043 42 03 30		SAMPLE NO	7943I19		
431488 3MILE	DN- 79 06 30 1615	AZIMUTH	SE		
SIZE- 8700 FT3	OFF- 79 07 07 1315	131I	<1.1E-02		PCI/M3
		ID NO.	AI-7F1G		
		ANALYSIS BY	RMC		

TABLE 17-A, WET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05	ANALYSIS	RESULT	2SIGMA	UNITS
DRAGER FARM OFF ENGLE TOLLGATE RD.	DISTANCE	9		MILES
86 1590 043 42 03 30	AZIMUTH	SE		
431823 3MILE DN- 79 06 30 1615	ID NO.	AI-7F1		
SIZE- 4800 FT3 DFF- 79 07 07 1315	SAMPLE NO	71110		
	131I	<6.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.	GR-B	5.4E-02	0.8E-02	PCI/M3
86 1590 043 42 03 30	SAMPLE NO	71101		
432169 3MILE DN- 79 06 30 1615	ID NO.	AP-7F1		
SIZE- 4800 FT3 DFF- 79 07 07 1315	AZIMUTH	SE		
	DISTANCE	9		MILES
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	131I	<2.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	SSE		
431819 3MILE DN- 79 06 30 0750	DISTANCE	2.3		MILES
SIZE- 9900 FT3 DFF- 79 07 07 1335	SAMPLE NO	71106		
	ID NO.	AI-8C1		
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	ID NO.	AP-8C1		
86 1590 043 42 03 30	DISTANCE	2.3		MILES
432165 3MILE DN- 79 06 30 0750	GR-B	2.4E-02	0.4E-02	PCI/M3
SIZE- 9900 FT3 DFF- 79 07 07 1335	SAMPLE NO	71097		
	AZIMUTH	SSE		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	BETA	2.70E-02	5.7E-03	PCI/M3
86 1590 043 42 03 30	DISTANCE	2.6		MILES
431467 3MILE DN- 79 06 30 0855	SAMPLE NO	7944BD3		
SIZE- 257.6 M3 DFF- 79 07 07 1430	AZIMUTH	N		
	ID NO.	AP-1C10		
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	DISTANCE	2.6		MILES
86 1590 043 42 03 30	SAMPLE NO	7944I19		
431509 3MILE DN- 79 06 30 0855	AZIMUTH	N		
SIZE- 9100 FT3 DFF- 79 07 07 1430	131I	<1.07E-02		PCI/M3
	ID NO.	AI-1C10		
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	ID NO.	AI-1C1		
86 1590 043 42 03 30	AZIMUTH	N		
431825 3MILE DN- 79 06 30 0855	131I	<3.0E-02		PCI/M3
SIZE- 9500 FT3 DFF- 79 07 07 1430	SAMPLE NO	71112		
	DISTANCE	2.6		MILES
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION	131I	<2.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	W		
431826 3MILE DN- 79 06 30 0855	DISTANCE	2.6		MILES
SIZE- 9500 FT3 DFF- 79 07 07 1430	ID NO.	AI-1C1		
	SAMPLE NO	71113		
	ANALYSIS BY	TELEDYNE		
	DUPLICATE	71112		
MIDDLETOWN SUBSTATION	GR-B	2.8E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	2.6		MILES
432171 3MILE DN- 79 06 30 0855	ID NO.	AP-1C1		
SIZE- 9500 FT3 DFF- 79 07 07 1430	SAMPLE NO	71103		
	AZIMUTH	W		
	ANALYSIS BY	TELEDYNE		
MIDDLETOWN SUBSTATION	GR-B	3.4E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	2.6		MILES
432172 3MILE DN- 79 06 30 0855	ID NO.	AP-1C1		
SIZE- 9500 FT3 DFF- 79 07 07 1430	SAMPLE NO	71104		
	AZIMUTH	W		
	ANALYSIS BY	TELEDYNE		
	DUPLICATE	71103		
OBSERVATION CENTER BUILDING	131I	<2.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	E		
431820 3MILE DN- 79 06 30 0820	DISTANCE	0.4		MILES
SIZE- 1540 FT3 DFF- 79 07 07 1600	ID NO.	AI-5A1		
	SAMPLE NO	71107		
	ANALYSIS BY	TELEDYNE		
OBSERVATION CENTER BUILDING	SAMPLE NO	71098		
86 1590 043 42 03 30	DISTANCE	0.4		MILES
432166 3MILE DN- 79 06 30 0820	ID NO.	AP-5A1		
SIZE- 1540 FT3 DFF- 79 07 07 1600	AZIMUTH	E		
	GR-B	2.7E-02	0.3E-02	PCI/M3
	ANALYSIS BY	TELEDYNE		
N. WEATHER STATION	DISTANCE	0.4		MILES
86 1590 043 42 03 30	AZIMUTH	N		
431818 3MILE DN- 79 06 30 1835	131I	<3.0E-02		PCI/M3
SIZE- 9000 FT3 DFF- 79 07 07 1630	SAMPLE NO	71105		
	ID NO.	AI-1B2		
	ANALYSIS BY	TELEDYNE		
N. WEATHER STATION	ID NO.	AP-1B2		
86 1590 043 42 03 30	DISTANCE	0.4		MILES
432164 3MILE DN- 79 06 30 1835	GR-B	3.4E-02	0.4E-02	PCI/M3
SIZE- 9000 FT3 DFF- 79 07 07 1630	SAMPLE NO	71096		
	AZIMUTH	N		
	ANALYSIS BY	TELEDYNE		

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION	AZIMUTH	N		
86 1590 043 42 03 30	ID NO.	AP-1C1Q		
431468 3MILE DN- 79 07 07 1430	SAMPLE NO	8217BD3		
SIZE- 229.4 M3 DFF- 79 07 14 0750	DISTANCE	2.6		MILES
	BETA	4.18E-02	6.9E-03	PCI/M3
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	DISTANCE	2.6		MILES
86 1590 043 42 03 30	131I	<1.04E-02		PCI/M3
431510 3MILE DN- 79 07 07 1430	AZIMUTH	N		
SIZE- 8100 FT3 DFF- 79 07 14 0750	ID NO.	AI-1C1Q		
	SAMPLE NO	8219I19		
	ANALYSIS BY RMC			
MIDDLETOWN SUBSTATION	131I	<3.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	N		
431834 3MILE DN- 79 07 07 1430	DISTANCE	2.6		MILES
SIZE- 8600 FT3 DFF- 79 07 14 0750	ID NO.	AI-1C1		
	SAMPLE NO	71472		
	ANALYSIS BY TELEDYNE			
MIDDLETOWN SUBSTATION	GR-B	4.5E-02	0.5E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	N		
432180 3MILE DN- 79 07 07 1430	ID NO.	AP-1C1		
SIZE- 8600 FT3 DFF- 79 07 14 0750	SAMPLE NO	71464		
	DISTANCE	2.6		MILES
	ANALYSIS BY TELEDYNE			
N. FAIRVIEW SUBSTATION	DISTANCE	15		MILES
86 1590 043 42 03 30	AZIMUTH	NW		
431830 3MILE DN- 79 07 07 0915	131I	<3.0E-02		PCI/M3
SIZE- 1070 FT3 DFF- 79 07 14 0905	SAMPLE NO	71468		
	ID NO.	AI-15G1		
	ANALYSIS BY TELEDYNE			
N. FAIRVIEW SUBSTATION	GR-B	3.6E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	15		MILES
432176 3MILE DN- 79 07 07 0915	SAMPLE NO	71460		
SIZE- 1070 FT3 DFF- 79 07 14 0905	AZIMUTH	NW		
	ID NO.	AP-15G1		
	ANALYSIS BY TELEDYNE			
FISHING CREEK	DISTANCE	1.6		MILES
86 1590 043 42 03 30	AZIMUTH	WSW		
431831 3MILE DN- 79 07 07 1010	ID NO.	AI-12B1		
SIZE- 9800 FT3 DFF- 79 07 14 1000	SAMPLE NO	71469		
	131I	<2.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			

TABLE 17-A. MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05	ANALYSIS	RESULT	2SIGMA	UNITS
FISHING CREEK	GR-B	4.2E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	SAMPLE NO	71461		
432177 3MILE DN- 79 07 07 1010	ID NO.	AP-12B1		
SIZE- 9800 FT3 DFF- 79 07 14 1000	DISTANCE	1.6		MILES
	AZIMUTH	WSW		
	ANALYSIS BY TELEDYNE			
MET. ED. YORK FOOD DISPATCH STATION	ID NO.	AI-9G1		
86 1590 043 42 03 30	AZIMUTH	S		
431833 3MILE DN- 79 07 07 1115	131I	<2.0E-02		PCI/M3
SIZE- 1160 FT3 DFF- 79 07 14 1100	SAMPLE NO	71471		
	DISTANCE	13		MILES
	ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION	GR-B	4.7E-02	0.4E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	S		
432179 3MILE DN- 79 07 07 1115	ID NO.	AP-9G1		
SIZE- 1160 FT3 DFF- 79 07 14 1100	SAMPLE NO	71463		
	DISTANCE	13		MILES
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.	ID NO.	AP-7F1Q		
86 1590 043 42 03 30	DISTANCE	9		MILES
431447 3MILE DN- 79 07 07 1315	BETA	3.45E-02	6.2E-02	PCI/M3
SIZE- 246.4 M3 DFF- 79 07 14 1300	AZIMUTH	SE		
	SAMPLE NO	8216BD3		
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	131I	<9.94E-03		PCI/M3
86 1590 043 42 03 30	AZIMUTH	SE		
431489 3MILE DN- 79 07 07 1315	SAMPLE NO	8218I19		
SIZE- 8700 FT3 DFF- 79 07 14 1300	ID NO.	AI-7F1Q		
	DISTANCE	9		MILES
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE RD.	DISTANCE	9		MILES
86 1590 043 42 03 30	ID NO.	AI-7F1		
431832 3MILE DN- 79 07 07 1315	131I	<5.0E-02		PCI/M3
SIZE- 4700 FT3 DFF- 79 07 14 1300	SAMPLE NO	71470		
	AZIMUTH	SE		
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE RD.	GR-B	9.2E-02	0.9E-02	PCI/M3
86 1590 043 42 03 30	SAMPLE NO	71462		
432178 3MILE DN- 79 07 07 1315	ID NO.	AP-7F1		
SIZE- 4700 FT3 DFF- 79 07 14 1300	AZIMUTH	SE		
	DISTANCE	9		MILES
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	71466		
86 1590 043 42 03 30	AZIMUTH	SSE		
431828 3MILE DN- 79 07 07 1335	DISTANCE	2.3		MILES
SIZE- 9400 FT3 OFF- 79 07 14 1320	ID NO.	AI-8C1		
	131I	<4.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	SAMPLE NO	71458		
86 1590 043 42 03 30	AZIMUTH	SSE		
432174 3MILE DN- 79 07 07 1335	ID NO.	AP-8C1		
SIZE- 9400 FT3 OFF- 79 07 14 1320	DISTANCE	2.3		MILES
	GP-B	3.2E-02	0.4E-02	PCI/M3
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	DISTANCE	0.4		MILES
86 1590 043 42 03 30	SAMPLE NO	71467		
431829 3MILE DN- 79 07 07 1600	131I	<0.02		
SIZE- 1460 FT3 OFF- 79 07 14 1330	ID NO.	AI-5A1		
	AZIMUTH	E		
	ANALYSIS BY TELEDYNE			
OBSERVATION CENTER BUILDING	GP-B	3.2E-02	0.3E-02	PCI/M3
86 1590 043 42 03 30	AZIMUTH	E		
432175 3MILE DN- 79 07 07 1600	ID NO.	AP-5A1		
SIZE- 1460 FT3 OFF- 79 07 14 1330	SAMPLE NO	71459		
	DISTANCE	0.4		MILES
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	131I	<4.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	N		
431827 3MILE DN- 79 07 07 1630	DISTANCE	0.4		MILES
SIZE- 9000 FT3 OFF- 79 07 14 1515	SAMPLE NO	71465		
	ID NO.	AI-182		
	ANALYSIS BY TELEDYNE			
N. WEATHER STATION	GP-B	4.2E-02	0.5E-02	PCI/M3
86 1590 043 42 03 30	DISTANCE	0.4		MILES
432173 3MILE DN- 79 07 07 1630	ID NO.	AP-182		
SIZE- 9000 FT3 OFF- 79 07 14 1515	SAMPLE NO	71457		
	AZIMUTH	N		
	ANALYSIS BY TELEDYNE			
N. FAIRVIEW SUBSTATION	DISTANCE	15		MILES
86 1590 043 42 03 30	AZIMUTH	NW		
431839 3MILE DN- 79 07 14 0750	ID NO.	AI-15G1		
SIZE- 9500 FT3 OFF- 79 07 21 0920	SAMPLE NO	71923		
	131I	<4.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05	ANALYSIS	RESULT	2SIGMA	UNITS
FISHING CREEK	SAMPLE NO	71924		
86 1590 043 42 03 30	ID NO.	AI-12B1		
431840 3MILE DN- 79 07 14 1000	131I	<4.0E-02		PCI/M3
SIZE- 9700 FT3 OFF- 79 07 21 1015	AZIMUTH	WSW		
	DISTANCE	1.6		MILES
	ANALYSIS BY TELEDYNE			
MET. ED. YORK LOAD DISPATCH STATION	SAMPLE NO	71926		
86 1590 043 42 03 30	AZIMUTH	S		
431842 3MILE DN- 79 07 14 1100	DISTANCE	13		MILES
SIZE- 1170 FT3 OFF- 79 07 21 1200	ID NO.	AI-9G1		
	131I	<3.0E-02		PCI/M3
	ANALYSIS BY TELEDYNE			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	SAMPLE NO	8531BD3		
86 1590 043 42 03 30	AZIMUTH	SE		
431448 3MILE DN- 79 07 14 1300	BETA	3.87E-02	6.8E-03	PCI/M3
SIZE- 243.5 M3 OFF- 79 07 21 1410	DISTANCE	9		MILES
	ID NO.	AP-7F10		
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE ROAD	131I	<1.14E-02		PCI/M3
86 1590 043 42 03 30	ID NO.	AI-7F10		
431490 3MILE DN- 79 07 14 1300	SAMPLE NO	8534I19		
SIZE- 8600 FT3 OFF- 79 07 21 1410	DISTANCE	9		MILES
	AZIMUTH	SE		
	ANALYSIS BY RMC			
DRAGER FARM OFF ENGLE TOLLGATE RD.	131I	<6.0E-02		PCI/M3
86 1590 043 42 03 30	AZIMUTH	SE		
431841 3MILE DN- 79 07 14 1300	ID NO.	AI-7F1		
SIZE- 5400 FT3 OFF- 79 07 21 1410	SAMPLE NO	71925		
	DISTANCE	9		MILES
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	DISTANCE	2.3		MILES
86 1590 043 42 03 30	AZIMUTH	SSE		
431836 3MILE DN- 79 07 14 1320	131I	<4.0E-02		PCI/M3
SIZE- 9900 FT3 OFF- 79 07 21 1430	ID NO.	AI-8C1		
	SAMPLE NO	71920		
	ANALYSIS BY TELEDYNE			
FALMOUTH-COLLINS SUBSTATION	DISTANCE	2.3		MILES
86 1590 043 42 03 30	AZIMUTH	SSE		
431837 3MILE DN- 79 07 14 1320	131I	<2.0E-02		PCI/M3
SIZE- 9900 FT3 OFF- 79 07 21 1430	SAMPLE NO	71921		
	ID NO.	AI-8C1		
	ANALYSIS BY TELEDYNE			
	DUPLICATE	71920		

TABLE 17-A, MET ED AIR RESULTS

PENNSYLVANIA REPORTED 80/11/05

	ANALYSIS	RESULT	2SIGMA	UNITS
MIDDLETOWN SUBSTATION 86 1590 043 42 03 30 431469 3MILE DN- 79 07 14 0750 SIZE- 133.1 M3 OFF- 79 07 21 1445	SAMPLE NO AZIMUTH BETA DISTANCE ID NO. ANALYSIS BY RMC	85328D3 N 2.84E-02 2.6 AP-1C10	9.4E-03	PCI/M3 MILES
MIDDLETOWN SUBSTATION 86 1590 043 42 03 30 431470 3MILE DN- 79 07 14 0750 SIZE- 133.1 M3 OFF- 79 07 21 1445	BETA AZIMUTH SAMPLE NO DISTANCE ID NO. ANALYSIS BY RMC	3.35E-02 N 8533BD3 2.6 AP-1C10	9.8E-03	PCI/M3 MILES
MIDDLETOWN SUBSTATION 86 1590 043 42 03 30 431511 3MILE DN- 79 07 14 0750 SIZE- 4700 FT3 OFF- 79 07 21 1445	DISTANCE 131I AZIMUTH SAMPLE NO ID NO. ANALYSIS BY RMC	2.6 <2.03E-02 N 8535I19 AI-1C10		MILES PCI/M3
MIDDLETOWN SUBSTATION 86 1590 043 42 03 30 431512 3MILE DN- 79 07 14 0750 SIZE- 4700 FT3 OFF- 79 07 21 1445	DISTANCE ID NO. SAMPLE NO AZIMUTH 131I ANALYSIS BY RMC DUPLICATE	2.6 AI-1C10 8536I19 N <2.18E-02 8535I19		MILES PCI/M3
MIDDLETOWN SUBSTATION 86 1590 043 42 03 30 431843 3MILE DN- 79 07 14 0750 SIZE- 9100 FT3 OFF- 79 07 21 1445	DISTANCE SAMPLE NO 131I ID NO. AZIMUTH ANALYSIS BY TELEDYNE	2.6 71927 <4.0E-02 AI-1C1 N		MILES PCI/M3
N. WEATHER STATION 86 1590 043 42 03 30 431835 3MILE DN- 79 07 14 1515 SIZE- 8700 FT3 OFF- 79 07 21 1535	SAMPLE NO AZIMUTH DISTANCE ID NO. 131I ANALYSIS BY TELEDYNE	71919 N 0.4 AI-182 <5.0E-02		 MILES PCI/M3
OBSERVATION CENTER BUILDING 86 1590 043 42 03 30 431838 3MILE DN- 79 07 14 1330 SIZE- 1480 FT3 OFF- 79 07 21 1605	DISTANCE AZIMUTH 131I ID NO. SAMPLE NO ANALYSIS BY TELEDYNE	0.4 E <3.0E-02 AI-5A1 71922		MILES PCI/M3